"COUSINS!!K.COM

Batteries, Watch Parts, Tools, Books, Watch Straps, Watch Bracelets, Jewellery, Findings Restoration Consumables, Equipment, Clock Parts, Ear Piercing, Technical Downloads

Match Parts
Intelligent Distribution
Since 1969

April 2017

Product VIDEO Index

COUSINSUK.COM

Click the link on our homepage

and view
Over 100
product videos



including...

- Movements (Clock), Hermle
- Caflon Blu System
- Gem Stone Testing
- Magnetic Finishers
- Micromotors
- Polishing Machines, Spindles

- Rolling Mills
- Watch Cleaning Machines
- Ultrasonic Cleaning
- Watch Balance (Escapement)
- Watch Bracelet Adjusting
- Watch Strap Cutting & Hole Making Tools

and many more.



Your direct line to our Management Team

All messages are time stamped and answered within 1 hour of receipt Instant Message Service

OILER SET

Includes:

- Ø6mm well & oiler
- Ø8mm well & oiler
- Ø9mm well & oiler
- Ø10mm well & oiler
- Ø16mm well & oiler
- · Bergeon 6875
- Agate oil wells
- Anodised aluminium oil cups
- Anodised aluminium oiler handles
- 5 oilers, 5 oil cups & 5 pith wood buttons
- High quality in anodized aluminium base
- Rotating base with bronze bearings
- Colour coded oilers, cups & pith woods








OILER SET

Includes:

- Ø6mm well & oiler
- Ø8mm well & oiler
- Ø10mm well & oiler
- Ø12mm well & oiler
- Ø12mm well & oiler
- Bergeon 6885.CB
- Glass oil wells
- Synthetic oil cups
- Plastic oiler handles
- Rotating base





- 5 oilers, 5 oil cups & 5 pith wood buttons

Colour coded oilers, cups & pith woods





SINGLE OILERS & **CUPS SET**

- Set of 4 oilers & 4 oil cups
 - Excellent value
- Supplied with wooden stand

Oilers included: Oil cups included:

- Super Fine (Black)
- Black (Ø8mm)
- Extra fine (Red)
- Blue (Ø10mm)
- Fine (Blue)

- Green (Ø14mm)
- Medium (Green) Red (Ø17mm)

Ref: 038658



HEM

OIL POTS, Single Cups



- Bergeon Swiss
- Glass wells
- Synthetic material
- Colour coded
- Overall diameter Ø34mm

Ø6mm....Red 047441 Ø8mm....Blue 047442 Ø10mm...Green ... 047443 Ø12mm...Yellow ... 047444 Ø12mm...Grey 047445 Ø12mm...Black 047446

212.25 EACH



FAVOURITE

OIL POTS, Single Cups



- A* F Swiss
- Synthetic material
- Colour coded

Ø9mm....Red01037 Ø11mm...Blue07616 Ø20mm...Green07617 Ø27mm...Yellow...07618

222.95 EACH



NOURITE

OIL POTS, Single Cups

- Synthetic material
- Colour coded

Ø8mm....Black.....038659 Ø10mm...Blue038660 Ø11mm...Cream ...07983 Ø14mm...Green038661 Ø17mm...Red038662

ONLY 2125 FACH



SWIZA Quartz Clock Movements



ONLY BULL BACH

Swiza 20 Movement

- Swiza 20
- Ref: SWI20M
- Hour, Minute, centre seconds & alarm hand
- Hand height 5.90mm
- Ø52.8mm overall size
- 14.4mm deep (not incl. hand shaft)
- Hour hand Ø3.50mm
- Minute hand fitting Ø2.00mm

Swiza 21 Movement

- Swiza 21
- Ref: SWI21M
- Hour, Minute & centre seconds
- Hand height 5.90mm
- Ø52.8mm overall size
- 14.4mm deep (not incl. shaft)
- Hour hand Ø3.50mm
- Minute hand fitting Ø2.00mm

Swiza 22 Movement

Ref: SWI22M

- Swiza 22
- Hour & Minute
- With calender
- Ø50mm overall size
- · Hand height 4.20mm
- 15mm deep (not incl. hand shaft)

Ref: SWI26M

- Hour hand Ø3.50mm
- Minute hand fitting Ø2.00mm

Swiza 25 Movement

Swiza 25

- Ref: SWI25M
- · Hour, Minute & alarm hand
- · Hand height 6.20mm
- Ø52.8mm overall size
- 14.4mm deep (not including hand shaft)
- Hour hand Ø3.50mm
- Minute hand fitting Ø2.00mm

Swiza 26 Movement

- Swiza 26
- Hour & Minute
- Hand height 5.40mm
- Ø52.8mm overall size
- 14.4mm deep (not including hand shaft)
- Hour hand Ø3.50mm
- Minute hand fitting Ø2.00mm



Tel: +44 (0) 1708 757800

Strike & Chime

- Hermle 2114
- · Dual Chime, Westminster & Bim Bam
- Speaker included
- Night shut off option
- Volume control
- Euro fitting hand shaft (EF)
- Half hour strike & 4/4 chime
- Can take minute hands up to 160mm long, weighing up to 8 grams
- Can take centre seconds hands up to 90mm long, weighing up to 0.6 grams

Dimensions:

- 90x75x30mm (HxWxD)
- Speaker Ø65mm
- Shaft = From movement front to shaft tip



Strike & Chime with Pendulum

- Hermle 2214
- Dual Chime, Westminster & Bim Bam
- · Pendulum unit
- Speaker included
- Night shut off option
- Volume control
- Euro fitting hand shaft (EF)
- Half hour strike & 4/4 chime
- Can take minute hands up to 160mm long, weighing up to 8 grams
- Can take centre seconds hands up to 90mm long, weighing up to 0.6 grams
- Can take pendulum length up to 500mm, max pendulum weight 80g

Dimensions:

- 110 x 72.5 x 25mm
- Speaker Ø65mm
- Shaft = From movement front to shaft tip



WAX W

Wax Carving Tool Kit

- Professional wax carvers/jewellers tool kit
- Supplied in a nylon pouch
- 12 different tools
- · Great portable tool kit

Set of 12

£38.95 Ref: K45710

Kit includes:

- •Sliding brass vernier gauge (G31917)0
- •50mm square (S20127)
- •Jewellers shears, straight end (P4796)
- •Needle file set of 6
- •Adjustable saw frame, 76mm deep (P4798)
- •Ruler, 6 inch (R4911)
- Wax carver set of 5
- •Wax file (W20148)
- •Wax file set of 6 (W20147)





ORKING

Wax Burr Set

Set contains:

- Boring Burrs (A*F 172.850): Ø1.60 2.30mm
- Ball Burrs (A*F 172.851):

Ø1.60 - 1.80 - 2.30 - 3.10 - 5.00mm

Set of 6

£36.95 Ref: B47263

Great for boring and shaping holes in designing jewellery from wax carving and wood carving. The wide fluting on these wax burrs removes large amounts of material quickly and helps keep them clog-free for efficient, dependable cutting.

Six coarse-cut burs that range in diameter from 1.6 to 5.0mm. Includes 4 round ball burrs and 2 boring burrs. Shaft Ø2.35mm (3/32"). Made in Switzerland.





Hard Metal Wax Burr Set



Set contains:

 Various shapes 12 to 14mm cutting length (ball Ø6mm)

These coarse cut burrs are perfect not only for carving wax models but also good for wood working. Deep fluting and sharp teeth give a clean cut and fast result with no clogging.

Heads machined from tungsten carbide alloy for longer life. Ten different shapes mounted on industry standard Ø2.35mm (3/32") shanks.









JEWELLER

SETTERS Pliers

- Polished Steel
- Plastic covered handles
- · Length 125mm

Special pliers for setters. Used for straightening the prongs of claw settings.

One jaw is hollow and the other is set with a steel bead.





STONE SETTING Pliers



- Polished steel
- Smooth jaws
- · Plastic sleeved arms
- · Length 125mm

These pliers have one long iaw with a smooth inner face and one short jaw with a groove carved lengthwise in the face. The groove is used to help contain

one side of your setting, while the long jaw is used to bend the opposite prong in the setting into its final position.





STONE SETTING Pliers

COUSINS

These stone-setting pliers have a grooved slot in one jaw, allowing you to control the pressure and therefore reducing the risk of slipping and damaging the stone.

- One grooved, flat nose jaw
- One curved jaw
- Sleeved arms
- Overall length 125mm





Tel: +44 (0) 1708 757800

RS PLIERS

NEW

Split Ring & Chain Link Pliers



- Polished steel
- · Plastic covered handles
- Length 135mm

Specialist pliers for opening split rings etc. High quality with a brushed steel fininsh. Wide lower (5mm+) jaw ideal for positioning items ready to be split.





Split Ring & Chain Link Pliers



- Xuron 496
- Jump ring closing
- Curved catch tip opens ring then securely grasps it, simplifying installation
- Ergonomic design, non-slip Xuron-Rubber™ grips and light weight make it easy to use
- Will close 20mm to 0.5 mm spit rings



Bow Ring Opening Pliers

- Reverse action notched tips
- Length 140mm
- Spring loaded arms
- Tapered nose tips
- Reit P39045
- A*F Swiss 180.944
- Reverse action notched tips
- Spring loaded arms
 - Pring loaded arms

 Pring loaded arms

 Rath Pring Pring loaded arms

 Switzerland

Tapered nose tips

SOLDERING

Insulated with Straight Tips

- Straight ends
- Insulated
- · Heat resistant
- Fibre Grip

160mm T31949£1.50 200mm T31950£1.75



Insulated with Curved Tips

- Curved ends
- Stainless steel or titanium tips
- Insulated
- Heat resistant
- Fibre Grip

Stainless Steel T4914£1.25 Titanium T45551 ...£5.25



HEM

Insulated with Shaped Tips

- · Shaped ends
- · Holds a variety of shaped objects
- Stainless steel
- Insulated
- · Heat resistant
- Fibre Grip
- Length 160mm
- Supplied in plastic wallet
- Pack*3





TWEEZERS

PVC Grip, Regular Action

- Straight & curved ends
- Regular action
- Insulated with PVC grip
- Heat resistant
- Overall length 160mm
- Perfect for steam cleaning, heating, soldering & setting
- Pack*2





PVC Grip, Reverse Action

- Straight & curved ends
- · Reverse action
- Insulated with PVC grip
- Heat resistant
- Overall length 160mm
- Perfect for steam cleaning, heating, soldering & setting
- Pack*2



Soldering Tweezer Set

- Set of 4 tweezers
- Amazing value
- Supplied in plastic pouch

Set of 4



Set contains:

- Reverse action tweezers, serrated pointed tips, overall length 165mm
- Reverse action tweezers, serrated curved tips, overall length 165mm with insulated fibre grip
- Copper tweezers, smooth tips, overall length 170mm
- Multi-utility tweezers, smooth tips, overall length 180mm





ROLLING MILL EXTENSIONS



Add extra shapes and sizes to your existing Rolling Mill



Mini Mills Half Round Extension

- Half round (D shaped)
- Ø3, 6 & 8mm or Ø7 & 10mm groove diameters
- Internal Diameter: 22mm
- External Diameter: 44.45mm
- Width: 25.5mm

Ø3,6 & 8mm.....R47388 ... £119.95 Ø7 & 10mm.....R47390 ... £119.95

For rolling mills:

- R8697
- R9769
- All other Durston "mini mills"



DRM100 Mills Half Round Extension

- Half round (D shaped)
- Ø3, 6 & 8mm or Ø7 & 10mm groove diameters
- Internal Diameter: 25mm
- External Diameter: 50mm
- Width: 25.5mm

Ø3,6 & 8mm.....R47389 ... £109.95 Ø7 & 10mm.....R47391 ... £109.95

For rolling mills:

- R33534
- R43341
- All other Durston "DRM100" Mills



DRM130 & DRM150 Mills Half Round Extension

- Half round (D shaped)
- Ø3, 6 & 8mm or Ø7 & 10mm groove diameters
- Internal Diameter: 31.5mm
- External Diameter: 60mm
- Width: 25.5mm
- Key Way: 8.3mm x 4mm (Rectangle shape)

Ø3,6 & 8mm.....R19136 ... £119.95 Ø7 & 10mm.....R47392 ... £109.95

For rolling mills:

- R47313
- R33536
- R8700
- · R8699
- R47312
- R8742
- All other Durston "DRM 130 & DRM150" Mills



D2/130 & D4/158 Mills Half Round Extension

- Half round (D shaped)
- Ø3, 6 & 8mm or Ø7 & 10mm groove diameters
- Internal Diameter: 28.5mm
- External Diameter: 60mm
- Width: 25.5mm

Ø3,6 & 8mm.....R40901 ... £109.00 Ø7 & 10mm.....R47393 ... £109.95

For rolling mills:

- R8701
- Durston D4/158
 Mill

RING BENDER

Heavy duty cast iron construction with hardened steel shaft will bend up to 4mm thick, includes two precision hardened and ground dies.

- Supplied with 2 polished stainless steel dies
- Comes with additional metal plates allowing thicker/softer material to be bent
- Will bend up to 4mm thick
- Cast iron base
- Durston 1306
- Weight 9kg
- Dimensions: 120 x 190 x 90mm, Handle 25cm














RING BENDER

- Ring bender
- Cast iron base
- Will bend flat, oval and half round blanks
- Will bend blanks up to 4mm thick
- Includes 2 ring bending dies & stepped mandrel
- Dimensions: 200 x 50 x 50mm, Handle 30cm

Ref: R47019





ROLEX Submariner

Super quality generic rubber watch straps specifically manufacturered to exactly fit the Rolex Submariner.

Tang with Buckle

• Fitting width 20.5mm

Brushed Steel

• Overall Length 200mm (excludes buckle)

Curved Fnds

• Buckle also available seperately ref: B47717





ROLEX Tropic

• Silicone Smooth Rubber

• Sizes available: 18, 20, 22 & 24mm

Rolex Tropic Generic

Black



<u>Size</u>	<u>Ref</u>	<u>Price</u>	<u>Size</u>	<u>Ref</u>	<u>Price</u>
18mm (16mm)	S47042	£2.50	22mm (20mm)	S47044	£2.50
20mm (18mm)	S47043	£2.50	24mm (22mm)	S47045	£2.50




Super quality generic rubber watch strap buckle specifically manufacturered to exactly fit the Rolex Submariner.

- Generic Rolex Submariner
- Tang with Buckle
- Brushed Steel
- Fitting width 18mm
- Tongue width 3mm







ROLEX Style Spring Bars

Box Set, 12 to 22mm

- For Rolex type watches
- 110 pieces in graded box
- 11 sizes 10 pieces of each
- Sizes 12mm to 22mm
- Diameter Ø1.78mm
- Pivot diameter Ø0 80mm

110 Pieces



Replacements available:

12mm R19284	16mm R19288	20mm R19292
13mm R19285	17mm R19289	21mm R19293
14mm R19286	18mm R19290	22mm R19294
15mm R19287	19mm R19291	

ONLY £1.95 Per Pack 10 Pieces



ROLEX Original Style Spring Bars

Box Set, 13 to 20mm

- Stainless Steel
- 90 pieces in graded box
- 9 sizes, 10 pieces of each
- Sizes 20, 13, 13, 17, 19, 20, 19-20, 20 & 20mm in different styles

90 Pieces

Ref: R19195



Replacements available:

13mmRolex 051R19197 13mmRolex 052R19198 17mmRolex 052R19199 19mmRolex 052R19200 20mmRolex 050R19196 20mmRolex 052R19201 20mmRolex 054R19202 20mmRolex 055R19203 20mmRolex 056R19204

Per Pack 10 Pcs



Back in stock!

KRONOGLASS

It manufactures crystals (both flat and convex) with tempered mineral glasses, synthetic sapphire, unbreakable material, virtually any shape can now be replaced.

Supplied with:

- 1 kit for making watch glass patterns (gr. 200 of resin "K1" + gr. 250 of hardening liquid "K2")
- 1 bottle (gr.250) of emulsible oil "K3"
- 1 bottle (gr.50) of lubricating oil "K4"
- 1 corundum stone "K5"
- 60 mineral glass plates, Ø mm 40 (mm 0,7/0,9/1,1/1,3/1,5/1,8)
- · 3 hexagonal keys (mm 2-2,5-4)
- 1 fixed key (mm 8-10)
- 1 convex glass holder

Included:

- · Main Reducing Diamond Wheel
- Interior Bevel Diamond Wheel
- Exterior Bevel Diamond Wheel
- Bevel Polishing Diamond Wheel







- The market leader equipment that lets you to grind to form a mineral watch glass according to a resin shape
- The unique glass or a print achieved with the help of the measuring device
- The machine works on a copying basis.... Very precise!
- One of the favourite unit to cut watch glasses in house
- · Easy set up
- Offer fast glass cutting services for the trade and your customers



Can't find what you are looking for? Please use our online support









