


Catalog No. 54-1



54-1
(Catalog No.)

54-1
(Catalog No.)


5420M • 5421A • 5422A
● Analog quartz watch (without a center second) ● Power saving switch
Thickness: 1.9mm

5430M • 5431A • 5437A
● Analog quartz watch (with a center second) ● Power saving switch
Thickness: 1.9mm

Size (mm)	ø13.5 x 9
Oscillation per second	32,768Hz


CAL. 542*

Catalog No. 54-1



Catalog No. 54-1

CAL. 543*



Part No.	Name of parts	Caliber No.		5420M	5421A	5422A	5430M	5431A	5437M				
		Nos. of jewels		00	00	00	00	00	00				
701	Train wheel bridge	774	—○—○				758	—○	765				
012	Center wheel and pinion	192		193	203								
017	Third wheel and pinion	131	—○—○				129	—○—○					
023	Fourth wheel and pinion						238	—○—○					
028	Cannon pinion with driving wheel						166	—○—○					
064	Clutch wheel	90	—○—○—○—○—○										
065	Setting stem	413	—○—○—○—○—○										
065	Setting stem (for Large case)	427				427							
067	Setting lever	181	—○—○—○—○—○—○										
071	Yoke	124	—○—○—○—○—○—○										
072	Minute wheel and pinion	103	—○—○—○—○—○—○						106				
076	Setting wheel	67	—○—○—○—○—○—○										
084	Fifth wheel and pinion						54	—○—○—○					
190	Stator	105	—○—○—○—○—○—○				101	—○—○—○					
212	Spacer for setting stem	175	—○—○—○—○—○—○										
231	Power cell connector spring	182	—○—○—○—○—○—○										
233	Switch insulator	412	—○—○—○—○—○—○										
234	Power cell strap	655	657	719	646	653	654						
246	Coil unit	137	—○—○—○—○—○—○				135	—○—○—○					
269	Brake lever						29	—○—○—○					
279	Unit of electronic circuit	677	679	—○	672	676	672						
280	Power cell	75	—○—○—○—○—○—○										
285	Rotor	111	—○—○—○—○—○—○				106	—○—○—○					
922	Screw for train wheel bridge	166	—○—○—○—○—○—○										
929	Screw for electronic circuit	53	—○—○—○—○—○—○										
750	Metal plate	A35	—○—○—○—○—○—○						A32				
075	Hour wheel	344	345	372	341	—○	361						
078	Dial washer	19	—○—○—○—○—○—○				21	—○—○—○					