

Marques par ordre alphabétique

Marken, alphabetisch geordnet

Trade marks in alphabetic order

Marche per ordine alfabetico

Marcas por orden alfabético

Marcas por ordem alfabética



		A	Mod.	AHS (Cont.)		A	Mod.
	Achievement			****3591	10 1/2"	41, 41-1 alt, 43SC,	
3	16s	568	A			43-1SC, Zapfen	405 E
	Adlah			****4492	10 1/2"	41, 41-1, 43, 43SC,	
6	19"	596	A			43-1SC mit Rolle	407 S
	Admiral			****4491	10 1/2"	70, 72SC riv. Ø 65	371 B
1	16" 12s 104	437	A	4968	10 1/2"	70, 72SC riv. Ø 71	371 B
2	19"	585	A	****3836	10 1/2"	152, 153, 154 ord. &	
	Agma					Monorex, plat. Ø 40	373 A
3515	18"	615	M	*4117	10 1/2"	152 Rufarex	373 A
	AHO					Albor	
****4269	5 1/4 x 8 1/2"	555 ord., Rufarex,		****3628	10 1/2"		376 C
		Unisafe	303 A			Alpina (Straub)	
****3917	6 1/4 x 8 1/2"	675 ord. & Farr	277 A	1200	chrono		532 A
****4116	10 1/2"	1021, 1021A, 1022,		3760			313 A
		1022A		****4819	595		323 A
	11 1/2"	1121, 1121A, 1122,		3762	667A		368 A
		1122A, 1123, 1123A,		3706	673A		342 A
		1125, 1166, 1166A		2727	821		282 A
	12"	96, 96A, 961, 961A,		** 8	4 3/4"		276 A
		966 ord., Farr,		3366	5"		286 A
		Rufarex, Rufashock,		** 22	5 x 7"		276 A
		Unishock	322 A	****4538	5 1/4"	447, 459, P47, P59	275 A
****4858	10 1/2"	1021, 1121, 96 Inca	322 A	3761	5 1/4"	459 Inca	275 A
****3783	10 1/2"	1055, 1057 ord. &		** 26	5 1/4"	465	268 A
		Supershock	315 A	3473	5 1/4"	466, P46	270 A
****4071	10 1/2"	1055, 1057,		4646	5 1/4 x 7"	828	270 A
		Antichoc 51	320 A	2862	7 1/4 x 11"	824	232 A
				3372	8 1/4"	475, 476, P76 Inca	306 A
				2955	8 1/4"	560	286 A
	AHS (Hirsch, Lord)			** 23	8 1/4"	565	285 A
3395	10"	Zapfen	405 E	3506	8 1/4"	566, 568, P66, P68	273 A
****3893	10 1/2"	Körner	350 F	****3938	8 1/4"	566, 568 Inca	273 A
****3777	10 1/2"	15/2 à rivure	372 A	** 2925	8 1/4"	626, 627	290 A
****4162	10 1/2"	15/2 à chasser	373 B	****3373	8 1/4 x 12"	760, 763	286 A
****4869	10 1/2"	40, Zapfen	396 A	** 25	8 1/4 x 12"	485	312 A
****3744	10 1/2"	40, 42SC alt, Körner	342 F	****3621	8 1/4 x 12"	490, P49 anc.	322 A
4969	10 1/2"	40, 42, Körner	343 T	3539	8 1/4 x 12"	490 Inca	321 A
						847	318 A

Alpina (Cont.)			A	Mod.
• 20	10½"	585	322	A
••3472	10½"	585 Inca	321	A
• 9	10½"	586, 588, P86, P88	318	A
••3528	10½"	586, 588 Inca	318	A
••3357	10½"	590, 594, P90, P94		
	12½"	582, P82, 584, P84	277	A
2658	10½"	635, 636	326	A
4645	10½"	639, 642	249	A
• 21	10½"	751, 753	348	A
• 10	10½"	761	322	A
2944	10½"	806	282	A
•••4870	11½"	662	318	A
•••4822	12"	592, 598, P92, P98 piv. 9	321	A
••2732	12"	592, 598 piv. 8	320	A
•••4779	12"	592, 598 Inca	320	A
••3030	17"	331, 332, 335, 336	334	A
•• 11	17"	337, 338	430	A
•3362	17"	365, P65	335	A
• 13	18"	273	468	A
••2773	18"	355, 356, P55, P56	432	A
• 14	18½"	277a	360	A
•• 15	18½"	3335	445	A
•• 16	18½"	3335 28/12	422	A
•• 17	19"	291	468	B
2935	19"	409, 410, 413, P09, P10, P13	444	A

Altus (Troesch)				
2334	4¾"	7	260	A
30	5½"	9	262	A
31	6½"	4	285	A
32	8¾"	6	285	A
33	8¾"×12"	10	288	A
34	10½"	3, 8	313	A

AM (A. Michel)				
1355	5½"	56, 57, 58, 59, 61	309	A
• 38	5½"	65, 64	297	A
• 39	5½"	115	292	A
442	6½"		287	A
•• 41	6½"	640, 641, 642, 643, 644, 645, 650, 651, 652, 653, 654, 655, 656, 657, 658, 660, 661, 662, 663	312	A
• 42	8¾"	380, 381, 382	267	A
•• 539	8¾"	380 Inca	272	A
•• 43	8¾"	600, 601, 604	283	A
4948	8¾"	600 Inca	283	A
44	8¾"	623	285	A
• 45	8¾"	624, 620, 625, 626, 627, 628, 629	283	A
••3020	8¾"×12"	230	342	A
••2979	8¾"×12"	621, 630, 622, 631, 632	270	A

AM (Cont.)			A	Mod.
••••4597	9¾"	260, 261, 262, 263, 265, 266, 267, 268, 269	290	A
• 46	9¾"	290, 291, 292, 293, 295, 296, 297, 298,		
		299	343	A
• 63	9¾"	294	338	A
••2736	9¾"	345	340	A
• 48	10½"	270, 271, 272, 273, 275, 276, 277, 278, 279, 310, 311, 312, 313		
	13"	221	292	A
• 49	10½"	280, 281, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439	363	A
••3622	10½"	320, 321	227	A
•• 65	10½"	420	361	A
• 47	10½"×13"	50 8 jours	352	A
••3280	11½"	410, 415 nouv.	422	A
• 50	11½"	410 anc.	422	A
•• 51	12"	215, 255, 216, 218, 219, 256	363	A
• 52	12"	225, 226, 228, 229	310	A
•• 53	12"	235, 236, 237	362	A
•• 54	12"	390, 391, 392, 393, 394, 395, 396, 397, 398	307	A
•• 64	12"	390 Inca	310	A
• 62	12s	500	442	A
•• 55	13"	220, 221, 222, 223, 224	404	A
• 56	16"	125, 126	379	A
3480	16"	141, 146, 143, 144, 145	412	A
• 57	16"	142	417	A
•• 60	16-17"	520, 521, 522, 523, 524, 525, 526, 527, 528, 529	337	A
•••4464	16-17"	520 Inca	337	A
•• 58	17"	125	383	A
3644	17"	500, 501, 502, 503, 504, 505, 506, 507, 508, 509		
	17-17½"	510, 511, 512, 513, 514, 515, 516, 517 nouv.	433	A
• 59	17"	500 anc.	433	A
••2715	17½"	560, 561, 562, 563, 564, 565, 566, 567	337	A
3641	18"	195, 196, 197, 198, 199, 200, 201, 202	465	A
•••1380	18½"	196 nouv.	479	A
2792	18½"	196 anc.	483	A

SEEDEN 165

108 NEG. WIND



			A	Mod.
Amida				
***2841	5 1/4 x 7"	510, 514, 515, 516 à plat.	344	B
***4197	7 1/4 x 9 1/4"	520	364	A
***4198	8 1/4"	562		
	9 1/4"	567 à chasser	304	B
***4582	8 1/4"	562, 567, 569 à rivure	304	A
****4410	8 1/4"	570	356	B
78	9 1/4 x 10 1/2"	50 à doigt	380	C
		570 RIVET SEE GEN		
75	10 1/4"	60, 62 à doigt	400	C
***2775	10 1/4"	60 à plat.	400	B
74	10 1/4"	62 à plat.	392	A
2816	10 1/4"	72 à doigt	388	C
***3273	10 1/4"	72 à plat.	388	B
***4336	10 1/4"	410, 411, 415 416 à chasser	304	B
****4446	10 1/4"	410, 411, 415 416 à rivure, Kif	304	A
76	10 1/4"	500 à plat.	358	B
***3847	10 1/4 - 11 1/2"	501, 506 à plat.	358	B
***4188	11 1/2"	502, 503, 504, 505, 507 à chasser	362	B
****4866	10 1/2"	502, 507 à rivure	362	A
***3980	10 1/2"	530, 531, 535, 536, 12"	385	A
***3111	10 1/2"	530, 550 à plat., SSR	392	B
***3283	10 1/2"	530, 535, 550 à plat., à chasser, KIF	385	B
****4821	10 1/2"	532, 533, 537, 538, 552, 553 à chasser	348	B
****4588	10 1/2"	532 à rivure	349	A
***3884	12"	180, 181, 182, 183, 185, 188, 189 à doigt	456	C
***3343	12"	181, 182 à plat., KIF	455	B
***4185	12"	540, 542, 547, 920, à plat.	358	B
****4867	12"	544 à doigt	303	C
****4815	12"	544 à rivure	303	A
***3364	13"	112, 150 à doigt nouv.	543	C
77	13"	150 à doigt	480	C
80	13"	151 à doigt	480	C
79	13"	162, 163 à doigt	520	C
81	19"	102 à doigt	600	C
Angélus				
****4494		390, 391	636	A
4647	10 1/4"	56	364	A
4648	11 1/2"	1361/270	296	A
***3597	12"	250, 251, 252, 254, 255, 256 Inca	340	A

		Angélus (Cont.)	A	Mod.
** 83	13'''	23VZ	358	A
** 84	14'''	210	400	A
** 85	14'''	215, 216, 217 chrono	460	A
**2869	16'''	240 rév.	377	A
**2868	22'''	190, 390, 490, 8 jours	645	A
***2774	22'''	195	645	A
**3026	24'''	130	558	A
**2700	26'''	160, 8 jours	530	A
Arcadia				
*** 66	19'''	40B	378	A
Arday				
4545	6 1/2 x 8'''	6FX, 65X à chasser	285	B
****4546	6 1/2 x 8'''	6FX à rivure SX	285	A
	11 1/2	11 K X SEE GEN B		
Arogno (Manzoni)				
90	10 1/4'''		363	A
91	10 1/4'''	16, 34, 45, 29, 30, 35, 36, 39, 40, 41	363	A
92	10 1/4'''	60, 61, 63, 64	332	A
97	10 1/4'''	62	335	A
***3461	10 1/4'''	80, 120, 125, 81, 82, 121, 122, 126, 127		
	11 1/4'''	90, 190, 91, 92, 128, 190N, 192 à vis	307	A
4930	10 1/4'''	80, 90, 120, 125, 190 annulaire	307	A
***4428	10 1/4'''	80, 90, 120, 125, 190 à vis, Inca	311	A
***4641	10 1/4'''	80, 90, 120, 125, 190 riv. ht. 27, Rubys shock	311	A
***4316	10 1/4'''	80, 90, 120, 125, 190 riv. ht. 32, Rubys shock	311	A
**3135	10 1/4'''	80, 90, 120, 125, 190 Supershock	317	A
93	10 1/2'''	150, 260, 151, 152, 153, 154, 155, 156, 157, 158, 261, 262, 263, 264, 265, 266, à vis	307	A
4931	10 1/2'''	150, 260 annulaire	307	A
** 592	10 1/2'''	150, 260 Inca	310	A
***3404	10 1/4'''	150, 260 Supershock	317	A
** 95	12'''	54, 1, 55, 57, 58	372	A

AS976 vir 45 (vir 50 see genuine box)

Arogno (Cont.)			A	Mod.	AS (Cont.)			A	Mod.
94	13"	23	397	A	***4855	5 1/2"	1491 annulaire	255	A
96	19"	54	393	A	4890	5 1/2"	1491 Inca, à vis	274	A
***4103	22"	22, 22N, 23,			4891	5 1/2"	1491 Inca,		
SEE GEN. CBAUVES PRE-PACK. 7320, 7321 réveil			592	A			annulaire	274	A
AS (A. Schild)					* 117	6"	442, 443, 444	283	A
209	3 3/4"		286	A	248	6"	1186 Inca	285	A
* 105	4"	645	262	A	119	6 1/4"	440, 445, 446, 500,		
** 107	4 1/4"	945	292	A			626, 668, 673, 677,		
* 106	4 1/2"	748, 848, 772, 883	282	A	* 118	6 1/4"	678 vir. 45	282	A
241	4 1/2"	748, 848 Inca	282	A	* 122	6 1/4"	440 vir. 55	282	A
108	4 3/4"	808, 843, 965	298	A	* 120	6 1/4"	525	302	A
* 109	4 1/4"	1017, 1042, 1432	270	A	249	6 1/4"	557, 624	312	A
***4427	4 1/4"	1017 Inca	271	A	212	6 1/4"	557, 624 Inca	316	A
3238	4 1/4"	1017 Supershock	280	A	** 121	6 1/4"	628	282	A
4954	4 1/4"	1722 à vis & annulaire	270	A	* 252	6 1/4"	653	312	A
4955	4 1/4"	1722 Inca, à vis			* 123	6 1/4"	653 Inca	312	A
		& annulaire	271	A			969, 1460, 973,		
* 112	5"	620, 637, 542			250	6 1/4"	981, 996	270	A
	5 1/2"	368, 610	282	A	3241	6 1/4"	969, 1460 Inca	267	A
* 3598	5"	976, 986, 990, 1022,			***4338	6 1/4"	969, 1460 Supershock	280	A
SEE GEN. 1026, 1057, 1079,							1464, 1509, 1533,		
		1127, 1246, 1273,				7"	1480, 1531, 1639		
		1406, 1482, 1489,					1477, 1513, 1563,		
		1582, 1676					1566	262	A
	5 1/2"	1012, 1274, 1677			***4039	6 1/4"	1464, 1509, 1533		
		1777 vir. 40 à vis	282	A		7"	1477 Inca	267	A
* 113	5"	976, 1012 vir. 45,			***4579	6 1/4"	1470	261	A
		à vis	282	A	***4851	6 1/4"	1735, 1736 annulaire	258	A
4923	5"	976, 1012 vir. 45,			4958	6 1/4"	1736 Inca, Monorex,		
		annulaire	282	A			KIF, Rubyshock, à vis &		
* 233	5"	976, 1012 vir. 50 à vis	282	A			annulaire	258	A
* 244	5"	976 Inca à vis & 50	279	A	* 124	6 1/4 x 7 1/4"	1023, 1030	275	A
* 247	5 1/2"	1012 Inca à vis & 50	279	A	* 251	6 1/4 x 7 1/4"	1023 Inca	275	A
2783	5"	976,			* 131	6 1/4 x 7 1/4"	1138, 1150, 1165	240	A
		1012 Supershock	292	A	***3278	6 1/4 x 7 1/4"	1138 Inca	259	A
* 111	5"	1234, 1257, 1278,			* 130	6 1/4 x 8 1/4"	1111, 1179	283	A
		1289	240	A	* 225	6 1/4 x 8 1/4"	1299	283	A
** 242	5"	1234 Inca	259	A	3242	6 1/4 x 8 1/4"	1299 Supershock	293	A
3239	5"	1234 Supershock	250	A	* 128	6 1/4 x 11"	689, 723, 724, 979,		
							995, 1016, 1143	312	A
* 256	5 1/4"		283	A	253	6 1/4 x 11"	589 Inca	312	A
* 110	5 1/4"	475, 480	280	A	* 127	6 1/4 x 11"	962, 978	307	A
* 243	5 1/4"	475 Inca	281	A	***4516	7"	1635, 1638, 1654,		
* 114	5 1/4"	655, 953, 955, 959,					1657, 1669 à vis &		
		985, 1011, 1046			***4743	7 1/4"	annulaire	236	A
		vir. 45	292	A			1635 Inca, à vis &		
* 3584	5 1/4"	655 vir. 50	292	A			annulaire	256	A
** 245	5 1/4"	655 Inca	294	A	136	7 1/4"	658	283	A
* 115	5 1/4"	1051, 1085, 1102,			* 132	7 1/4"	964, 972, 975, 997,		
SEE GEN. 1108, 1137, 1152,							1006, 1061, 1177		
		1258, 1262, 1271,			*** 133	7 1/4"	vir. 45	280	A
		1275, 1292, 1296,			* 254	7 1/4"	964 vir. 50	280	A
		1301, 1324, 1374,			3243	7 1/4"	964 Inca	282	A
		1385, 1452 vir. 45	283	A	* 205	7 1/4"	964 Supershock	290	A
** 217	5 1/4"	1051 vir. 50	283	A			1001, 1000, 1019,		
* 246	5 1/4"	1051 Inca	281	A			1020, 1115, 1235,		
3240	5 1/4"	1051 Supershock	292	A			1334, 1335, 1428,		
							1483, 1653 vir. 45	280	A



EBAUXCES

83/4 970 VIR 55 PREACIC

AS (Cont.)		A	Mod.
** 206 7 1/4"	1001 vir. 50	280	A
** 255 7 1/4"	1001 Inca	282	A
3244 7 1/4"	1001 Supershock	290	A
****4442 7 1/4"	1537, 1602, 1744 à vis	285	A
****4471 7 1/4"	1537 Inca	292	A
****4621 7 1/4"	1632, 1729 à vis & annulaire	264	A
****4852 7 1/4"	1632 Inca, à vis & annulaire	273	A
3350 8 1/4"	1282 (GP. 82)		
137 8 1/4 x 9 1/4"	1045, 1125, 1053, 1103	285	A
** 266 8 1/4 x 9 1/4"	1045, 1125 Inca	285	A
3246 8 1/4 x 9 1/4"	1045, 1125 Supershock	295	A
139 8 1/4 x 13"	652	363	A
* 138 8 1/4 x 13"	864, 872	292	A
257 8 1/4 x 13"	864 Inca	292	A
3247 8 1/4 x 13"	864 Supershock	302	A
* 140 8 1/4"	358, 398, 405	280	A
* 145 8 1/4"	431, 457, 487	286	A
* 142 8 1/4"	612, 874, 632, 664, 669, 687, 886, 887, 910		
11 1/4"	913, 1049	280	A
259 8 1/4"	612		
11 1/4"	913 Inca	277	A
**3227 8 1/4"	676, 699, 701, 728, 857, 929, 931, 974	282	A
260 8 1/4"	676 Inca	283	A
* 146 8 1/4"	692	252	A
143 8 1/4"	970, 1156, 1393, 980, 987, 999, 1003, 1014, 1018, 1036, 1047, 1056, 1090, 1126, 1144, 1157, 1159, 1210, 1217, 1251, 1254, 1276, 1309, 1354, 1359, 1376, 1386, 1433, 1456, 1456N, 1608		
11 1/4"	1049A, 1081, 1144, 1169, 1170, 1171, 1172, 1173, 1241, 1242, 1726, 1727, 1828		
13"	1261 vir. 50, à vis & annulaire	285	A
* 262 8 1/4"	970, 1156, 1393		
11 1/4"	1049A, 1726, 1727, 1828 Inca, à vis & annulaire	285	A

AS (Cont.)		A	Mod.
***2851 8 1/4"	970, 1156, 1393		
11 1/4"	1049A KIF	285	A
* 292 8 1/4"	970, 1156, 1393		
11 1/4"	1049A Shock résist	289	A
3245 8 1/4"	970, 1156, 1393		
11 1/4"	1049A Super shock	295	A
* 149 8 1/4"	1180	287	A
** 263 8 1/4"	1180 Inca = AS 970-287	291	A
3874 8 1/4"	1180 Shock résist	291	A
3248 8 1/4"	1180 Supershock	297	A
* 147 8 1/4"	1193, 1397, 1415, 1534, 1598	245	A
* 264 8 1/4"	1193 Inca	264	A
3249 8 1/4"	1193 Supershock	255	A
* 148 8 1/4"	1240, 1256, 1310, 1346, 1360, 1453		
11 1/4"	1250	261	A
* 265 8 1/4"	1240		
11 1/4"	1250 Inca	272	A
***3305 8 1/4"	1240		
11 1/4"	1250 KIF	272	A
* 228 8 1/4"	1240		
11 1/4"	1250 Shock résist	265	A
* 227 8 1/4"	1240		
11 1/4"	1250 Supershock	271	A
***4109 8 1/4"	1393, 1456, 1456N, 1550, 1586, 1608, 1684		
10 1/4"	1414	285	A
***3909 8 1/4"	1393, 1456 Inca	291	A
4956 8 1/4"	1556, 1726 Inca, à vis & annulaire	285	A
4957 8 1/4"	1728 Inca, à vis & annulaire	264	A
** 144 8 1/4 x 11 1/4"	278, 757, 758	285	A
* 141 8 1/4 x 12"	954, 1008, 1062, 1096	343	A
261 8 1/4 x 12"	954 Inca	344	A
258 8 1/4 x 12"	1031 Inca	312	A
* 173 9 x 10"	1280, 1294	290	A
294 9 x 10"	1280 Inca	292	A
219 9 x 10"	1280 vir. 50, Shock résist	294	A
220 9 x 10"	1280 vir. 60, Shock résist	294	A
* 295 9 x 10"	1280 vir. 50, Supershock	300	A
** 218 9 x 10"	1280 vir. 60, Supershock	300	A
***3015 9 x 10"	1300, 1326	302	A
3252 9 x 10"	1300 Supershock	312	A

R3350 8 3/4 1282