

Marques par ordre alphabétique
Marken, alphabetisch geordnet
Trade marks in alphabetic order
Marche per ordine alfabetico
Marcas par orden alfabético
Marcas par ordem alfabética



N°	"	Calibre	
AHO			
4269	5¼×8½"	555 ord., Rufarex, Unisafe	303 A
3917	6¾×8½"	675 ord., & Farr	277 A
4858	10½"	1021, 1121, 96 Inca	322 A

AHS (Hirsch, Lord)			
4869	10½"	40, Zapfen	396 A
4969	10½"	40, 42 Körner	343 T
4491	10½"	70, 72 SC riv. Ø 65	371 B

ALPINA			
4565	10½"	639, 642	249 A
2944	10½"	806	282 A

AM (A. Michel)			
539	8¾"	380 Inca	272 A
4948	8¾"	600 Inca	283 A
3280	11½"	410, 415 nouv.	422 A
54	12"	390, 391, 392, 393, 394, 395, 396, 397, 398	307 A
56	16"	125, 126	379 A
2715	17½"	560, 561, 562, 563, 564, 565, 566, 567	337 A

AMIDA			
5102	6¾×8"	580, 585	297 A
4198	8¾"	562	
	9¼"	567 à chasser, Kif	304 B
4582	8¾"	562, 567	
		569 à rivure, Kif	304 A
4410	8¾"	570	356 B
4446	10½"	410, 411, 415	
		416 à rivure, Kif	304 A

N°	"	Calibre	
AMIDA (Cont)			
5510	10½"	420, 425, ord. & Kif	304 A
4866	10½"	502, 507 à rivure	362 A
5198	12"	540, 542, 547	357 A
4185	12"	540, 541, 542, 547, 920 à plat.	358 B
4815	12"	544 à rivure	303 A
5224	12"	900, 901, 906, 910, 911 ancre, ord. & Inca	296 A

AROGNO (Manzoni)			
92	10½"	60, 61, 63, 64	332 A
3461	10½"	80, 120, 125, 81, 82, 121, 122, 126, 127	
	11½"	90, 190, 91, 92, 128, 190N, 192 à vis	307 A
4930	10½"	80, 90, 120, 125, 190 annulaire	307 A
4428	10½"	80, 90, 120, 125, 190 à vis, Inca	311 A
4641	10½"	80, 90, 120, 125, 190 riv. ht. 27, Rubyschock	311 A
93	10½"	150, 260, 151, 152, 153, 154, 155, 156, 157, 158, 261, 262, 263, 264, 265, 266 à vis	307 A
4931	10½"	150, 260 annulaire	307 A
592	10½"	150, 260 Inca, à vis	310 A
5385	10½"	151, 152, 156, 157, 260 Inca annulaire	310 A
4103	22"	22, 22N, 23, 7320, 7321, 7325, 7330 réveil	592 A

570 RIVET SEE GEN.

N°	Calibre	
AS (A. Schild)		
5135	5'''	976, 1012 vir. 30, à vis 282 A
3598	5'''	976, 986, 990, 1022, 1026, 1057, 1079, 1127, 1246, 1273, 1406, 1482, 1489, 1582, 1676, 1012, 1274, 1677, 1777 vir. 40 à vis 282 A
113	5'''	976, 1012, vir. 45 à vis 282 A
4923	5'''	976, 1012, 1977, 1978 vir. 45 annulaire 282 A
5139	5'''	976, 1012 vir. 45, Inca à vis 279 A
5155	5'''	976, 1012, 1677, 1777, 1977, 1978 1977-2 SEE GON Inca annulaire 279 A
233	5'''	976, 1012 vir. 50 à vis 1980 282 A
244	5'''	976, vir. 50, Inca à vis 279 A
247	5 1/2'''	1012 vir. 50, Inca à vis 1977-4 GON 279 A
111	5'''	1234, 1257, 1278, 1289 240 A
242	5'''	1234 Inca 259 A
110	5 1/4'''	475, 480 280 A
115	5 1/4'''	1051, 1085, 1102, 1108, 1137, 1152, 1258, 1262, 1271, 1275, 1292, 1296, 1301, 1324, 1374, 1385, 1452 vir. 45 283 A
217	5 1/4'''	1051 vir. 50 283 A
246	5 1/4'''	1051 Inca 281 A
4890	5 1/2'''	1491 Inca à vis 274 A
4891	5 1/2'''	1491 Inca annulaire 274 A
5149	5 1/2'''	1720 annulaire 283 A
5484	6'''	1775 Inca annulaire 245 A
250	6 3/4'''	969, 1460 Inca 267 A
4039	6 3/4'''	1464, 1509, 1533, 1477 Inca 267 A
4851	6 3/4'''	1735, 1736 annulaire 258 A
4958	6 3/4'''	1736 Inca, Monorex KIF, Rubyshock, à vis & annulaire 258 A
124	6 3/4 x 7 3/4'''	1023, 1030 275 A
130	6 3/4 x 8 1/2'''	1111, 1179 283 A
225	6 3/4 x 8 1/2'''	1299 283 A
4515	7'''	1635, 1638, 1654, 1657, 1669 à vis & annulaire 236 A
132	7 3/4'''	964, 972, 975, 997, 1006, 1061, 1177, vir. 45 280 A

N°	Calibre	
AS (Cont.)		
133	7 3/4'''	964 vir. 50 280 A
254	7 3/4'''	964 Inca 282 A
205	7 3/4'''	1000, 1001, 1019, 1020, 1115, 1235, 1334, 1335, 1428, 1483, 1653 vir. 45 280 A
4442	7 3/4'''	1537, 1602, 1744 à vis 285 A
5147	7 3/4'''	1537, 1602, 1744 annulaire 285 A
4471	7 3/4'''	1537 Inca à vis 292 A
5264	7 3/4'''	1537, 1744 Inca annulaire 292 A
4621	7 3/4'''	1632, 1729 à vis & annulaire 264 A
4743	7 3/4'''	1635 Inca, à vis & annulaire 256 A
5403	7 3/4'''	1729 Inca annulaire 273 A
137	8 1/4 x 9 3/4'''	1045, 1053, 1103, 1125 285 A
143	8 3/4'''	970, 1156, 1393, 980, 987, 999, 1003, 1014, 1018, 1036, 1047, 1056, 1090, 1126, 1144, 1157, 1159, 1210, 1217, 1251, 1254, 1276, 1309, 1354, 1359, 1376, 1386, 1433, 1456, 1456N, 1556, 1608 11 1/4'''
	11 1/4'''	1049A, 1081, 1144, 1169, 1170, 1171, 1172, 1173, 1241, 1242, 1726, 1727, 1828 13'''
	13'''	1261 vir. 50, à vis & annulaire 285 A
262	8 3/4'''	970, 1156, 1393 11 1/4'''
	11 1/4'''	1049A, 1726, 1727, 1828 Inca, à vis & annulaire 285 A
149	8 3/4'''	1180 287 A
147	8 3/4'''	1193, 1397, 1415, 1534, 1598 245 A
264	8 3/4'''	1193 Inca 264 A
265	8 3/4'''	1240 11 1/4'''
	11 1/4'''	1250 Inca, à vis & annulaire 272 A
4109	8 3/4'''	1393, 1456, 1456N, 1550, 1586, 1608, 1684 10 1/2'''
	10 1/2'''	1414 285 A
3909	8 3/4'''	1393, 1456 Inca à vis & annulaire 291 A
5306	8 3/4'''	1780, 1781, 1782, 1783 ord. & Inca annulaire

SEE
E 275 A
BAUCHE



N°	"	Calibre	
	AS (Cont.)		
5548	8 3/4"	5100, 5101, 5102, 5103, 5104, 5106, 5150, 5151, 5152, 5153, 5154, 5156 Inca annulaire	276 A
173	9x10"	1280, 1294	290 A
150	9 3/4"	574, 920, 602, 616, 637, 670, 688, 704, 729, 800, 865, 930, 518, 526, 530	343 A
153	10 1/2"	340, 361, 516, 665, 1040, 303, 307, 311, 312, 313, 323, 324, 328, 329, 333, 342, 344, 371, 383, 396, 473, 546, 549, 569, 585, 595, 603, 621, 629, 633, 636, 694, 709, 714, 717, 720, 731, 732, 733, 775, 790, 803, 819, 825, 831, 871, 896, 897, 898, 915, 922, 926, 944, 951, 952, 993, 1004, 1005, 1006, 1133, 1175, 1176, 780, 784, 785, 806, 838, 946, 971	363 A
160	10 1/2"	984, 1007, 1009, 1010, 1013, 1015, 1028, 1033, 1035, 1038, 1043, 1044, 1048, 1050, 1055, 1077, 1084, 1089, 1091, 1113, 1114, 1118, 1120, 1123, 1124, 1141, 1147, 1153, 1160, 1166, 1211, 1218, 1231, 1259, 1264, 1277, 1285, 1313, 1440, 1614	
	11 1/2"	1135, 1002, 1021, 1024, 1027, 1029, 1032, 1041, 1128, 1154, 1161 1191, 1192	
	12 1/4"	1034 vir. 55 à vis	307 A
4922	10 1/2"	984	
	11 1/2"	1135 vir. 55 annulaire	307 A
273	10 1/2"	984	
	11 1/2"	1135 Inca & KIF	310 A

N°	"	Calibre	
	AS (Cont.)		
163	10 1/2-11 1/2"	1158, 1187, 1194 vir. 60, à vis	295 A
4926	10 1/2-11 1/2"	1158, 1187, 1194 vir. 60 annulaire	295 A
274	10 1/2-11 1/2"	1158, 1187, 1194 vir. 60, Inca	295 A
5453	10 1/2"	1187, 1187N, 1194, 1194N vir. 60, Inca annulaire	295 A
3304	10 1/2-11 1/2"	1158, 1187, 1194 KIF	295 A
165	10 1/2-11 1/2"	1200, 1202 vir. 60, à vis	287 A
5229	10 1/2"	1200, 1201 vir. 60, annulaire	287 A
5230	10 1/2"	1200, 1201 vir. 60, Inca annulaire	291 A
171	10 1/2-11 1/2"	1220 vir. 60	310 A
276	10 1/2-11 1/2"	1220 vir. 60, Inca	307 A
172	10 1/2"	1237, 1238, 1245, 1249, 1269 1329, 1330, 1331	312 A
173	10 1/2-11 1/2"	1287, 1255, 1294, 1434, à vis	290 A
5451	10 1/2"	1287, 1287N, 1294, 1294N vir. 60 annulaire	290 A
280	10 1/2-11 1/2"	1287 Inca, à vis	287 A
5305	10 1/2"	1287, 1287N, 1294, 1294N vir. 60 Inca, annulaire	287 A
4110	10 1/2-11 1/2"	1506, 1507, 1551, 1557, 1558, à vis	283 A
5429	10 1/2"	1506, 1507, 1558, annulaire	283 A
5455	10 1/2"	1506 Inca, annulaire	291 A
4408	10 1/2-11 1/2"	1525, 1526, 1696, 1723, 1758, 1759, à vis	227 A
4927	10 1/2-11 1/2"	1525 annulaire	227 A
4892	10 1/2-11 1/2"	1525 Inca, à vis	244 A
4881	10 1/2-11 1/2"	1538, 1539, 1593, 1611, 1615, 1643, à vis	265 A
4267	10 1/2-11 1/2"	1538, 1539, 1593, 1611, 1615, 1643, annulaire	
	10 1/2-11 1/2"	1580, 1622, 1680, 1700, 1702, 1581, 1624, 1628, 1629, 1633, 1641, 1641N, 1645, 1646, 1664, 1665, 1668,	

N°	Calibre	
	AS (Cont.)	
	1681, 1701, 1702, 1703, 1706, 1707, 1708, 1709, 1767, 1813	
	13'''	1626, 1636 à vis, annulaire 265 A
4362	10½—11½'''	1538 Inca, à vis 275 A
4973	10½—11½'''	1538 Inca, annulaire
	10½—11½'''	1580, 1622, 1680, 1700, 1702 vir. 60, à vis & annulaire 275 A
5212	10½'''	1580, 1622, 1680, 1700, 1702, vir. 30 265 A
4849	10½'''	1690, 1691, 1692, 1693, 1790, 1791, 1792, 1793, vir. 60 à vis & annulaire 294 A
5427	10½'''	1690, 1691, 1692, 1693, vir. 35, Inca, à vis & annulaire 294 A
4850	10½'''	1690, 1790, 1791, 1792, 1793 vir. 60 Inca, à vis & annulaire 294 A
5406	10½'''	1790, 1791, 1792, 1793, ord. & Inca annulaire 294 A
5183	10½—11½'''	1800, 1801, 1802, 1803, Inca annulaire 295 A
5352	10½'''	1940, 1941, 1950, 1951, ord. & Inca annulaire 295 A
4929	11¼—11½'''	1336 annulaire 296 A
3727	11¼—11½'''	1336 Inca à vis 296 A
282	11½'''	1205 Inca 307 A
688	11½'''	1290, 1291, 1426, 1510 292 A
645	11½'''	1290, 1510 Inca 298 A
5479	11½'''	1361N, 1402N, 1476N, 1555N, 1583, 1659, Inca annulaire 296 A
3868	11½'''	1430, 1441, 1441N, 1442, 1442N, 1485, 1501 vir. 60 312 A
5150	11½'''	1475, 1568 annulaire 310 A
4568	11½'''	1474, 1562, 1621 281 A
4111	11½'''	1475, 1484, 1528, 1568 à vis 310 A
3974	11½'''	1475, 1484 Inca 316 A
4856	11½'''	1530 275 A
4863	11½'''	1649 Inca (Zodiac) 256 A
4532	11½'''	1656, 1673
	13'''	1675 Inca, à vis
4559	11½'''	1656, 1673
	13'''	1675 KIF, à vis 257 A
5050	11½'''	1704 Inca, à vis & annulaire 255 A

N°	Calibre	
	AS (Cont.)	
5162	11½'''	1710, 1711, 1712, 1713, 1814, 1816 vir. 50 à vis & annulaire 286 A
5148	11½'''	1710 vir. 60, à vis & annulaire 286 A
5167	11½'''	1710 vir. 60 Inca, à vis & annulaire 286 A
5430	11½'''	1710 vir. 35 Inca, à vis & annulaire 286 A
5115	11½'''	1714, 1715, 1716, 1717, 1820, 1821, 1831, 1838, 1839 à vis 232 A
5231	11½'''	1714 annulaire 232 A
5112	11½'''	1714 Inca, à vis & annulaire 263 A
5116	11½'''	1746, 1747, 1748, 1749, 1750, 1751, 1752, 1753, 1754, 1755, 1756, 1757, 1798, 1799, 1824, 1825, 1826, 1827 à vis & annulaire 265 A
5117	11½'''	1746 Inca, à vis & annulaire 275 A
5375	11½'''	1860, 1861, 1862, 1863, 1866, 1871, 1873, 1876 annulaire 232 A
5211	11½'''	1860 riv. 80 Inca annulaire 263 A
5426	11½'''	1860 riv. 90 Inca annulaire 263 A
5359	11½'''	1880, 1881, 1882, 1883, 1885, 1886, 1892, 1893, 1895, 1896, 1981, 1983, 1985, 1986, 1993, 1995, 1996 annulaire 265 A
5360	11½'''	1880 Inca annulaire 275 A
5238	11½'''	1900, 1901, 1902, 1903, 1904, 1906, 1911, 1913, 1914, 1916
	11½'''	2060, 2061, 2062, 2063, 2064, 2066, 2072, 2073, 2074, 2076, 2084, 2086, 2184, 2186 vir. 50, ord. & Inca annulaire 286 A
5522	11½'''	1930, 1931 ord. & Inca annulaire 320 A
175	12'''	544, 554, 570, 571, 572, 608, 649, 654, 675, 712, 738, 743, 912 372 A



N°	'''	Calibre
AS (Cont.)		
176	12'''	1203, 1204, 1207, 1208, 1263, 1266, 1267, 1311, 1314 307 A
5562	12'''	5200, 5201, 5202, 5203, 5204, 5206 ord. & Inca annulaire 303 V
5498	12½'''	1920 Inca automatic ord. & Inca annulaire 284 A
3475	13-14'''	1130, 1162 vir. 55, à vis 312 A
4592	13-14'''	1130, 1162 vir. 60, à vis 312 A
180	13-14'''	1130, 1162 vir. 70, à vis 312 A
4928	13-14'''	1130, 1162 vir. 70, annulaire 312 A
287	13-14'''	1130, 1162 Inca, à vis 315 A
5156	13-14'''	1130 Inca annulaire 315 A
4249	13'''	1560, 1561, 1587, 1589, 1590, 1591, 1594, 1595, 1606, 1609, 1616, 1617, 1618, 1620, 1623, 1631, 1642, 1648, 1694, 1697 à vis 263 A
4924	13'''	1560 annulaire 263 A
4557	13'''	1560 Inca, à vis 282 A
5428	13'''	1560, 1590, 1591, 1595 Inca annulaire 282 A
4567	13'''	1604, 1604N, 1637, 1637N, à vis 290 A
4925	13'''	1604 annulaire 290 A
4509	13'''	1604 Inca 295 A
5304	13'''	1604, 1604N, 1637, 1637N Inca annulaire 295 A
182	13-14'''	1188, 1189, 1342, 1408, 1541 vir. 60 317 A
5544	13¼'''	5001, 5004, 5005, 5007, 5008, 293 A
230	16'''	1052, 1054, 1063, 1064, 1067, 1068, 1071, 1072, 1075, 1076, 1080, 1087, 1148, 1379, 1514 1100, 1121, 1174, 1182, 1183, 1184, 1185 vir. 50 343 A
179	16'''	1052, 1067 vir. 70 343 A
231	16'''	1052, 1067 Inca 344 A
184	16'''	1058, 1059, 1069, 1070, 1521 1065, 1066, 1073, 1074, 1109, 1136 287 A

N°	'''	Calibre
AV (Aurore)		
2696	5¼'''	41, 410, 411 vir. 50 295 A
300	5¼'''	41 vir. 60 295 A
302	6¾×8'''	122, 416, 120, 121, 124, 125, 126, 127, 128, 419, 433, 435, 447, 454, 1220, 1221 280 A
4649	6¾×8'''	122, 416 Inca 280 A
306	7¾'''	12, 39, 390, 391, 392, 393, 280 A
3594	10½'''	42, 420, 421, 422 vir. 55, nouveau 303 A
4465	10½'''	423, 424, 425, 426, 427, 432, 4002, 4007, 4200, 4201, 4205, 4206, 4207 à vis & annulaire 223 A

BAUER H.F.

5278	5¼'''	525 Inca 295 A
2864	5¼'''	B 525 alt & neu 290 A
3686	8¾'''	Farr. Supershock 289 A
4030	10½'''	alt & neu, ord. & Supershock 347 A

BENRUS

4584		BH endurable 314 A
5423		6 A, KIF 280 A
5333	6¾×8'''	BU 276 A
4670	6¾×8'''	BW, CA 283 A
4662	8¾'''	BI- 285 A
5382	11½'''	DR 307 A
4680	11½'''	DR, EG, ER, K 307 A
5412	11½'''	FE, FF, EM 281 A

BFG (Baumgartner, Ora)

4440	6¾×8'''	925 à plat., pivot Ø 9 343 B
4887	6¾'''	930 à plat. 343 B
	6¾×8'''	927 à plat., pivot 7¼ 400 B
4896	7¾×11¾'''	810 à plat. 362 C
320	8¾'''	780, 783, 802 à doigt 380 B
4853	8¾'''	840 à plat., plat Ø 42 ord. & KIF 347 C
4415	8¾'''	910 à doigt, KIF 347 B
4414	8¾'''	910 à plat., KIF 395 C
321	10½'''	34 à doigt 134 395 B
322	10½'''	34 à plat. 380 C
325	10½'''	788 à doigt 440 B
327	10½'''	800, 801 à plat. 372 B
5554	10½'''	844 à doigt SEE GEN. 307 C
4374	10½'''	916, 917 à doigt, KIF Unruhansatz Ø 60

N°	"	Calibre	
		BFG (Cont.)	
4373	10½"	916, 917 à plat., KIF Unruhansatz ø 60	307 B
4854	10½"	916, 917 à riv., KIF Unruhansatz ø 90	307 A
5505	10½-11½"	896, 896/31, 896 31/7, 896 31/8 à doigt, à plat., ord. & KIF	342 B
5495	12"	582 ord., & KIF à doigt	369 C
5496	12"	582 ord., & KIF à plat.	369 B
F 3897	12"	866, 875 à doigt	446 C
F 3898	12"	866, 875 à plat.	446 B
5481	12"	866 à doigt, KIF	446 C
4769	12"	866 à plat., à bouchon	403 B
5272	12½"	58, 158 KIF à plat., plat. ø 52 nouv.	297 B
5018	12½"	58, 158 à doigt, KIF	297 B
5019	12½"	58, 158 à plat., KIF, Inca plat. ø 47, riv. 70	297 B
328	13"	666, 670, 675, 680, 730 à doigt	485 C
5273	13½"	1582 KIF à plat., nouv. plat. ø 52	437 B
5016	13½"	1582 à doigt, KIF	437 B
5017	13½"	1582 à plat., KIF, annulaire plat. ø 47, riv. 70	437 B
4551	17"	42 à doigt	505 C
460	19"	611, 635, 660, 795 à doigt	590 C

		BIDLINGMAIER (Bifora, HT)	
366	5¼×8"	50, neu piv. ø 85	293 A
3923	5¼×8"	55 stossgesichert	303 A
4823	5½"	51	
	7¼"	70 Inca & ord.	283 A
5170	5½"	52, 52/2 ord. & Inca	258 A
5367	6¾×8"	69 ord. & stossgesichert, Bishock 52	283 A
4000	8¾"	81, 85 Inca, ord. schraubenlos	
	6¾×8"	68 Inca & KIF	297 A
367	8¾"	81, 84 Unruhansatz ø 74	282 A
4914	9¾"	91, 91/1, 910, 910/1	
	11½"	910/1 stossgesichert	296 A
3779	9¾"	934	311 A
3972	9¾"	934 stossgesichert, pivot 9	311 A

N°	"	Calibre	
		BIDLINGMAIER (Cont.)	
3934	10½"	104	
	11½"	111, 113 stossgesichert & ord.	
	12"	104, 105, 106, 107, 108, 109, 110, 111, 112	317 A
4766	10½"	107 schraubenlos	
	12"	114 Inca	293 A
3631	11½"	103/112 Automat alt & neu, Super-shock	325 A
5169	11½"	115 ord. & Inca	295 B
5055	13"	130 ord. & Inca	306 B
		BRAC	
3817	5¼"	2021, 2041, 2051, 2053, 4011	
	7¾"	2061	327 A
4288	6¾×8"	2070, 2075, 2077	302 A
4170	6¾×8"	2071, 2073	287 A
4261	8¾"	2062, 2091, 2092, 2093, 2094, 2095	312 A
4205	8¾"	2081, 2082, 2085, 2086,	337 A
5503	9¼"	2100, 2101, 2102 à doigt	307 C
5504	9¼"	2100, 2101, 2102 à plat.	307 B
4175	10½"	107, 108, 109, 110, 111, 112, 115, 116, 117, 118, 119 plat. ø 37	359 A
4368	10½"	107, plat. ø 48	359 A
5137	10½-11½"	300, 301, 303, 304, à doigt	390 M
5138	10½-11½"	300, 301, 303, 304 à plat.	390 B
3697	10½"	900, 901, 902, 903, 904, 905, 906, 907, 911, 912, 913, 914, 915, 916, 917, 2001, 2002, 2003, 2011, 2012, 2013,	
	11½"	2004, 2005, 2006, 2014, 2015, 2016, 2007, 2017	337 A
5344	10½"	1002, 1038 ancre	358 A
5345	10½"	1002, 1038 ancre Inca	358 A
5509	11½"	1300, 1305, 1315, 1335, 1385 ord. & Inca	282 A
3886	12"	180, 181, 182, 170, 171, 172	
	13½"	183, 184, 185, 173, 174, 175 à doigt	420 C



N°	Calibre	
BRAC (Cont.)		
3889	12"	180, 170, 171, 172 à plat. 420 B
4448	12"	190, 191, 192, 200, 201, 202, 210, 211, 212
	13"	193, 194, 195, 203, 204, 205
	13½"	196, 197, 198, 206, 172, 173, 174, 175 à doigt 328 M
4521	12"	190 à plat. 328 B
5225	12"	500, 501, 502, 503, 504, 505, 506, 507, 508, 510, 511, 512, 513, 514, 515, 516, 517, 518 à doigt 386 M
5226	12"	500, 501, 502, 503, 504, 505, 506, 507, 508, 510, 511, 512, 513, 514, 515, 516, 517, 518 à plat. 386 B
5500	12"	547 à doigt, chrono 466 M
377	13"	37, 39, 40, 41, 42, 50, 51, 52, 90, 91, 92, 93 à doigt 488 C

BULOVA		
5054	5½×6¾"	5 AN ord. & Inca 257 A
4945	5½"	5 AR 247 A
388	5½×6¾"	5 AB, 7 AF 282 A
3688	5½×6¾"	5 AD, 5 AH 253 A
394	6¾×8"	6 AH, 6 AHC, 6 AK, 6 AM, 6 AMC, 6 BA, 6 BAU, 6 BC, 6 BD, 6 BE, 6 BH, 6 BM, 6 BMC, 6 CAC, 6 WH, 6 WHC, 6 WM, 8 AC, 8 AE 280 A
452	6¾×8"	6 BD, 6 BK, 6 BO, 6 BOC 280 A
3398	6¾×8"	6 BKC, 6 BL, 6 BLC, 6 BS, 6 BU, 6 UL, 6 WS, 6 WUC 278 A
405	7¾"	7 AM, 7 AMC, 7 AS, 7 ASC, 7 WM, 7 WMC 280 A
404	7¾×11"	7 AA, 7 AH, 7 AK, 7 AN, 7 AP, 7 WZ, 10 AK, 10 AKCS, 10 AKCSH, 10 BH, 10 BK, 10 BMC, 10 BMCD 290 A

N°	Calibre	
BULOVA (Cont.)		
406	7¾×11"	7 AP, 10 BH, 10 BM 292 A
409	8¾"	8 AL 285 A
419	10½"	10 AK 315 A
427	10½"	10 BC, 10 BCC, 10 BS, 10 BT, 10 BTC, 10 UT, 10 ZC, 10 ZCC 287 A
4250	10½"	10 BOAC, 10 BP, 10 BPAC, 10 BPAD, 10 CBAC, 10 CBCD, 11 AC, 11 ACAC, 11 ACC, 11 CHC, 11 AFA, 11 AN, 10 CB, 10 CBC 285 A
4716	10½"	10 ZF 285 A
5302	11½"	10 CL, 11 AL, 11 ALA, 11 ALAC, 11 ALACD, 11 ALC, 11 BLACD 11 ALCD, 11 ALD, 11 ALL, 11 ALLA 242 A
4629	11½"	11 AF, 11 AFA, 11 AFAC, 11 AFACD, 11 AFC, 11 AFF 243 A

(11 ANAC
SEE GEN)

BUREN (BAA)		
4038	5×7"	360 294 A
4488	5¼×8½"	35 302 A
508	5½×6¾"	60 293 A
4513	5½×6¾"	60 Inca 292 A
5103	5½"	65, 650 ord. & Inca 292 A
3444	6¾×8"	350, 351 282 A
5192	6¾×8"	350, 351 Inca 281 A
2822	8¾"	355, 356, 357, 358, 359 292 A
494	8¾"	875, 378 LN 288 A
4809	10½"	280 Inca 246 A
498	10½"	410, 472, 411 340 A
3424	10½"	GN 460, 461 Inca 347 A
512	10½"	480, 481 320 A
4379	10½"	1380, 1381 ord. & Inca 284 A
4337	10½"	1420, 1421, 1422, ord. & Inca 306 A
5151	11½"	1280, 1281, 1282, 1320, 1321, 1322 231 A
514	12"	LN 462, 505 344 A
4371	12½"	1000, 1001, 1002, 1003 ord. & Inca 319 A
500	17¾"	30 388

N°	'''	Calibre	
BUSER (Frenca, Nidor, Neova, Tip Top)			
1096	5/4×8 1/2'''	5 C, 6, 7	294 A
1098	8 3/4'''	15, 16, 16 A, 20	320 A
1099	8 3/4'''	70, 71, 72	368 A
1101	10 1/2'''	25, 26, 115/25, 116/26 ord., & Inca, vir. ø 52	352 A
4580	11 1/2'''	310, 311, 315 M, 316, 320, 325 ord. & Inca	312 A
4757	14'''	170, 171, 172, 330, 430, 530, 630 KIF	351 A

CATTIN			
5164	6 3/4×8'''	64 Antichoc & Inca	342 B
4335	10 1/2'''	C, 54	448 B
2946	10 1/2'''	352, 351, 551 à plat.	448 B
5163	11 1/2'''	C, 66 Antichoc & Inca	327 B

CERTINA = KURTH

CHEZARD (Mader)			
4921	11 1/2'''	110, 7400 annulaire	295 A
4949	11 1/2'''	110, 7400 Inca	307 A

CHP/CRC/CVR = Parrenin

CITIZEN			
5323	3 3/4×8 1/2'''	3300, 3301, 3302, 9300, 9301, 9302, 9303 (043-2)	279 A
5332	3 3/4×8 1/2'''	3303 (043-22)	
	4 3/4×6 1/4'''	9304	264 A
5327	5 1/2×6 3/4'''	4310, 4400, 4401, 1500, 2000, 2100, 2101, 2102, 2110, 2200, 2201 (043-13)	265 A
5324	6 3/4×8'''	0110, 0130, 0140, 0150, 0151, 0170, 2300 (043-06)	292 A
5330	6 3/4×8'''	0112, 0152, 0153, 2302, 5100, 5110, 5300, 5301, 5302, 5310 (043-20)	292 A
5331	7 3/4'''	2111, 2211 (043-21)	
	5 1/2×6 3/4'''	4311, 4340, 4402	263 A
5373	8×10'''	1901, 2900 (043-15)	297 A
5398	8×10'''	1910, 2910 (043-07)	293 A
4625	8 3/4'''	Orient	281 B

MECHANICAL

N°	'''	Calibre	
Citizen (Cont.)			
5209	11 1/2'''	0200, 0201, 0270, 0271, 0272, 0911, 8×10'''	
		1800, 1801, 1802, 1810, 1830, 1831, 1840, 1841, 5700, 5701, 1910, 2910, 3000, 3101, 3102, 9812, Homer (043-07)	292 A
5328	11 1/2'''	0700, 0701, 0702, 2700, 2710 (043-10)	246 A
5326	11 1/2'''	1400, 2400, 2402, 2410, 4600 (043-14)	270 A
5325	12'''	0500, 0501, 0502, 2800, 2801	
	13'''	0310, 0320, 0321, 0340, 1120, 1121, 1130, 1131, 1132, 1133, 1150, 1160, 1161, 1170, 4000, 4001, 4101, 4102, 4111, 4112, 4120, 4121, 4130 (043-08)	268 A
5322	12'''	3100, 3200, 3201, 9210, 9230, 9231, 9232, 9810, (043-01)	297 B
5413	12'''	9812, 3101, 3102, (043-07)	293 A
5329	12 1/2'''	5201, 5202, 5203, 5204, 5210, 5220, 5230, 5260, 5270, 5290, 5400, 5401, 5420, 5430, 5460, 5470, 6400, 6420, 4002, 4103, 4113, (043-19)	268 A

Cortebert (Cort, Perseo)			
549	5×7'''	650, 652, 654	276 A
550	5 1/4×8 1/2'''	635, 653N ord. & Inc.	284 A
557	8 3/4'''	657, 658	275 A
560	9 3/4'''	571, 573, 581, 661, 663, 673	
	10 1/2'''	665	300 A
2912	10 1/2'''	688, 689	326 A
4203	10 1/2'''	693, 694	302 A
561	12'''	667, 677, 678, 679	310 A
5366	13'''	720 Inca, annulaire	335 B
579	16'''	616, 617	412 A
566	16'''	620, 622	
	17'''	624	288 A
570	18'''	590, 591, 592R, 593, plat. 65	334 A
571	19'''	165, 526, 527, 530, 531, 532, 535, 540, 541, 542, 548, 550, Tellus, pivot 12 1/2'''	480 A



N°	"	Calibre	
Cortebert (Cont.)			
2471	19"	445, 8 jours	570 A
572	19"	528, 529, 536, 537	565 A

Culmina			
541	10½"	51, 53, 55, 57	308 A

Cupillard (VC) - SSA/5580/55-21			
4573	5¼"	55 ord & Inca	316 A
5540	10½"	233/60 vir. ø 50	340 A
546	10½"	233 vir. ø 55	348 A
2951	10½"	233, 233-60, 233-66, 233-67, vir. ø 55, ord & Inca à vis & annulaire	339 A
5396	10½"	233-68, 233-69, 233-70, vir. ø 55	290 A

CYMA (Tavannes) - 433 SEE GEN.			
5104		R 8/15	844 A
5175		R 300	262 A
2321	5¼"	110, 112	314 A
2318	5½×11½"	344, 345, 13432, ½ bag.	292 A
2281	6¾×8"	384, 385, 13730	
	8×9"	404, 406, K, 13828, shock	294 A
2294	7¾×11"	364, 365, 13630	293 A
2271	8¾"	1, 184, 816, 3, 834, 836, 11130, 11233	286 A
2280	8¾"	420, 424, 425, 426	282 A
3474	9¾"	454, 456, 458, 459	
	10½"	455	278 A
2283	10½"	1, 010, 011, 012, 013, 018, 030, 031, 032, 033, 316, 374, 377, 8513	350 A
2284	10½"	3, 030, 031, 032, 033, 8613	348 A
2275	10½"	162, 163, 166, 167, 376 K	338 A
2300	12"	1, 214, 215, 216, 217, 11416, 3, 234, 235, 236, 237, 11318	356 A
4598	12½"	480, 481, 482, 483, 484, 485, 486, 487, 488	278 A
2304	15"	6, 564, 565, 566, 567, 574, 579, 11629, 7, 574, 575, 576, 577, 11529	408 A

CYMA (cont.)			
2303	15"	B 584, 504, 507, 585, 587, 11732	295 A
5216	15"	586	300 A
5303	15"	586 K, shock	285 A
2308	17"	5, 750, 751, 752, 753, 2014, 8, 780, 781, 782, 783, 784, 2014	438 A
2309	17"	763, 790, 791, 792, 793	
	18"	4, 5, 8, 9, Veglia 900	
	19"	15, 954, 955, 2709	440 A
2316	19"	2, 7, 970, 971, 998, 999, B 914, B 915, B, 918, 919, 1615, 25/15	486 A
2273	19"	918, 919, 998, 999	586 A
2319	22"	R 10, réveil	914 B

RS SEE GEN.

Dama (Femga)			
4759	5¼"	50	283 A
4760	5¼"	50 Inca	281 A
4086	5½×7"	45, 67, 45-67	282 A
5317	5½"	45, 67 annulaire	282 A
5101	5½"	45, 67, Inca & SEE GEN	
		Antichoc 102 à vis	278 A
5318	5½"	45, 67, Inca, annulaire	279 A
4312	6¾×9"	55, 65	323 A
2871	10½"	500 ancien	361 A
3099	10½"	500, 500 C, 502, 520, 520 B, 520 C, 535 B, nouv.	313 A
4405	10½"	500, 502, 520 Inca	316 A

Derby (pedos)			
664	8¾"	40, 40 N, 41, 401, 7500	
	13"	45	286 A
4478	8¾"	40, 7500 Inca	266 A

Desa			
5343	10½"	45 à doigt	395 C
3914	12"	66, 120, 121, 122 à doigt	485 C
5197	12"	120, 320 à doigt, nouv.	473 C
5129	12"	120, 320 à plat.	482 B
3531	13"	260, 262, 264, 266, 270, 272, 274	
	11×14"	130, 131, 132 à doigt	485 C

Cyma 63 See Remise

N°	"	Calibre	
	Diehl		
4971	6¾×8"	158 stossgesichert	326 R
5417	11"	620 stossgesichert	283 B
	Dodane		
3698	11½"	8 s.c., 344, 344-2	386 A
	Doxa		
603	5¼"	14	292 A
265	8¾"	12, 1240 Inca	272 A
2956	8¾"	981	240 A
	Durowe		
4600	5×7"	70, 71, 72, 753 plat. ^{N°} GEN 728 ø 34 SEE 261 A	
3830	5×7"	70, 71, 72, 753 plat. ø 37 261 A	
4599	5×7"	70, 72, plat. ø 34, Inca, Duroswing 273 A	
4153	5×7"	70, 72, plat. ø 37, Inca Duroswing à vis & annulaire 273 A	
649	5¼×8½"	50 Unruhansatz 75, Spiralansatz 45 288 A	
3427	5½×8½"	51, 55, 56, 59, schraubenlos 283 A	
4155	5½×8½"	51, 55, 56, 59, Inca, Durobloc, Duroswing, schraubenlos 295 A	
5512	5½"	75, stossgesichert Int. 272 A	
5518	5½"	1977, Inca 279 A	
3849	6¾×8"	61, 65, 69, 89, à vis & annulaire 276 A	
4010	6¾×8"	61, 69, Inca, Durobloc, Duroswing à vis & annulaire 284 A	
5354	6¾×8"	69-21 Int. 280 A	
5358	6¾×8"	89-1, ord. & stossgesichert 270 A	
4369	7¼"	260, 261, 270, 271, Duroswing, schraubenlos 278 A	
3103	7¾×11¾"	275, Super Shock 300 A	
652	10½"	202, 410, 412, Nietwelle 349 A	
3401	10½"	420, 520, 552, Durobloc, Duroswing 363 A	
4120	10½"	440, 443, 445, 540, 542, 570, 570/1, 580, 585, 590, 590/1, Duroswing 283 A	
4166	10½"	441, 446, 450, 460, 576, 586, Duroswing 291 A	
5271	10½"	451, 451-2, 451-3, 471, 471-2, 471-3, ord. & stossges., annulaire 290 A	

N°	"	Calibre	
	Durowe (cont.)		
4158	10½"	1032, 1035, 1132, 1135, 1162, 1172, 1258, 1260, 1265, 1266, 1268, 1278, 1285, 1290, Durobloc, Duroshock, Monorex, Rufarex 327 A	
5381	10½"	7410	
	11½"	7420, 7421, 7424, 7425, 7426, 7427, 7431, 7434, 7520-7527, 7531-7537, ord. & stossgesichert 290 A	
5083	11½"	600, 601, 605, 606, 610, 611, 615, 616, Duroswing, annulaire 297 A	
	EB (Bettlach)		
196	5¼"	1225, 1110, 1235 à plat. 385 B	
201	5¼"	1297, 1469, 1536, 1552, ord. & Kif	
5053	6¾×8"	1450, 1450 N, 1650 332 B	
	6¾"	8340, 8341, 8340-66/67, 8341-66/67 8330, 8331, 8330-66/67, 8331-66/67 8320, 8321, 8324, 8325, 8326, 8320-66/67-8326-66/67 8350, 8354, 8356, 8361, 8364, 8365, 8366, 8367, 8350-66/67-8356-66/67, 8361-66/67-8367-66/67 8370, 8374, 8376, 8381, 8385, 8387, 8370-66/67-8376-66/67, 8381-66/67-8387-66/67 8391, 8395, 8397, 8398, 8391-66/67-8398-66/67, sans petit plat., ancien 276 B	
5132	6¾"	8340, 8340-66, 8340-67, 8341, 8341-66, 8341-67 8330, 8330-66, 8330-67 8320, 8320-66, 8320-67, 8321, 8321-66, 8321-67, 8324-66, 8324-67, 8325-66, 8325-67, 8331-66, 8331-67 8350, 8350-66, 8350-67, 8354-66, 8354-67, 8356-66,	8135