



N°	"	Calibre
EB (Cont.)		
		8356-67, 8361, 8361-66, 8367-66, 8367-67
10½"		8370, 8370-66, 8370-67, 8374-66, 8374-67, 8376-66, 8376-67, 8381, 8381-66, 8381-67, 8385-66, 8385-67, 8387-66, 8387-67
11½"		8391-66, 8391-67, 8393-67, 8395-66, 8395-67, 8397-66, 8397-67, 8115, 8131, 8135, 8137, 8151, 8155, 8157, 8171, 8175, 8177, 8360, 8364, 8371, 8398 sans petit plat. nouveau 276 B
4633	6¾×8"	1612, 1612 N, 1613 332 B
5497	6¾×8"	8420, 8431
	8¾"	8450, 8451, 8454, 8455, 8456, 8460, 8461, 8464, 8465, 8466, 8467
	10½"	8400, 8401, 8404, 8405, 8406, 8480, 8481, 8484, 8485, 8486, 8487
	11½"	8410, 8411, 8414, 8415, 8416, 8490, 8491, 8494, 8495, 8496, 8497
	12"	8420, 8421, 8422, 8423, 8424, 8425, 8428, 8429 315 B
2954	8¾"	1333, 1344, 1529, à plat. 332 B
5160	8¾"	1333, 1344, 1529, Kif à plat. 337 B
3810	8¾"	1431, 1431 N, 1431 NN 342 B
4227	8¾"	1504, 1570
	11¼"	1599
	11½"	1575, 1575 N 386 B
4888	8¾"	8100, 8140, 8101, 8103, 8104, 8105, 8107, 8120, 8121, 8123, 8124, 8125, 8127, 8131, 8135, 8137, 8141, 8143, 8144, 8145, 8147, avec plat. 264 S

8170

NO 792

8481/74

SEN 8486

SEN 8487

SEN 8488

SEN 8489

SEN 8490

SEN 8491

SEN 8492

SEN 8493

SEN 8494

SEN 8495

SEN 8496

SEN 8497

SEN 8498

SEN 8499

SEN 8500

SEN 8501

SEN 8502

SEN 8503

SEN 8504

SEN 8505

N°	"	Calibre
EB (Cont.)		
5057	10½"	1197 N, 1332, 1438, 1438 N, 1601, 1601 N, nouveau 356 B
193	10½"	1197, 1268, 1332, 1343, 1400, 1404, 1405, 1438, 1443, 1451, 1454, 1459, 1463, 1465, 1473, 1495, 1517, 1549, 1569, 1601, à plat. 356 B
3985	10½×11½"	1197 avec plat. 356 S
2938	10½×11½"	1197, 1268, 1332, à plat., Kif 356 B
4256	10½×11½"	1553, 1554, 1579, 1605, ord. & Kif 334 B
4552	10½"	8000, 8001, 8004, 8005, 8061, avec plat. 330 S
4642	10½"	8020, 8020 N, 8021, 8021 N, 8021-68, 8022, 8022 N, ord. & Kif 332 B
5553	12"	8501, 8503, à doigt 390 C
5563	12"	8501, 8511, 8513, à plat. 390 A
5064	12"	8800, 8801, 8802, 8803, 8804, 8805, 8806, 8808, 8809, 8810, 8811, 8813, 8814, 8815, 8816, à doigt 343 B
4883	12"	8800, 8802-06, 8810, 8811, 8814, 8815 à plat. 343 B
3014	16"	623 à plat. 385 B
190	18"	814 à doigt 572 C
Ebel		
5261		84 Inca 267 A
5260	5¼"	59 255 A
Eberle		
(ET, NFT, Nouvelle Fabrique Tavannes)		
761	5½"	525, 527, 525-1, 526 307 A
4756	5¼"	525, 527, Inca 307 A
4091	8¾"	52, 52 N, 56 287 A
760	10½"	38, 40, 74, 38-1, 41, 42, 43, 44, 45, 76, 381, 401 360 A
762	10½"	50, 51, 53, 53 315 A

""	Calibre	
Ebosa		
5¼×8"	52, 54, à plat.	332 B
8¾"	44 à plat.	353 B
8¾"	85, 86, 87, à doigt	354 C
8¾"	85, 86, 87, à plat.	366 B
8¾"	86, 87 à pointe	365 Q
8¾"	97	342 A
10½"	26, 27, 28, à plat, ord. & Kif	400 B
10½"	65, 68 à plat.	304 B
10½"	69, à plat., ord. & Kif	397 B
12"	49, à doigt	403 C

Election

5×7"	275	288 A
5×7"	275 Inca	297 A
5¼×8½"	215	310 A
6¾"	255 ord. & Inca	262 A
8¾"	435 ord. & Inca	269 A
10½"	645, 645 S	357 A
10½"	665 Inca	348 A
10½"	675	291 A

Elgin

	905, 907	300 A
16s	582, 5968-16, Piv. 14	533 A
16s	658	577 A
16s	861 NS, Pivot 11	535 A
8/0	554	307 A
13/0	730, 732, 737, 750, 752	308 A
20/0	830, 830 A, 832 A, 833, 833 A, 902	294 A

Enicar (A.R.)

5½"	672, 678, riv. ø 75	247 A
5½"	672, Inca, riv. ø 70	247 A
5½×7"	210, 680, 682, nouveau	237 A
6½"	690, 692, 693, ord. & Inca	237 A
6¾×8"	792	252 A
6¾×8"	792 B Inca	262 A
8¾"	822	245 A
10½"	980, 1009, 1010, 1011, riv. ht. 32, Pivot 9	301 A
10½"	980, riv. ht. 32, Pivot 8	301 A
10½"	982 ord. & Inca	285 A
10½"	1020	283 A
10½"	410, 412	
11½"	723, 1000, 1002	362 A
10½"	410, 412	
11½"	723, 1000, 1002, Inca	375 A
11½"	160-167, vir. ø 50, ord & Inca	292 A
11½"	1034, 1035	296 A

N°	""	Calibre	
	Enicar (Cont.)		
4776	11½"	1120, 1121, 1124, 1125, 1126, 1140, 1141, 1145, 1146, Pivot 9, ord. & Inca	292 A
3624	12"	1150, 1152, 1250, 1252	
	13"	1180, 1182, Inca	362 A

Eppler = Otero

	Eppler		
4965	10½"	7, 8	350 M

ES (Ebauches Sonceboz)

5092	11½"	50, à doigt	347 C
5091	11½"	50, à plat.	347 A

Essor (Court Watch Co.)

4803	10½"	E 43, Inca	302 A
------	------	------------	-------

ETA

789	4¼×10"	746, vir. 40	288 A
791	5¼"	761, 1201, 762, 763, 764, 773, 838, 839, 840, 841, 846, 862, 879, 882, 1029, 1030, 1040, 1041, 1202, 1203, 1204, 1205, 1206, 1207, 1208, 1209, 1210, 1211, 1212, 1213, 1214, 1215, vir. 45	292 A 292 A 295 A
3279	5¼"	761, 1201, vir. 50	
864	5¼"	761, 1201, Inca	
3726	5¼"	2340, 2345, 2341, 2342, 2343, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2353a, 2354a, 2355, 2356	311 A
4396	5½"	2480, 2485, 2482, 2487, à vis	280 A
4932	5½"	2480, 2485, annulaire	280 A
5153	5½"	2480, 2482, 2485, 2487, Inca annulaire	280 A
4748	5½"	2480, 2485, riv. ø 75, Inca, à vis	280 A
798	5¾"	1045, 1046, 1047, 1048, 1050	232 A
797	5¾"	1185, 1186, 1187, 1188, 1189, 1197	260 A
4623	6"	2440, 2442, à vis & annulaire	262 A



N°	'''	Calibre
	ETA (Cont.)	
4791	6'''	2440, Inca, à vis & annulaire 262 A
4397	6 3/4'''	2410, 2425, 2412, 2414, 2415, 2416, 2417, 2428, à vis 260 A
4898	6 3/4'''	2410, 2425, annulaire 260 A
4461	6 3/4'''	2410, 2425, à vis, Antichoc, Antichoc 102, EMO, Inca, Kif, Monorex, Rubys shock, Super normalisé 159 270 A
4897	6 3/4'''	2410, 2425, annulaire, Antichoc, Antichoc 102, EMO, Inca, Kif, Monorex, Ruby shock, Super normalisé 159 270 A
5309	6 3/4'''	2570, 2580, ord. & Inca, à vis & annulaire 275 A
4398	7x8'''	1250, 1251 337 A
807	7 3/4'''	1010, 1011, 1013, 1031, 1032 232 A
868	7 3/4'''	1010, Inca 255 A
808	7 3/4'''	1070, 1170, 1071, 1072, 1171, 1172, 1173, 1184, 1194, 1200
	8 1/4'''	1195, 1218
	9 1/4'''	1216, 1198
	10'''	1199, 1217 270 A
869	7 3/4'''	1070, 1170, Inca
	9 1/4'''	1216, Inca 279 A
4400	7 3/4'''	2360, 2361, 2363, 2365, 2366, 2368, 2369, 2446, 2447, à vis
	8 1/4'''	2367, à vis 272 A
5235	7 3/4'''	2360, 2363, 2365, 2366, 2367, 2369, Inca annulaire 277 A
3981	7 3/4'''	2360, Inca 277 A
4436	7 3/4'''	2510, 2512, à vis & annulaire 237 A
4511	7 3/4'''	2510, Inca à vis & annulaire 250 A
5146	7 3/4'''	2540, 2541, 2550, 2551, riv. ø 80, ord. & Inca, à vis & annulaire 268 B
5456	7 3/4'''	2550, 2551, riv. ø 70, Inca, annulaire 268 A
5537	7 3/4'''	2640, 2641, 2648, 2650, 2651, 2658, 2660, 2661, 2668, 2670, 2671, 2678, SEE GEN 723

N°	'''	Calibre
	ETA (Cont.)	
		Inca, Monorex, Ruby shock, Antichoc Emo, Novochoch, Kif, Ruby-Neutro-Shock, Nov A 271 A
806	7 3/4x11'''	732, 735, 730, 731, 734, 736, 737, 738, 739, 740, 742, 743, 744, 752, 753, 754, 755, 756, 757, 758, 759, 772, 783, 784, 786, 789, 800, 801, 836, 837, 847, 849, 891, 895, 896, 920 292 A
810	8x9'''	1000, 969, 1001, 1002, 1003, 1004, 1005, 1006, 1007, 1060 272 A
872	8x9'''	1000, 1220, Inca 272 A
815	8 3/4'''	790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 802, 803, 804, 807, 808, 809, 878, 881, 883, 884, vir. ø 45 292 A
2692	8 3/4'''	790, vir. ø 50 292 A
814	8 3/4'''	980, 978, 979, 981, 982, 983, 984, 986, 987, 988, 989, 1025, 1026, 1027, 1059, à vis & annulaire 237 A
877	8 3/4'''	980, Inca, à vis & annulaire 260 A
3391	8 3/4'''	1301, 1311, 1302, 1303, 1304, 1308, 1312, 1313, 1314, 1318, 1322 277 A
	9 1/4'''	1309, 1310, 1315, 1319, 1320, 1323
	9 3/4'''	1306, 1316
	10 1/2'''	1307, 1317, 1321, 1324
3795	9 3/4'''	2325, 2326, 2327, 2328, 2329, 2330, 2335, 2336, 2337, 2338, à vis & annulaire 291 A
4445	8 3/4'''	2325, Inca, à vis & annulaire 290 A
4952	8 3/4'''	2490, 2492, 2493, Inca, à vis & annulaire 269 A
824	10 1/2-11 1/2'''	810, vir. 60 322 A

	Calibre	
ETA (Cont.)		
329	10½-11½"	900, 901, 902, 903, 925, 925-3, 926, 927, 928, 929, 930, 931, 932, 933, 935, 936, 937, 938, 939, 941, 942, 965, 966, 968, 970, 971, 973, 1015, 1016, 1017, 1018, 1019, 1020, 1021, 1024, vir. ø 50 295 A
328	10½-11½"	900, vir. ø 60 295 A
385	10½-11½"	900, vir. ø 60, Inca 295 A
332	10½-11½"	1080, 1256, vir. ø 60, à vis 312 A
307	10½-11½"	1080, 1256, vir. ø 50, Inca 314 A
387	10½-11½"	1080, 1256, vir. ø 60, Inca & Kif 314 A
371	10½-11½"	1260, 1261, 1262, 1263, 1264, 1265, 1266, 1267, 1268, 1269, 1270, 1271, 1272, 1273, 1274, 1275, 1276, 1277, à vis 327 A
336	10½-11½"	1260, annulaire 327 A
307	10½-11½"	1260 Inca 330 A
311	10½-11½"	1280, 1281 286 A
344	10½-11½"	1280, Inca, à vis 285 A
377	10½-11½"	2390, 2450, 2391, 2392, 2393, 2394, 2395, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2408, 2409, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2471, 2472, 2474, 2478, 2479, vir. ø 50, à vis 271 A
340	10½-11½"	2390, 2450, vir. ø 60, à vis 271 A
335	10½-11½"	2390, 2450, vir. ø 60, annulaire 271 A
336	10½"	2390, 2450, vir. ø 35, Inca & annulaire 281 A
349	10½-11½"	2390, 2450, vir. ø 50 281 A
346	10½-11½"	2390, 2450, vir. ø 60, Inca 281 A
36	10½"	2390, 2450, 2408, 2409, 2451, 2452, 2453, 2454, 2460, 2472, 2474, vir. ø 60, Inca & annulaire 281 A

N°	Calibre	
ETA (Cont.)		
4801	10½-11½"	2390, 2450, Supershock 281 A
4052	11½"	2370, 2375, 2371, 2372, 2373, 2377, 2378, 2379, 2380, 2381, 2384, vir. ø 70, à vis 307 A
4742	11½"	2370, 2375, vir. ø 70, annulaire 307 A
5434	11½"	2370, 2373, 2375, 2377, 2378, vir. ø 35, Inca à vis 307 A
5440	11½"	2370, vir. ø 35, Inca annulaire 307 A
4044	11½"	2370, 2375, vir. ø 70, Inca à vis 307 A
5165	11½"	2370, vir. ø 70, ord. & Inca annulaire 307 A
4800	11½"	2382, 2374, à vis 337 A
4790	11½"	2500, 2520, Antichoc 102, EMO, Inca, Kif, Monorex, Neutroshock, Novochoch, Ruby shock, Supernormalisé 159 270 A
5275	11½"	2600, 2620, 2602, 2603, 2605, 2606, 2607, 2608, 2609, 2622, 2623, 2625, 2626, 2627, 2628, 2629, 2634, 2635, 2637, 2638, 2639, ord. & Inca annulaire 275 A
5517	11½"	2720, 2722 R, 2724, 2724 R, 2828, ord. & Inca annulaire 277 A
5513	11½"	2730, 2732, 2732 R, 2734, 2734 R, 2738, 2806, 2807, 2812, 2813, 2819, 2826, 2827, 2832, 2833, 2839, Inca & annulaire 276 A
5424	11½"	2750, 2752, 2758, 2762, 2768, 2770, 2772, 2778, 2782, 2788, ord. & Inca annulaire 307 A
5551	11½"	2800, 2802, 2803, 2808, 2809, 2820, 2822, 2823, 2828, 2829, ord. & Inca annulaire 276 A
5550	11½"	2801, 2804, 2805, 2810, 2811, 2821, 2824, 2825, 2830, 2831, 2834, 2836, ord. & Inca annulaire 276 A



N°	'''	Calibre	
ETA (Cont.)			
5555	11 1/2'''	2806, 2812, 2817, 2819, 2826, 2832, 2837, 2839, Inca	276 A
5560	11 1/2'''	2850, 2952, 2858, 2870, 2872, 2878, ord. & Inca	301 A
4247	12-13'''	1100, 1168, 1101, 1102, 1103, 1104, 1105, 1106, 1107, 1108, 1109, 1113, 1114, 1116, 1117, 1118, 1119, vir. ø 50	2840 1168 745
	13 1/2'''	1115	327 A
834	12-13'''	1100, 1168, vir. ø 70	327 A
835	12-13'''	1120, 1292, 1121, 1122, 1123, 1124, 1125, 1126, 1127, 1128, 1129, 1130, 1131, 1132, 1133, 1135, 1136, 1137, 1138, 1139, 1162, 1164, 1234, 1235, 1288, 1289, 1293	292 A
890	12-13'''	1120, 1292, Inca	290 A
838	14'''	853, 861, 885, 850, 852, 854, 857, 858, 859, 887, 888, 889, 906, 907, 910, 911, 914, vir. ø 60	362 A
4534	14'''	853, 861, 885, vir. ø 70	362 A
839	17'''	953, 950, 951, 957, 1035, 1036	326 A
Eterna			
5307		3000, Eterna-Matic	252 A
5062	6'''	1417 U	280 A
5061	6 3/4'''	1418 U	
	7 3/4'''	1420 U	293 A
5063	11 1/2'''	1408 U, 1448 M	
	12 1/2'''	1409 U, 1449 M	
	13'''	1410 U, 1450	344 A
4229	11 1/2'''	1411 U, 1411 UW, 1421 U	
	12 1/2'''	1412 U, 1413 U, 1422 U, 1423 U	
	13'''	1414 U, 1415 U, 1424 U, 1425 U	
	13 1/2'''	1416 U, 1426, Kif & Inca	320 A
4615	11 1/2'''	1427 U, 1431 U, 1443 U	
	12 1/2'''	1428 U, 1432 U, 1438 U, 1442 U	1489 1480

NOT 1488K.

N°	'''	Calibre	
Eterna (Cont.)			
	13'''	1429 U, 1433 U, 1439 U	252 A
5256	12-13'''	1137 U	298 A
5242	12 1/2'''	1455, 1455 B, 1465, 1465 B	
	13'''	1456, 1456 B, 1466, 1466 B	252 A
4812	17'''	957	342 A
1447 See Genève			
Europa (Eiffert)			
4554		00-25	1007 C
4555		00-25b	1007 C
4591		W 21, 8 Tg	772 B
3945	21'''	00, alt, Reisewecker	1007 M
3944	21'''	101, Reisewecker	626 M
WKOZ = WKOZq			
Excelsior Park			
4452	18-22'''	3/30	568 C
3468	19'''	20, 222, R 990	570 B
FE (France-Ebauches)			
5552		4611, 4612	292 A
5393	5 1/2'''	68, annulaire	282 A
5394	5 1/2'''	68, Inca annulaire	279 A
5420	11 1/2'''	140, 140.1, 140.2, ord. & Inca annulaire	293 A
5395	11 1/2'''	3600, 3601, 3602, 3610, 3611, 3612	292 A
6 3/4''' 163 SEE GEN			
FE 500 = DAMA 500			
FEF			
5267	4'''	6640, ord. & Inca annulaire	266 A
4441	5'''	430, 431, 432, 433, 434, 435, 436, 437	6632
		438, 439	
	5 1/2'''	6600, 6620, à vis	282 A
4917	5'''	430, 6600, 6620, 6630, 6650, annulaire	6632
4749	5'''	430, 6600, 6620, 6630, Inca à vis	6632
5158	5'''	430, 6600, 6620, 6621, 6630, 6631, 6650, 6700, 6701, 6710, 6711, 6720, 6721, Inca annulaire	284 A
931	5 1/4 X 8 1/2'''	270, 271, 272, 273, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 1270,	

N°	"	Calibre	
FEF (Cont.)			
		1273, 1275, à vis & annulaire	292 A
5543	5 1/2"	6700, Inca annulaire	284 A
5435	6 3/4"	6660, 6662, vir. ø 35, ord. & Inca annulaire	290 A
5285	6 3/4"	6660, 6662, vir. ø 45, 6663, ord. & Inca annulaire	290 A
956	6 3/4 x 8"	360	292 A
2947	6 3/4 x 8"	370, 371, 371 N, 372, 373, 374, 375, 376, 377, 378, 379, à vis & annulaire	284 A
3721	6 3/4 x 8"	370, Inca à vis & annulaire	285 A
3192	6 3/4 x 8"	370, Supershock	292 A
5487	6 3/4 x 8"	371 N, 372, 373, Inca à vis & annulaire	280 A
5559	6 3/4 x 8"	6664, 6764, riv. ø 70, ord. & Inca annulaire	280 A
936	7 3/4 x 11"	130, vir. ø 55	277 A
942	8 3/4"	250, 251-1, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, à vis & annulaire	297 A
<i>FeF 250 723 ord ser Gen. pre-packed</i>			
1066	8 3/4"	250, Inca	297 A
4088	8 3/4"	400, 401, 409, à vis & annulaire	277 A
4320	8 3/4"	400, Inca à vis & annulaire	280 A
5532	8 3/4"	6670, 6675, 6676, 6677, 6870, 6876, 6877, ord. & Inca annulaire	275 A
5442	8 3/4"	6680, 6686, vir. ø 35, ord. & Inca annulaire	284 A
5280	8 3/4"	6680, 6686, vir. ø 45, ord. & Inca annulaire	284 A
2701	10 1/2"	190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 222, 222-1, 224, 226, 227, vir. ø 50, à vis	332 A
947	10 1/2"	190, vir. ø 60, à vis	332 A
4918	10 1/2"	190, vir. ø 60, annulaire	332 A
960	10 1/2"	190, vir. ø 60, Inca	330 A
949	10 1/2"	290, 330, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309	

N°	"	Calibre	
FEF (Cont.)			
	11 1/2"	310, 310-1, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 340, à vis, vir. ø 55	292 A
4919	10 1/2"	290, 330, annulaire, vir. ø 55	292 A
5444	10 1/2"	290, 290-1, 310, vir. ø 35, Inca annulaire	292 A
1001	10 1/2"	290, 330, vir. ø 55, Inca à vis	292 A
5157	10 1/2"	290, 290-1, 310, vir. ø 55, Inca annulaire	292 A
957	10 1/2"	350, 351, 352, 353, 354, 355, 356, 357, 358, 359	
	11 1/2"	380, 380-2, 381, 382, 383, 384, 385, 386, 387, 388, 389	
	12 1/2"	420, 425, à vis	322 A
4920	10 1/2"	350, annulaire	322 A
690	10 1/2"	350, Inca, Kif, Ruby shock, Antichoc, 51	323 A
952	19"	40B, 41B, 42B, 43B, 44B, 45B, 46B, 47B, 48 B	377 A
953	19"	40H, 41H, 42H, 43H, 44H, 45H, 46H, 47H, 48H, 49 H	450 A
Felsa			
4566	5 1/4"	800, Inca	308 A
4785	5 1/4"	4045	308 A
5308	5 1/4"	4045, Inca & annulaire	308 A
966	5 1/4 x 8"	302, 303, 324, 325, 428	292 A
3301	5 1/4 x 8"	302, Inca	293 A
968	6"	21, 21N, 22, 22N, 23, 23N, 24, 24N, 25, 25N, 26, 27, 28, 29, 81, 82	262 A
3947	6"	21, Inca à vis	262 A
5480	6"	21, 21N, 22, 22N, 26, 27, 28, 29, 81, 82, Inca annulaire	262 A
5145	6"	4520, ord. & Inca annulaire	264 A
973	6 3/4"	290, 372, 53, 372N, 373, 373N, 374	270 A
4741	6 3/4"	4062, 4072, 4162, 4172, vir. ø 40, ord. & Inca, à vis & annulaire	272 A
5441	6 3/4"	4162, 4172, vir. ø 35, Inca annulaire	272 A

674 290 INCA-DUN 3922



N°	"	Calibre
Felsa (Cont.)		
975	7 3/4"	233
	8 3/4"	380
	9 3/4"	382
4294	7 3/4"	4020, 4120, 4021, 4022, 4023, 4024, 4025, 4027, 4028, 4122, 4124, 4125, 4126, vir. ø 50, à vis 232 A 4020, 4120, vir. ø 50, annulaire 232 A
4916	7 3/4"	4020, 4120, vir. ø 50, Inca à vis 255 A
4553	7 3/4"	4020, 4120, vir. ø 50, Inca annulaire 255 A
5159	7 3/4"	4020-4025, 4120-4125, vir. ø 50, Inca annulaire 255 A
5462	7 3/4"	4022, 4122, vir. ø 30, Inca annulaire 255 A
5377	7 3/4"	4130, ord. & Inca annulaire 240 A
4947	7 3/4"X11"	350, Inca 343 A
976	8 3/4"	64, 296, 298, 299, 301, 305, 306, 312, 318, 345, 355 292 A
976	8 3/4"	158, 190, 156, 159, 163, 185, 208, 212, 220, 246, 251, 259, 261, 276, 277 282 A
3016	8 3/4"	720, 348, 349, 351, 352, 358, 359, 360, 361, 362, 721, 722, 723, 725, 726 272 A
4283	8 3/4"	780, 780N, 781, 781N, 782, 782N, 783, 4057, 4058, ord. & Inca, à vis & annulaire 288 A
995	9"	350, 351, 352 272 A
2736	9 3/4"	345, 347, vir. ø 50 340 A
278	10 1/2"	708, 709 366 A
983	10 1/2"	71, 73, 75, 76, 77, 78, 79, 80, 84, 86, 88, 89, 138, 139, 144, 166, 167, 184, 203, 205, 219, 240, 244, 255, 268, 284, 285, 286, 287, 326, 327, 330, 111, 131
	11"	124, 206, 216 363 A
985	11 1/2"	294, 283, 297, 300, 304, 309, 313, 314, 316, 317, 321, 344, 384 307 A
986	10 1/2"	335, 337, 365, 366, 367
	9 3/4"	319

N°	"	Calibre
Felsa (Cont.)		
	11 1/4"	336, 338
	11 1/2"	368
987	11 1/2"	410, 415, 690, 691, 692, 692N, 693, 694, 695, 696, 697, 698, 699, ancien 422 A
3280	11 1/2"	410, 1560, 1565, 415, 690, 691, 692, 692N, 693, 694, 695, 696, 697, 698, 699, 710, 711, 712, 713, 714, 714-2, 715, 760, 790, 792, 799, 810, 1566, 4050, 4051, nouveau 422 A
2897	11 1/2"	410, 1560, 1565, nouveau, Inca 422 A
989	11 1/2"	465, 465N, 466, 467, 468, 472 318 A
4266	11 1/2"	4000, 4000N, 4001, 4002, 4003, 4004, 4005, 4005N, 4006, 4006N, 4007, 4007N, 4008, 4009, 4010, 4010N, 4011, 4012, 4013, 4014, 4015, 4015N, 4016, 4017, 4017N, 4018, 4019, 4030, 4013, 4032, 4033, 4034, vir. ø 60, à vis 289 A
4915	11 1/2"	4000, 4010, vir. ø 60, annulaire 289 A
5445	11 1/2"	4000-4019, 4031-4034, vir. ø 35, Inca annulaire 289 A
4486	11 1/2"	4000, 4010, vir. ø 60, Inca à vis 289 A
5184	11 1/2"	4000-4019, 4031-4034, vir. ø 60, Inca annulaire 289 A
5266	11 1/2"	4450, 4452, 4454, 4456, 4458, 4460, 4462, 4464, 4465, 4466, 4468, 4470, 4472, 4474, 4476, 4478, ord. & Inca annulaire 269 A
5265	11 1/2"	4550, 4552, 4560, 4562, 4568, ord. & Inca annulaire 269 A
780	12-13"	390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 770, 775

N°	Calibre
Felsa (Cont.)	
13"	403, 750, 751, 752, 753, 754, 755, 756, vir. ø 60
3747	12-13" 390, vir. ø 70
2715	17" 520, 521, 522, 523, 560, nouveau

Femga = Dama

FG (Girardet)	
5392	5 1/2" 65, 106
5181	5 1/2" 1061, vir. ø 45
5210	5 1/2" 1061, vir. ø 50

FHF (Font, Fontainemelon)	
1003	3 3/4 X 10" 1, 59, 2, 3, 4, 5, 59N, 60, 79, 81, 84, 99, 102, 103, ancien à vis
1067	3 3/4 X 10" 59, Inca à vis
5276	3 3/4 X 10" 59-21, Inca annulaire
3318	5 1/4 X 8 1/2" 75, 751, 752, 753, 754, 755, 756, 757, 758, 759, 7510, 7511, 7512, 7513, à vis & annulaire

3579	5 1/4 X 8 1/2" 75, Inca, à vis & annulaire
------	--

1007	5 1/4 X 8 1/2" 80, 86, 190, 93, 96, 97, 113, 114, 116, 117, 128, 133, 134, 144, 148, 153, 157, 167, 177, 192, 209, 210, 211, 213, 219, 220, 224, 226, 227, 228, 229, 236, 237, 238, 240
------	---

1072	5 1/4 X 8 1/2" 80, 86, 190, Inca
4467	6 3/4" 57, 57-21, à vis
4836	6 3/4" 57, annulaire
4470	6 3/4" 57, Inca à vis
4910	6 3/4" 57, Inca, annulaire
4834	6 3/4 X 7 1/4" 77, 77-21, 771, 772, annulaire

4911	6 3/4 X 7 1/4" 77, Inca, annulaire
3383	6 3/4 X 8" 60, 60 N, 60-1, 60-2, 60-2 N, 69, 601, 602, 603, 604, 605, 606, 607, 609, vir. ø 40, à vis & annulaire
1057	6 3/4 X 8" 60, vir. ø 50, à vis & annulaire
2890	6 3/4 X 8" 60, Inca, à vis & annulaire
4637	6 3/4 X 8" 60, 69, Kif

60N 24 80 3cc pte-fmk.

N°	Calibre
FHF (Cont.)	
5558	6 3/4 X 8" 60-21, ord. & Inca annulaire, vir. ø 70
3876	6 3/4 X 8" 62, 62-2, 62-2 N, 621, 622, à vis
4907	6 3/4 X 8" 62, annulaire
1017	6 3/4 X 8" 120, 120-1, 123, 123-1, 132, 172, 212
3009	7 3/4" 32, 321
4468	7 3/4" 34, 34-21, à vis
4837	7 3/4" 34, 34-21, vir. ø 50, annulaire
4788	7 3/4" 34, vir. ø 50, Inca à vis
5431	7 3/4" 34-21, vir. ø 30, Inca annulaire
4904	7 3/4" 34, vir. ø 50, Inca annulaire
5349	7 3/4" 35, 35-4, 351, 352, ord. & Inca annulaire
1019	8 X 10" 155, 155-1, 165, 168, 185, 185-1
5351	8 3/4" 36, 36-4, INT., ord. & Inca annulaire
5523	8 3/4" 37, 374, 378, ord. & Inca annulaire
4950	8 3/4" 63, 63-2, 63-3, 631, 632, 633, 634, 635, 636, à vis & annulaire
1026	8 3/4" 125, 125-1, 126, 126-1, 129, 131, 135, 136, 137, 138, 139, 143, 145, 147, 154, à vis & annulaire
2663	8 3/4" 63, 125, Inca à vis & annulaire
4593	8 3/4" 64, 64-2, 64-2N, 641, 641-2, 642, à vis & annulaire
4225	8 3/4" 64, Inca, à vis & annulaire
1027	8 3/4" 170, 170-1, 171, 171-1, 173, 182, 194, 199
1028	8 3/4" 189, 206, 197, 202, 206-1, 214, 218, 222, 230, 231, 233
2665	8 3/4" 189, 206, Inca
1032	10 1/2-11 1/2" 25, 25-3, 250, 251, 251-3
1034	10 1/2-11 1/2" 28, 28-2, 28-2 N, 28-3, 281, 281-2, 281-2 N, 281-3, 282, 283, 284, 285
2672	10 1/2-11 1/2" 28, Inca
1035	10 1/2-11 1/2" 30, vir. ø 55
4585	10 1/2-11 1/2" 55, 55-2, 55-4, 552, 552-2, 552-2N, 552-6, 553, 553-2, 553-2N, 554, 555, 556, 557, à vis



N°	'''	Calibre	
	FHF (Cont.)		
4793	10½-11½'''	55, annulaire	295 A
4101	10½-11½'''	67, 67-2, 67-2 N, 67-4, 671, 671-2, 671-2 N, 672, 673, 674, 675, 675-4, 676, vir. ø 60, à vis	300 A
5448	10½'''	67, vir. ø 30, Inca à vis	299 A
4905	10½'''	67, vir. ø 60, annulaire	300 A
5450	10½'''	67, 67-4, 671, 675, 675-4, vir. ø 30, Inca annulaire	299 A
2969	10½-11½'''	70, 70-1, 70-1-2, 70-1-2 N, 70-2, 70-2 N, 70-3, 701, 701-2, 701-2 N, 701-3, 702, 703, 704, 706, 706-1, 706-1-2, 706-1-2 N, 707, 707-1, 707-1-2, 707-1-2 N, 708, 709, 7010, 7011, 7012, 7013, 7014, 7015, 7016, à vis	322 A
4838	10½-11½'''	70, annulaire	322 A
3580	10½-11½'''	70, Inca à vis	321 A
2970	10½-11½'''	71, 71-2, 71-2 N, 71-3, 711, 711-2, 711-2 N, 711-3, 712, 713, à vis	292 A
5188	10½'''	71, 71-2 N, 711-2 N, annulaire	292 A
4789	10½-11½'''	71, Inca à vis	295 A
5189	10½'''	71, Inca annulaire	295 A
4770	10½'''	76, 76-2, 761, 761-2, 762, 762-2, 763, vir. ø 60, à vis & annulaire	280 A
5454	10½'''	76, 761, vir. ø 30, Inca annulaire	278 A
4619	10½'''	76, vir. ø 60, Inca à vis & annulaire	278 A
5098	10½'''	81, 81-2, 811, 811-2, 814, 815, à vis & annulaire	266 A
5099	10½'''	81, vir. ø 60, Inca à vis & annulaire	276 A
5432	10½'''	81, vir. ø 35, Inca annulaire	276 A
5311	10½'''	82, 82-4, 821, 821-4, 822, ord. & Inca annulaire	266 A
1038	10½-11½'''	150, 150-1, 150-3, 151, 152, 152-1, 152-3, 156, 158, 159, 162, 163, 164, 166, 174, 178, 187, 193, 201, 203, 208	342 A

N°	'''	Calibre	
	FHF (Cont.)		
2674	10½-11½'''	150, Inca	340 A
1042	10½-11½'''	175, 186, 175-1, 175-3, 175-1-3, 176, 179, 179-1, 179-1-3, 179-3, 184, 186-1, 186-3, 188, 191, 196, 198, 204, 205, 215, 216, 221, 223, 232, 235, 239, riv. ø 85, vir. ø 55	297 A
1039	10½-11½'''	175, 186, riv. ø 90, vir. ø 60	297 A
3213	10½-11½'''	175, 186, Supershock	307 A
4794	11½'''	66, Inca	272 A
4839	11½'''	66, 66-4, 66-4 N, 661, 662, 665, 665-4, 665-4 N, 665-9, à vis & annulaire	265 A
4899	11½'''	66, Inca à vis & annulaire	262 A
4102	11½'''	72, 72-2, 72-2 N, 72-4, 72-4 N, 72-6, 721, 722-5, 723, 724, 725, 725-4 N, 725-7, 725-9, 729, 729-4, 729-7, vir. ø 70, à vis	295 A
4902	11½'''	72, vir. ø 70, annulaire	295 A
5433	11½'''	72, 72-4, 72-4 N, 72-7, 72-9, 725, 725-4, 725-4 N, 725-9, 729, 729-4 N, 729-7, vir. ø 35, Inca annulaire	303 A
3982	11½'''	72, vir. ø 70, Inca à vis	303 A
4903	11½'''	72, vir. ø 70, Inca annulaire	303 A
4226	11½'''	73, 73-2, 73-2 N, 73-4, 731, 732-5, 733, 734, 735, 735-4 N, 739, 739-4 N, vir. ø 70 à vis,	300 A
4882	11½'''	73, vir. ø 30, annulaire	300 A
4087	11½'''	73, Inca à vis	299 A
4894	11½'''	73, Inca annulaire	299 A
4841	11½'''	96, 96-4, Inca	314 A
4798	11½-12½'''	74, vir. ø 70, annulaire	312 A
5449	11½'''	74, 74-4, 74-4 N, 745, 745-4, 745-4 N, vir. ø 30, Inca annulaire	317 A
4455	11½-12½'''	74, à vis, Inca Neutro-shock, Ruby-shock	317 A
4799	11½-12½'''	74, Inca annulaire, Neutro-shock, Ruby-shock	317 A

N°	Calibre	
FHF (Cont.)		
5383	11 1/2"	90-5, 90-4, 90-9, 96, 96-4, 905, 908, 909, ord. & Inca annulaire 272 A
5561	11 1/2"	400, 401, 402, 403, 404, 411, 412, 414, 415, ord. & Inca annulaire 301 A
1041	12-13"	26, 261, 261-2, 261-2 N, 262, 263, 264, 265, 266, 267, 268, 269, 365, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, à vis 322 A
1043	12-13"	27, 271, 271-2, 271-2 N, 272, 273, 274, 275, 276, 277, 278, 279, 2710, 2711, à vis 292 A
4796	13 1/4"	65, 30 mm, automatic 275 A
1052	19"	2124, 1, 3, 5 450 A
2682	19"	2124, Inca 447 A
1050	19"	2126, 2144, 2146, 1 440 A
2683	19"	2126, 2144, 2146, Inca 439 A
Fiumi/Gribblez		
5409	5 1/4"	55 282 A
5529	5 1/4"	55-21, Inca annulaire
5530	8 3/4"	87, 87-21, ord. & Inca annulaire 285 A
Förster (B. F.)		
4489	5 1/4"	60, ord & Kif 253 A
3737	5 1/4 X 8"	611, 620, 622, 628, 630, stossesichert 307 A
3894	5 1/4 X 8"	611, 620, 622, 628, 630, Unruhansatz 75 300 A
4124	5 1/4 X 8"	611, 620, 622, 628, 630, Unruhansatz 80, ord. & Kif 300 A
3835	10 1/2"	50, 51, 500 316 A
	11 1/2"	80, 81, 85, 86, 90, 91, 186, 190, 191, 800, Kif 316 A
4763	10 1/2"	150, 152, 165, 187, 189, 192, 194, 196, 197, 1152, 1197, Kif, Elastor à vis & annulaire 281 A
4762	10 1/2"	150, 152, 189, 194, 196, 197, 1501, 1921, 1961, Inca à vis & annulaire 301 A
5437	11 1/2"	200, 212, 214, 216, 220, 222, 224, 226, 228, Inca 284 A

N°	Calibre	
Geneva Sport Watch (GSW)		
4536	5 1/2 X 7"	30, 60, 66, 630 282 A
4746	5 1/2 X 7"	30, 60, Inca 279 A
3344	10 1/2"	23, 7-4 295 A
4747	10 1/2"	23, 230, ord. & Inca 292 A
4469	10 1/2"	40, 41, 50, 51, 70, 71, ord. & shock 312 A
Girard-Perregaux (G. P., Mimo)		
4979	5 1/2"	58, Inca 280 A
3509	5 1/2 X 7 1/2"	73 270 A
3350	8 1/4"	88 286 A
Glashütter Tradition		
4258	5 1/4 X 8 1/2"	570, Unruhansatz, ø 80 290 A
Gruen		
5335	5"	244 R, 255 R 262 A
5338	5 1/2"	278 R, 268 R 279 A
5339	5 1/2"	282 R 284 A
5334	5 3/4 X 7 1/2"	280 275 A
5015	8 3/4"	202 285 A
5336	10 1/2"	590 ss 263 A
4524	11 1/2"	510 ss, 560 305 A
5013	11 1/2"	550 422 A
5337	11 1/2"	552 ss 295 A
4966	11 1/2"	580 ss 289 A
GUB (Glashütte)		
5536	5 1/2"	08-20 281 A
5193	12 1/2"	60, 60.1, 60.2, 60.3, 61, 62.2, 64, 66, 66.1, 67.1, 68.1, 69.1, 70.1 352 A
GUBA (Gustav Bauer)		
4013	5"	500, Unruhansatz ø 75 ord. & stossesichert 285 A
4	5 1/4"	25, ord., Farr, Monorex 296 A
3686	8 3/4"	875, ord, Farr, Supershock 289 A
4030	10 1/2"	1050, 1100 347 A
3302	10 1/2"	1050, 1100, Supershock 348 A
3995	10 1/2"	1200, ord., Farr, Monorex, Ruby shock 330 A
Hahn = Landeron		
Hamilton		
1250	16s	23, 950 B, 992 B, 4992 B d.r., 659, friction 567 B
3452	14/0	980, 982, 982 M 750, 751, 756, 980 A, 980 B
	21/0	
	22/0	911, 911 M, pivot 7 1/2 289 A

5103

88 = Buren 65