



N°	mm	Calibre.	
5506	8 3/4"	9013, 9015, 9017, 9013-21, 9017-21, Super-Flex	340 A
5488	10 1/2" 11 1/2" 12" 13 1/2"	013 P, 015 P, 017 P 113 P, 115 P, 117 P 213 P, 215 P, 217 P 313 P, 315 P, 317 P, à pointe cônica	296 B1
5514	10 1/2" 11 1/2" 12" 13 1/2"	1013-21 - 1017-21 1113-21 - 1117-21 1213-21 - 1217-21 1313-21 - 1317-21, à doigt & Plat., ord. & bal. flex	239 327 A
5507	10 1/2" 11 1/2" 12" 13 1/2"	1013-1017 1013-21 - 1017-21 1113 - 1117, 1113-21 - 1117-21 1213 - 1217, 1213-21 - 1217-21 1313 - 1317, 1313-21 - 1317-21, Superflex	337 A
5515	10 1/2" 11 1/2" 12" 13 1/2"	1013-21 - 1017-21 1113-21 - 1117-21 1213-21 - 1217-21 1313-21 - 1317-21 à doigt & à plat., Kif	327 A
5200	10 1/2" 11 1/2" 12" 13 1/2"	1013, 1011, 1015, 1017, 013 A - 017 A 1113, 1111, 1115, 1117, 113 A - 117 A 1213, 1211, 1215, 1217, 213 A - 217 A 1313, 1311, 1315, 1317, 313 A - 317 A, à doigt & à plat., ord. & bal. Flex	327 B
5199	10 1/2" 11 1/2" 12" 13 1/2"	1013 - 1017, 013 A - 017 A 1113 - 1117, 113 A - 117 A 1213 - 1217, 213 A - 217 A 1313 - 1317, 313 A - 317 A, à doigt & à plat., Kif & Inca	327 B
5566	10 1/2" 11 1/2" 12" 12"	2013, 2015, 2017 2113, 2115, 2117 2213, 2215, 2217, Roskopf 2216, 2218, 2219, Automat	278 B

N°	mm	Calibre	
4884	10 1/2" 11 1/2"	RL (Cont.) 7013, 7011, 7015 7111, 7113, 7115, avec plat.	283 R
5068	10 1/2" 11 1/2"	7013, 7011, 7015 7113, 7111, 7115, à doigt	283 R
5521	10 1/2"	7013 P, 7015 P, cônica	269 A
5475	4 3/4"	Rolex (Tudor) 1800, Inca	265 A
4399	5 1/4"	Roseba (RW) 72, 75, à plat.	317 B
5123	5 1/4"	72, 75, à plat. à river	317 A
4325	8 3/4"	64, 65, 66, à doigt	357 C
4324	8 3/4"	64, 65, 66, à plat.	357 B
5144	8 3/4"	64, 65, 66, à river	357 A
5233	8 3/4"	65, 66, à doigt	357 C
5234	8 3/4"	65, 66, à plat. à chasser	357 B
2896	10 1/2"	8, à doigt, nouveau	436 C
2895	10 1/2"	8, à plat., nouveau, piv. ø 9	436 B
4113	10 1/2"	53, 54, 55, à plat.	362 B
2175	16"	Roskopf Patent (National, Wille Frères) 3, 16/3, 15-41	443 V
2543	19"	6, 7, 15, 19/6, 19/7, 19/15, pivot ø 12 1/2, corps cylindrique	527 V
5041		Schatz RW 29, E1, Wecker	20-1 640 M
5463	6 3/4 x 8"	Sefea (Judex) 69-21, ord. & Inca annulaire (Sefea)	280 A
5351	8 3/4"	36, 36-4, ord. & Inca annulaire (Sefea/FHF)	285 A
4385	8 3/4"	41, 46, 52, 53, ord. & Inca	290 A
2905	8 3/4"	130, 131, 132	286 A
5408	10 1/2"	55, 551, plat. ø 37, ord. & Inca	268 A
5472	10 1/2"	55, 551, 552, plat. ø 43, ord. & Inca (Sefea)	268 A

RL 4148 = Nc 5571 Kf 293
RL 4438

N°	"	Calibre	
		Sefa (Cont.)	
2733	10 1/2"	120, 121, 122, 123, 124, 125, 126, 127, 1939	312 A
4761	11 1/2"	50, 50.1, ord. & Inca	302 A
		SHR = Reconvilier	
		Seiko	
5300	3 1/4"	10 A, 10 B, Lady Seiko	
	5 1/4"	10 M, 1004 A, 1004 B, 1004 C, 1004 M, Venus	
	6 1/4"	1020 A, 1020 B, 1020 C, 1040 A, 15 A, 1520 A, 1520 B, Solar	
	6 3/4"	19 A, 1920 A, 1904 A, 1944 A, 21 A, 21 B, 21 C, 2102 A, 2102 C, 2104 A, 2104 B, 2107 A, 2107 B, 2118 A, 2119 A, 2119 B, Chorus, Fine, Seiko, Sports, Lady, Seikomatic, Lady, Queen Seiko, Birdie, Angel (315-120)	282 B 295 B
5290	5 3/4"	11A 1104 A (315-110)	295 B
5490	6"	18 A, 18 B, 18 M, Universe (315-180)	251 B
5346	6 3/4"	Cronos	
	10 1/2"	54 A, 810, Champion	318 A
5291	6 3/4"	C1 4858	280 A
5292	6 3/4"	10985	265 A
5489	7 3/4"	2501 A, 2501 B, 2501 C, 2502 A, 2505 A, 2505 B, 2515 B, 2516 B, 2517 A, 2517 B, 2518 A, 2518 B, 2519 A, 2519 B, 2559 A (315-250)	260 B
5347		290, 341, 430, 560, 3180, 5717 A, 5719 A, 5722 A, 5740 A, 57 B, Laurel, (315-570) Lord, Marvel	322 A
5206	10 1/2"	17, 66 A, 66 B, A 201, A 202, 242, 375, 436, 2451, 4361, 6602 A, 6602 B, 6606 B, 6619 A, 6640 A, 6659 A, 6660 A, Sportsman	
	11 1/2"	11 LN, 402, 460, 956, 957, 3140, 6220 A, 6220 B, 6220 C, 6220 D, 6220 M, 6222 A, 6222 B,	

N°	Calibre	Calibre	
		Seiko (Cont.)	
		6222 C, 6222M, Liner, Skyliner, 245, 394, 395, 400, 402, 410, 603, 790, 6201 B, 6205 B, 6206 A, 6206 B, 6217 A, 6218 A, 6218 B, 6218 C, 6601 B, 6601 A, 6602 B, Matic, Matic-Cal, Sports- matic (315-610)	278 A 276 A
5511		7005, 7005 A, ¹⁰¹⁹	
5315		760, 7605 A, 7606 A, 7619 A, 820, 850, 851, 860, 7622 A, 7622 C, 7622 D, 7625 A, 7625 C, 7625 D, 7625 E, Seiko Sportsmatic (315-760)	305 A
5295	11 1/2"	44 A, 4402 A, 4420 A, 4420 B, King Seiko (315-541)	318 A
5296	11 1/2"	61 A, 6102 A, 6105 A, 6106 A, 6106 B, 6117 A, 6119 A, 6119 B, 6145 A, 6146 A, 6159 A (315-611 + 315-615)	297 A
5297	12 1/4"	830, 840, 8305 B, 8305 C, 8306 A, 8325 A, 8346 A (315-830)	280 A
5293	11 1/2"	5106 A, 5126 A, 5139 A (315-003)	311 A
5492	11 1/2"	5606 A (315-560)	298 A
5294	11 1/2"	R 6772	355 A
5491	12"	60 M, Goldfeather (315-600)	
5493	12 1/2"	5740 C (315-702)	324 A
5494	14"	4005 A, 4006 A, 6215 A, 6216 A, 6245 A, 6246 A (315-470)	288 A
<p>SGT 100 = FC 140 = 5420 200 = VC 233-68 5396 R5318 74-E = D 67 USE GEN.</p>			
		Smith	
4333		EA 1	728 A
4237		S. A. F. 2, K. L. A. 302, 8 days	745 A
2759		EN 24	855 A
2755		EA 31	660 A
4517		Clock I V 48855	696 A
4520	5 1/4"	200, shockproof	318 A



N°	'''	Calibre	
Smith (Cont.)			
5374	6¾×8'''	XY 230	332 B
4401	8¾'''	LY Empire	349 B
5282	8¾'''	TY shockproof	347 B
4402	10½'''	TY 101, 183, Empire	407 S
5190	10½'''	602, 603	286 S
4817	11½'''	Imperial s/p	386 A
2756	12'' (1215)	27 RG 214	356 A
3888	13'''	RY 144, Empire	494 B
4514	13'''	RY 649, Empire, shockproof	494 B
2757	19'''	GS 36, de Luxe, Stopp	530 A

ST (Standard)

4848	6¾×8'''	69, vir. ø 50 à vis	284 A
5241	6¾×8'''	69, vir. ø 35, annulaire	280 A
4842	6¾×8'''	69, Kif & Inca	280 A
5447	6¾×8'''	69-21, 60-21, 608-21, 609-21, 691-21, 692-21, vir. ø 35, ord. & Inca annulaire	280 A
5154	6¾×8'''	69-21, 60-21, vir. ø 45, ord. & Inca annulaire	280 A
5341	10½'''	1800, 1801, 1802, 1803, 1804, 1805, vir. ø 35, Inca annul.	295 A
5183	10½'''	1800, vir. ø 50, Inca annulaire	295 A
5352	10½'''	1940, 1941, 1950, 1951, ord. & Inca annulaire	295 A
5340	11½'''	96, 96-4, 969, 969-4, vir. ø 35, ord. & Inca annulaire	314 A
4840	11½'''	96, 969, 969-4, vir. ø 60, Kif & Inca	314 A
5310	11½'''	97, 974, ord. & Inca annulaire	314 A
5446	11½'''	1686, 1786, vir. ø 35, ord. & Inca annulaire	296 A
4847	11½'''	1686, 1786, 1795, vir. ø 60, Inca & Kif	295 A

Standard (NYS)

5502		91	336 A
5313	11½'''	115	293 A
5314	11½'''	412, 412 A	368 A

Swiza

2960	20×24'''	21, 26, réveil	844 A
------	----------	----------------	-------

N°	'''	Calibre	
Tavannes (Cyma)			
TE Technic Ebauche (Maiche)			
4184	5¼'''	S 54, S 54 A	309 A
5110	5½×6¾'''	S 73	282 A
5111	5½×6¾'''	S 73 A, S 73 A 21, ord. & Inca	279 A
5399	6¾×8'''	S 60, ord. & Inca	277 A
Thomas			
4435		Clock	900 P
Thiel (UMF)			
Timex			
4432	10½'''	à cône	340 Q
Tissot			
5520		530	235 A
4943	6¾'''	709, 709-1, 709-2, ord. & Inca	259 A
2354	6¼×8'''	13.6, 13.6-1 T, 13.6-21 T, 13.6-61	262 A
4474	6¾×8'''	13.6, 13.6-1 T, 13.6-21 T, 13.6-61, Inca	284 A
4988	7¾'''	715, 716, 717, 718, ord. & Inca	278 A
2358	7¾×9¼'''	17.5-1, 17.3-21, Inca	309 A
4865	11½'''	780, 781, 782, 783, 784, 785, 786, 791, 844, ord. & Inca	281 A
4363	12'''	26.9-21, 26.9-621, 28.5 R-21, 28.5 R-621, Inca	323 A
2347	12'''	27, 27-2, 27 T, 27-2 T, riv. ø 90	
2770	12'''	27-1, 27-21, 27-1 T, 27-61 T, Inca	328 A
3867	12'''	27 B, 27 B-2, riv. ø 100	332 A
3915	12'''	27 B-1, 27 B-21, 27 B-621, riv. ø 100, Inca	327 A
2363	12½'''	28-1, 28-21, 28.5-1, 28.5-21, 28.5 N-21, 31-1, 31-21, Inca	288 A
2365	17'''	38.2	
	18'''	40.5, plat. ø 55, pivot, pivot ø 9½	337 A

2381 = 26 SIGTA

N°	"	Calibre	
Tissot (Cont.)			
3040	17"	38.2	
	18"	40.5, plat. z 53, pivot ø 10	338 A
Uhro			
5528	8¾"	67	327 A
Ultra			
5422	10½"	904, ord. & Inca	304 A
UMF (Thiel)			
4480	8¾"	M 3, Diva	296 A
5046	8¾"	3, Diva	297 A
5244	10½"	24	417 N

Unitas (Reymond, UT)			
2385	5¼"	510, 520, 521, 512, 515, 522, 523, 524, 533	295 A
3067	5¼"	510, 520, 521, Inca	297 A
2387	5¼"	530, 531, 532	292 A
2388	6¾x8"	190, 191, 192, 195	280 A
2967	6¾x8"	540, 541, 543, 550, 551, 555	295 A
2389	8¾"	200, 200 H, 201, 201 N, 202, 202 N	292 A
4413	8¾"	630, 631, 632, 633, 6360, 6362, 6363, 6365, 6470, 6471, 6472, 6473, 6474, 6475, 6476, 6480, 6485, 6487, à vis & annulaire	264 A
5097	8¾"	630, 6360, 6365, 6470, 6475, 6476, Inca à vis & annulaire	274 A
5439	8¾"	6360, 6365, 6365 N, 6470, 6475, 6476, 6480, 6480 N, 6485, 6485 N, 6486, 6486 N, vir. ø 35, Inca annulaire	274 A
2394	13"	176, 6310, 6320, 171, 175, 177, 178, 179, 203, 204, 205, 206, 207, 212, 220, 222, 223, 224, 227, 228, 229, 230, 313, 314, 376, 500, 6311, 6312, 6313, 6314, 6315, 6316, 6317, 6321, 6410, 6411, 6412, 6415, 6416, 6417, 6599, à vis	274 A 6565N 315 A

N°	"	Calibre	
Unitas (Cont.)			
4871	13"	176, 6310, 6320, annulaire	315 A
2738	13"	176, 6310, 6320, Inca à vis	313 A
4808	13"	640, 641, 642, 646, 647, 650, 651, 656, 657, 6340, 6342, 6345, 6350, 6450, 6452, 6454, 6455, 6460, 6462, à vis	280 A
4872	13"	640, annulaire	280 A
4512	13"	640, Inca à vis	289 A
5279	13"	640, 650, Inca annulaire	289 A
4878	13"	6300, annulaire	287 A
5452	13"	6300, 6303, 6305, Inca à vis	297 A
5232	13"	6300, 6300 N, 6303, 6305, 6305 N, Inca annulaire	297 A
5161	13"	6310, 6310 N, 6312, 6312 N, 6320, 6325, 6410, 6410 N, 6412, 6412 N, 6415, 6415 N, 6425, Inca annulaire	313 A
5486	13"	6430, 6340 N, 6342, 6342 N, 6343, 6343 N, 6450, 6450 N, 6452, 6452 N, 6460, 6460 N, Inca annulaire	289 A
4063	13¼"	600, 620, 601, 602, 606, 607, 610, 616, 626, 627, 777, 6330, 6331, à vis & annulaire	315 A
5263	16½"	6497, 6498, 6503, ord. & Inca annulaire	357 A
2382	16½"-17¾"	85, 86, 285, 93, 94, 99, 100, 103, 104, 127, 128, 131, 132, 135, 137, 139, 140, 226, 293, 299, 303, 327, 331, 335, 339, 345, 347, 485, 486, 497, 498, 501, 6500	358 A
3674	16½"-17¾"	85, 86, 285, Inca	357 A
3263	16½"-17¾"	87, 88, 287, 89, 90, 95, 96, 107, 108, 141, 142, 289, 295, 207, 341, 349, 351, 353, 355, 483, 484, 489, 490, 491, 493, 495, 496, 20/12 <i>GEN COOSE 302 Agut</i>	
5262	18½" <i>SEE</i>	6431, 6445, ord. & Inca	407 A
2776	18½"-21"	3, 4, 9, 33, 34, 233, 234, 37, 38, 41, 42, 47, 48, 237, 241, 247, 253, 257, 263, 269, 275, 281, 383, 384,	



VAL 7750, SEE EBAUGHES

N°	"	Calibre						
Unitas (Cont.)								
2407	18½-21"	391, 392, 405, 406, 443, 453, 475, 481	358 A					
		5, 6, 29, 30, 429, 358, 359, 360, 364, 387, 388, 389, 390, 395, 396, 397, 398, 426, 426-1, 427, 427-1, 428, 429 N, 430, 433, 441, 457, 459, 465, 32/12						
		442						
		19"		520 A				
		2929		18½-21"	361, 362, 431, 432, 45, 45 c, 46, 51, 52, 53, 54, 57, 58, 61, 62, 63, 64, 67, 68, 73, 74, 79, 80, 245, 251, 261, 267, 273, 279, 365, 366, 369, 370, 371, 381, 382, 385, 386, 403, 404, 409, 410, 432, 435, 439, 445, 446, 451, 455, 473, 479, 25/12	405 A		
					Universal			
					5401		64, Inca annulaire	314 A
					5219		08, 582, 592	266 A
					4754		500, 501, 505, Kif	275 A
					4540		264, 265, Inca	295 A
4753	1005, 1105, Inca		281 A					
5257	255, 256, Inca		278 A					
2415	262, 263, plat. ø 49, pivot ø 9		322 A					
4361	12¾"		215, 215.1, 215.2, 215.9, 215.07, 215.17, 215.27, 215.97, 218, 218-2, 219, Inca		325 A			
Valjoux								
2636	13"	23 VZ, 80, 82, 90, Inca à vis, vir. ø 70	359 A					
5289	13"	23, 230, 231, 232, 72, 88, 90, 720, 721, 723, 724, Inca annulaire, vir. ø 70, riv. ø 100	359 A					
5458	13" SEC	92, 77, annulaire	382 A					
5459	13" GEN	92, 77, Inca annulaire	382 A					
5508	13" GEN	234, Inca annulaire	359 A					
2437	14"	22 GHT, 71 GHH, FR, GHS, 84, 222, 225, chrono	457 A					

N°	"	Calibre	
Valjoux (cont.)			
5384	14"	7730, 7732, 7733, 7734, 7736, ord. & Inca annulaire	
2579	19"	5, 9, 24 KV, 62, 6, 7, 8, 27, 30, 31, 57, 551, 555, 580	347 A
4093	19"	320, 321, 330, 340, 360, 421 mm à vis	525 A
5342	19"	320, 321, 330, 340, Inca annulaire	495 A
		⁵⁵ SEC ³³ GEN. 7750 SEE GEN.	497 A
Venus (Star, Estrella)			
2441	8¾"	60, 91, 61, 62, 63, 64, 68, 72, 77, 81, 86, 93, 96, 99, 102, 104, 107, 108, 116, 127, 147, 149, 153, 154, 163	282 A
2442	8¾X12"	130, 130-1, 131, 146, 158	
2448	10½"	180, 181, 182, 208, 213, 214, à vis	295 A
	11½"	196, 202, 203, 204, 216, à vis	
3010	10½"	180, Inca à vis	322 A
5477	10½"	180, 202, 203, 204, 208, 214, 216, Inca annulaire	322 A
4073	10½"	220, 221, 222, 223, 225, 224, 227, à vis	322 A
4462	10½"	220, Inca à vis, vir. ø 86	312 A
5478	10½"	220, 221, 222, 223, 225, 227, Inca annul.	312 A
5457	10½"	240, 241, 6005, annul.	312 A
5474	10½"	240, 241, 6005, Inca annulaire	273 A
2449	12½"	170, 172, chrono	283 A
2458	14"	175, 176, 188, 176, 178, 183, 184, 185, 189, 190, 192, 193, 194, 196, 199, 200, 201, 202, 209, chrono à vis	397 A
3321	18"	120, 122, 121, 124	347 A 525 A
Vulcain (Studio)			
3557	5½"	51	
2488	5½X8½"	112	290 A
4450	8X9"	122	314 A
2498	10½"	110, 131, 132, 330	286 A
2502	13"	59, 60, 590	339 A 366 A

N°	"	Calibre	
Waltham			
3371	16s	4430, Timer	488 A
	+	See GENUINE	
Wittnauer			
4388	6¾X8"	6 N 7, 6 W 7, 1373	281 A
4529	7¾X11"	7 TO, 7 TOG, 84, 84/1,	
		Kif	292 A
4616	11½"	11 TSA, 87	280 A
Zenith			
5058	5"	11, ord. & Inca	270 A
5464	5X6"	1110, ord. & Inca	268 A
2618	5¼X8½"	525, 525.8, 525.8-6	260 A
5460	6¾"	1510, ord. & Inca	252 A
5263	6¾" 5283	1520, ord. & Inca	252 A
2621	10½"	106, 106-6, 106-7, 106-50	326 A
5469	11½"	2511, 2522, 2542, ord. & Inca	288 A
5350	11½"	2530, 2531, 2532, ord. & Inca	288 A
2603	12"	12-4, 14-4-5, 12-4-6, 12-4-7, 12-4-50, 12-4-50-6	362 A
(See Genuine)			
2751	12"	40, 40 T, 126, 126-5, 126-6, 126-9, ord. & Inca	325 A
2610	18½"	N, 18-28-3 A, 18-28-3 P, 19-28, VS I 3813 bas	463 A
2611	19"	FS	563 A