

RENATA

for FEF (suite)

169	7 ³ / ₄ -11'''	149	= 130
170	8-9'''	170	
170	8-9'''	171	= 170
170	8-9'''	172	= 170
170	8-9'''	173	= 170
170	8-9'''	174	= 170
170	8-9'''	176	= 170
170	8-9'''	177	= 170
170	8-9'''	178	= 170
170	8-9'''	179	= 170
170	8-9'''	180	= 170
170	8-9'''	181	= 170
170	8-9'''	182	= 170
170	8-9'''	183	= 170
170	8-9'''	184	= 170
170	8-9'''	185	= 170
170	8-9'''	186	= 170
170	8-9'''	187	= 170
170	8-9'''	188	= 170
170	8-9'''	189	= 170
171	10 ¹ / ₂ '''	190	
557	10 ¹ / ₂ '''	190 Inca	
171	10 ¹ / ₂ '''	191	= 190
557	10 ¹ / ₂ '''	191 Inca	= 190 Inca
171	10 ¹ / ₂ '''	192	= 190
557	10 ¹ / ₂ '''	192 Inca	= 190 Inca
171	10 ¹ / ₂ '''	193	= 190
557	10 ¹ / ₂ '''	193 Inca	= 190 Inca
171	10 ¹ / ₂ '''	194	= 190
557	10 ¹ / ₂ '''	194 Inca	= 190 Inca
171	10 ¹ / ₂ '''	195	= 190
557	10 ¹ / ₂ '''	195 Inca	= 190 Inca
171	10 ¹ / ₂ '''	196	= 190
557	10 ¹ / ₂ '''	196 Inca	= 190 Inca
171	10 ¹ / ₂ '''	197	= 190
557	10 ¹ / ₂ '''	197 Inca	= 190 Inca
171	10 ¹ / ₂ '''	198	= 190
557	10 ¹ / ₂ '''	198 Inca	= 190 Inca
171	10 ¹ / ₂ '''	199	= 190
557	10 ¹ / ₂ '''	199 Inca	= 190 Inca
171	10 ¹ / ₂ '''	200	= 190
557	10 ¹ / ₂ '''	200 Inca	= 190 Inca
171	10 ¹ / ₂ '''	201	= 190
557	10 ¹ / ₂ '''	201 Inca	= 190 Inca
171	10 ¹ / ₂ '''	202	= 190
557	10 ¹ / ₂ '''	202 Inca	= 190 Inca
171	10 ¹ / ₂ '''	203	= 190
557	10 ¹ / ₂ '''	203 Inca	= 190 Inca
171	10 ¹ / ₂ '''	204	= 190
557	10 ¹ / ₂ '''	204 Inca	= 190 Inca
171	10 ¹ / ₂ '''	205	= 190
557	10 ¹ / ₂ '''	205 Inca	= 190 Inca
171	10 ¹ / ₂ '''	206	= 190
557	10 ¹ / ₂ '''	206 Inca	= 190 Inca

for FEF (suite)

171	10 ¹ / ₂ '''	207	= 190
557	10 ¹ / ₂ '''	207 Inca	= 190 Inca
171	10 ¹ / ₂ '''	208	= 190
557	10 ¹ / ₂ '''	208 Inca	= 190 Inca
171	10 ¹ / ₂ '''	209	= 190
557	10 ¹ / ₂ '''	209 Inca	= 190 Inca
171	10 ¹ / ₂ '''	210	= 190
557	10 ¹ / ₂ '''	210 Inca	= 190 Inca
171	10 ¹ / ₂ '''	211	= 190
557	10 ¹ / ₂ '''	211 Inca	= 190 Inca
171	10 ¹ / ₂ '''	212	= 190
557	10 ¹ / ₂ '''	212 Inca	= 190 Inca
171	10 ¹ / ₂ '''	213	= 190
557	10 ¹ / ₂ '''	213 Inca	= 190 Inca
171	10 ¹ / ₂ '''	214	= 190
557	10 ¹ / ₂ '''	214 Inca	= 190 Inca
171	10 ¹ / ₂ '''	215	= 190
557	10 ¹ / ₂ '''	215 Inca	= 190 Inca
171	10 ¹ / ₂ '''	216	= 190
557	10 ¹ / ₂ '''	216 Inca	= 190 Inca
171	10 ¹ / ₂ '''	217	= 190
557	10 ¹ / ₂ '''	217 Inca	= 190 Inca
171	10 ¹ / ₂ '''	218	= 190
557	10 ¹ / ₂ '''	218 Inca	= 190 Inca
171	10 ¹ / ₂ '''	219	= 190
557	10 ¹ / ₂ '''	219 Inca	= 190 Inca
171	10 ¹ / ₂ '''	220	= 190
557	10 ¹ / ₂ '''	220 Inca	= 190 Inca
171	10 ¹ / ₂ '''	221	= 190
557	10 ¹ / ₂ '''	221 Inca	= 190 Inca
171	10 ¹ / ₂ '''	222	= 190
557	10 ¹ / ₂ '''	222 Inca	= 190 Inca
171	10 ¹ / ₂ '''	223	= 190
557	10 ¹ / ₂ '''	223 Inca	= 190 Inca
171	10 ¹ / ₂ '''	224	= 190
557	10 ¹ / ₂ '''	224 Inca	= 190 Inca
171	10 ¹ / ₂ '''	225	= 190
557	10 ¹ / ₂ '''	225 Inca	= 190 Inca
171	10 ¹ / ₂ '''	226	= 190
557	10 ¹ / ₂ '''	226 Inca	= 190 Inca
171	10 ¹ / ₂ '''	227	= 190
557	10 ¹ / ₂ '''	227 Inca	= 190 Inca
171	10 ¹ / ₂ '''	228	= 190
557	10 ¹ / ₂ '''	228 Inca	= 190 Inca
171	10 ¹ / ₂ '''	229	= 190
557	10 ¹ / ₂ '''	229 Inca	= 190 Inca
172	8 ³ / ₄ '''	250	
•1498	8 ³ / ₄ '''	250 sans vis	
556	8 ³ / ₄ '''	250 Inca	
•1499	8 ³ / ₄ '''	250 Inca sans vis	
172	8 ³ / ₄ '''	251	= 250
556	8 ³ / ₄ '''	251 Inca	= 250 Inca
172	8 ³ / ₄ '''	252	= 250
556	8 ³ / ₄ '''	252 Inca	= 250 Inca

• annulaire, schraubenlos, screwless, sin tornillos

RENATA - Il più importante produttore mondiale di bilanciari regolati, destinati alle riparazioni

RENATA

for FEF (suite)

172	8 ³ / ₄ '''	253	= 250
556	8 ³ / ₄ '''	253 Inca	= 250 Inca
172	8 ³ / ₄ '''	254	= 250
556	8 ³ / ₄ '''	254 Inca	= 250 Inca
172	8 ³ / ₄ '''	255	= 250
556	8 ³ / ₄ '''	255 Inca	= 250 Inca
172	8 ³ / ₄ '''	256	= 250
556	8 ³ / ₄ '''	256 Inca	= 250 Inca
172	8 ³ / ₄ '''	257	= 250
556	8 ³ / ₄ '''	257 Inca	= 250 Inca
172	8 ³ / ₄ '''	258	= 250
556	8 ³ / ₄ '''	258 Inca	= 250 Inca
172	8 ³ / ₄ '''	259	= 250
556	8 ³ / ₄ '''	259 Inca	= 250 Inca
172	8 ³ / ₄ '''	260	= 250
556	8 ³ / ₄ '''	260 Inca	= 250 Inca
172	8 ³ / ₄ '''	261	= 250
556	8 ³ / ₄ '''	261 Inca	= 250 Inca
172	8 ³ / ₄ '''	262	= 250
556	8 ³ / ₄ '''	262 Inca	= 250 Inca
172	8 ³ / ₄ '''	263	= 250
556	8 ³ / ₄ '''	263 Inca	= 250 Inca
172	8 ³ / ₄ '''	264	= 250
556	8 ³ / ₄ '''	264 Inca	= 250 Inca
172	8 ³ / ₄ '''	265	= 250
556	8 ³ / ₄ '''	265 Inca	= 250 Inca
172	8 ³ / ₄ '''	266	= 250
556	8 ³ / ₄ '''	266 Inca	= 250 Inca
172	8 ³ / ₄ '''	267	= 250
556	8 ³ / ₄ '''	267 Inca	= 250 Inca
172	8 ³ / ₄ '''	268	= 250
556	8 ³ / ₄ '''	268 Inca	= 250 Inca
172	8 ³ / ₄ '''	269	= 250
556	8 ³ / ₄ '''	269 Inca	= 250 Inca
173	5 ¹ / ₄ '''	270	
•1494	5 ¹ / ₄ '''	270 sans vis	
837	5 ¹ / ₄ '''	270 Inca	
•1495	5 ¹ / ₄ '''	270 Inca sans vis	
173	5 ¹ / ₄ '''	271	= 270
837	5 ¹ / ₄ '''	271 Inca	= 270 Inca
173	5 ¹ / ₄ '''	272	= 270
837	5 ¹ / ₄ '''	272 Inca	= 270 Inca
173	5 ¹ / ₄ '''	273	= 270
837	5 ¹ / ₄ '''	273 Inca	= 270 Inca
173	5 ¹ / ₄ '''	274	= 270
837	5 ¹ / ₄ '''	274 Inca	= 270 Inca
173	5 ¹ / ₄ '''	275	= 270
837	5 ¹ / ₄ '''	275 Inca	= 270 Inca
173	5 ¹ / ₄ '''	276	= 270
837	5 ¹ / ₄ '''	276 Inca	= 270 Inca
173	5 ¹ / ₄ '''	277	= 270
837	5 ¹ / ₄ '''	277 Inca	= 270 Inca
173	5 ¹ / ₄ '''	278	= 270
837	5 ¹ / ₄ '''	278 Inca	= 270 Inca

for FEF (suite)

173	5 ¹ / ₄ '''	279	= 270
837	5 ¹ / ₄ '''	279 Inca	= 270 Inca
173	5 ¹ / ₄ '''	280	= 270
837	5 ¹ / ₄ '''	280 Inca	= 270 Inca
173	5 ¹ / ₄ '''	281	= 270
837	5 ¹ / ₄ '''	281 Inca	= 270 Inca
173	5 ¹ / ₄ '''	282	= 270
837	5 ¹ / ₄ '''	282 Inca	= 270 Inca
173	5 ¹ / ₄ '''	283	= 270
837	5 ¹ / ₄ '''	283 Inca	= 270 Inca
173	5 ¹ / ₄ '''	284	= 270
837	5 ¹ / ₄ '''	284 Inca	= 270 Inca
173	5 ¹ / ₄ '''	285	= 270
837	5 ¹ / ₄ '''	285 Inca	= 270 Inca
173	5 ¹ / ₄ '''	286	= 270
837	5 ¹ / ₄ '''	286 Inca	= 270 Inca
173	5 ¹ / ₄ '''	287	= 270
837	5 ¹ / ₄ '''	287 Inca	= 270 Inca
173	5 ¹ / ₄ '''	288	= 270
837	5 ¹ / ₄ '''	288 Inca	= 270 Inca
173	5 ¹ / ₄ '''	289	= 270
837	5 ¹ / ₄ '''	289 Inca	= 270 Inca
174	10 ¹ / ₂ '''	290	
•1497	10 ¹ / ₂ '''	290 sans vis	
558	10 ¹ / ₂ '''	290 Inca	
•1496	10 ¹ / ₂ '''	290 Inca sans vis	
174	10 ¹ / ₂ '''	291	= 290
558	10 ¹ / ₂ '''	291 Inca	= 290 Inca
174	10 ¹ / ₂ '''	292	= 290
558	10 ¹ / ₂ '''	292 Inca	= 290 Inca
174	10 ¹ / ₂ '''	293	= 290
558	10 ¹ / ₂ '''	293 Inca	= 290 Inca
174	10 ¹ / ₂ '''	294	= 290
558	10 ¹ / ₂ '''	294 Inca	= 290 Inca
174	10 ¹ / ₂ '''	295	= 290
558	10 ¹ / ₂ '''	295 Inca	= 290 Inca
174	10 ¹ / ₂ '''	296	= 290
558	10 ¹ / ₂ '''	296 Inca	= 290 Inca
174	10 ¹ / ₂ '''	297	= 290
558	10 ¹ / ₂ '''	297 Inca	= 290 Inca
174	10 ¹ / ₂ '''	298	= 290
558	10 ¹ / ₂ '''	298 Inca	= 290 Inca
174	10 ¹ / ₂ '''	299	= 290
558	10 ¹ / ₂ '''	299 Inca	= 290 Inca
174	10 ¹ / ₂ '''	300	= 290
558	10 ¹ / ₂ '''	300 Inca	= 290 Inca
174	10 ¹ / ₂ '''	301	= 290
558	10 ¹ / ₂ '''	301 Inca	= 290 Inca
174	10 ¹ / ₂ '''	302	= 290
558	10 ¹ / ₂ '''	302 Inca	= 290 Inca
174	10 ¹ / ₂ '''	303	= 290
558	10 ¹ / ₂ '''	303 Inca	= 290 Inca
174	10 ¹ / ₂ '''	304	= 290
558	10 ¹ / ₂ '''	304 Inca	= 290 Inca

• annulaire, schraubenlos, screwless, sin tornillos

RENATA – El más importante productor del mundo de volantes regulados para la reparación

RENATA

for FEF (suite)

174	10 ^{1/2} '''	305	= 290
558	10 ^{1/2} '''	305 Inca	= 290 Inca
174	10 ^{1/2} '''	306	= 290
558	10 ^{1/2} '''	306 Inca	= 290 Inca
174	10 ^{1/2} '''	307	= 290
558	10 ^{1/2} '''	307 Inca	= 290 Inca
174	10 ^{1/2} '''	308	= 290
558	10 ^{1/2} '''	308 Inca	= 290 Inca
174	10 ^{1/2} '''	309	= 290
558	10 ^{1/2} '''	309 Inca	= 290 Inca
174	10 ^{1/2} '''	310	= 290
•1497	10 ^{1/2} '''	310 sans vis	= 290
558	10 ^{1/2} '''	310 Inca	= 290 Inca
•1496	10 ^{1/2} '''	310 Inca sans vis	= 290 Inca
174	10 ^{1/2} '''	311	= 290
558	10 ^{1/2} '''	311 Inca	= 290 Inca
174	10 ^{1/2} '''	312	= 290
558	10 ^{1/2} '''	312 Inca	= 290 Inca
174	10 ^{1/2} '''	313	= 290
558	10 ^{1/2} '''	313 Inca	= 290 Inca
174	10 ^{1/2} '''	314	= 290
558	10 ^{1/2} '''	314 Inca	= 290 Inca
174	10 ^{1/2} '''	315	= 290
558	10 ^{1/2} '''	315 Inca	= 290 Inca
174	10 ^{1/2} '''	316	= 290
558	10 ^{1/2} '''	316 Inca	= 290 Inca
174	10 ^{1/2} '''	317	= 290
558	10 ^{1/2} '''	317 Inca	= 290 Inca
174	10 ^{1/2} '''	318	= 290
558	10 ^{1/2} '''	318 Inca	= 290 Inca
174	10 ^{1/2} '''	319	= 290
558	10 ^{1/2} '''	319 Inca	= 290 Inca
174	10 ^{1/2} '''	320	= 290
558	10 ^{1/2} '''	320 Inca	= 290 Inca
174	10 ^{1/2} '''	321	= 290
558	10 ^{1/2} '''	321 Inca	= 290 Inca
174	10 ^{1/2} '''	322	= 290
558	10 ^{1/2} '''	322 Inca	= 290 Inca
174	10 ^{1/2} '''	323	= 290
558	10 ^{1/2} '''	323 Inca	= 290 Inca
174	10 ^{1/2} '''	324	= 290
558	10 ^{1/2} '''	324 Inca	= 290 Inca
174	10 ^{1/2} '''	325	= 290
558	10 ^{1/2} '''	325 Inca	= 290 Inca
174	10 ^{1/2} '''	326	= 290
558	10 ^{1/2} '''	326 Inca	= 290 Inca
174	10 ^{1/2} '''	327	= 290
558	10 ^{1/2} '''	327 Inca	= 290 Inca
174	10 ^{1/2} '''	328	= 290
558	10 ^{1/2} '''	328 Inca	= 290 Inca
174	10 ^{1/2} '''	329	= 290
558	10 ^{1/2} '''	329 Inca	= 290 Inca
174	10 ^{1/2} '''	330	= 290
558	10 ^{1/2} '''	330 Inca	= 290 Inca

for FEF (suite)

175	10 ^{1/2} '''	350	
520	10 ^{1/2} '''	350 Inca	
881	10 ^{1/2} '''	350 S.S.R.	
175	10 ^{1/2} '''	351	= 350
520	10 ^{1/2} '''	351 Inca	= 350 Inca
881	10 ^{1/2} '''	351 S.S.R.	= 350 S.S.R.
175	10 ^{1/2} '''	352	= 350
520	10 ^{1/2} '''	352 Inca	= 350 Inca
881	10 ^{1/2} '''	352 S.S.R.	= 350 S.S.R.
175	10 ^{1/2} '''	353	= 350
520	10 ^{1/2} '''	353 Inca	= 350 Inca
881	10 ^{1/2} '''	353 S.S.R.	= 350 S.S.R.
175	10 ^{1/2} '''	354	= 350
520	10 ^{1/2} '''	354 Inca	= 350 Inca
881	10 ^{1/2} '''	354 S.S.R.	= 350 S.S.R.
175	10 ^{1/2} '''	355	= 350
520	10 ^{1/2} '''	355 Inca	= 350 Inca
881	10 ^{1/2} '''	355 S.S.R.	= 350 S.S.R.
175	10 ^{1/2} '''	356	= 350
520	10 ^{1/2} '''	356 Inca	= 350 Inca
881	10 ^{1/2} '''	356 S.S.R.	= 350 S.S.R.
175	10 ^{1/2} '''	357	= 350
520	10 ^{1/2} '''	357 Inca	= 350 Inca
881	10 ^{1/2} '''	357 S.S.R.	= 350 S.S.R.
175	10 ^{1/2} '''	358	= 350
520	10 ^{1/2} '''	358 Inca	= 350 Inca
881	10 ^{1/2} '''	358 S.S.R.	= 350 S.S.R.
175	10 ^{1/2} '''	359	= 350
520	10 ^{1/2} '''	359 Inca	= 350 Inca
881	10 ^{1/2} '''	359 S.S.R.	= 350 S.S.R.
487	6 ^{3/4} -8'''	360	
176	6 ^{3/4} -8'''	370	
1169	6 ^{3/4} -8'''	370 Inca	
176	6 ^{3/4} -8'''	371	= 370
•1571	6 ^{3/4} -8'''	371 sans vis	
1169	6 ^{3/4} -8'''	371 Inca	= 370 Inca
•1572	6 ^{3/4} -8'''	371 Inca sans vis	
176	6 ^{3/4} -8'''	374	= 370
1169	6 ^{3/4} -8'''	374 Inca	= 370 Inca
176	6 ^{3/4} -8'''	375	= 370
1169	6 ^{3/4} -8'''	375 Inca	= 370 Inca
176	6 ^{3/4} -8'''	376	= 370
1169	6 ^{3/4} -8'''	376 Inca	= 370 Inca
176	6 ^{3/4} -8'''	377	= 370
1169	6 ^{3/4} -8'''	377 Inca	= 370 Inca
176	6 ^{3/4} -8'''	378	= 370

• annulaire, schraubenlos, screwless, sin tornillos

RENATA - O mais importante produtor de balanços completos destinados à montagem de relógios

RENATA

for FEF (suite)

1169	6 ³ / ₄ '''	378 Inca	= 370 Inca
176	6 ³ / ₄ '''	379	= 370
1169	6 ³ / ₄ '''	379 Inca	= 370 Inca
175	10 ¹ / ₂ '''	380	= 350
520	10 ¹ / ₂ '''	380 Inca	= 350 Inca
881	10 ¹ / ₂ '''	380 S.S.R.	= 350 S.S.R.
175	11 ¹ / ₂ '''	380-2	= 350
520	11 ¹ / ₂ '''	380-2 Inca	= 350 Inca
881	11 ¹ / ₂ '''	380-2 S.S.R.	= 350 S.S.R.
175	10 ¹ / ₂ '''	381	= 350
520	10 ¹ / ₂ '''	381 Inca	= 350 Inca
881	10 ¹ / ₂ '''	381 S.S.R.	= 350 S.S.R.
175	10 ¹ / ₂ '''	382	= 350
520	10 ¹ / ₂ '''	382 Inca	= 350 Inca
881	10 ¹ / ₂ '''	382 S.S.R.	= 350 S.S.R.
175	10 ¹ / ₂ '''	383	= 350
520	10 ¹ / ₂ '''	383 Inca	= 350 Inca
881	10 ¹ / ₂ '''	383 S.S.R.	= 350 S.S.R.
175	10 ¹ / ₂ '''	384	= 350
520	10 ¹ / ₂ '''	384 Inca	= 350 Inca
881	10 ¹ / ₂ '''	384 S.S.R.	= 350 S.S.R.
175	10 ¹ / ₂ '''	385	= 350
520	10 ¹ / ₂ '''	385 Inca	= 350 Inca
881	10 ¹ / ₂ '''	385 S.S.R.	= 350 S.S.R.
175	10 ¹ / ₂ '''	386	= 350
520	10 ¹ / ₂ '''	386 Inca	= 350 Inca
881	10 ¹ / ₂ '''	386 S.S.R.	= 350 S.S.R.
175	10 ¹ / ₂ '''	387	= 350
520	10 ¹ / ₂ '''	387 Inca	= 350 Inca
881	10 ¹ / ₂ '''	387 S.S.R.	= 350 S.S.R.
175	10 ¹ / ₂ '''	388	= 350
520	10 ¹ / ₂ '''	388 Inca	= 350 Inca
881	10 ¹ / ₂ '''	388 S.S.R.	= 350 S.S.R.
175	10 ¹ / ₂ '''	389	= 350
520	10 ¹ / ₂ '''	389 Inca	= 350 Inca
881	10 ¹ / ₂ '''	389 S.S.R.	= 350 S.S.R.
1260	8 ³ / ₄ '''	400	
• 1631	8 ³ / ₄ '''	400 sans vis	
790	8 ³ / ₄ '''	400 Inca	
• 1633	8 ³ / ₄ '''	400 Inca sans vis	
1260	8 ³ / ₄ '''	401	= 400
790	8 ³ / ₄ '''	401 Inca	= 400 Inca
1260	8 ³ / ₄ '''	402	= 400
790	8 ³ / ₄ '''	402 Inca	= 400 Inca
1260	8 ³ / ₄ '''	403	= 400
790	8 ³ / ₄ '''	403 Inca	= 400 Inca
1260	8 ³ / ₄ '''	404	= 400
790	8 ³ / ₄ '''	404 Inca	= 400 Inca
1260	8 ³ / ₄ '''	405	= 400
790	8 ³ / ₄ '''	405 Inca	= 400 Inca
1260	8 ³ / ₄ '''	406	= 400
790	8 ³ / ₄ '''	406 Inca	= 400 Inca
1260	8 ³ / ₄ '''	407	= 400
790	8 ³ / ₄ '''	407 Inca	= 400 Inca

for FEF (suite)

1260	8 ³ / ₄ '''	408	= 400
790	8 ³ / ₄ '''	408 Inca	= 400 Inca
1260	8 ³ / ₄ '''	409	= 400
790	8 ³ / ₄ '''	409 Inca	= 400 Inca
943	5-7'''	430	
• 1432	5-7'''	430 sans vis	
1181	5-7'''	430 Inca	
• 1433	5-7'''	430 Inca sans vis	
943	5 ¹ / ₂ -6 ³ / ₄ '''	6600	= 430
• 1432	5 ¹ / ₂ -6 ³ / ₄ '''	6600 sans vis	= 430
1181	5 ¹ / ₂ -6 ³ / ₄ '''	6600 Inca	= 430 Inca
• 1433	5 ¹ / ₂ -6 ³ / ₄ '''	6600 Inca sans vis	
			= 430 Inca
• 1449	5 ¹ / ₂ '''	6620 sans vis	
• 1450	5 ¹ / ₂ '''	6620 Inca sans vis	
• 1667	5 ¹ / ₂ '''	6620 Inca Glucydur sans vis	

for FELSA

375	6'''	21 Glucydur	
1176	6'''	21 Inca Glucydur	
375	6'''	21 N Glucydur	
		= 21 Glucydur	
522	6'''	22 Glucydur	
522	6'''	22 N Glucydur	
		= 22 Glucydur	
375	6'''	26 Glucydur = 21 Glucydur	
522	6'''	27 Glucydur = 22 Glucydur	
375	6'''	28 Glucydur = 21 Glucydur	
522	6'''	29 Glucydur = 22 Glucydur	
359	5 ¹ / ₄ '''	60	
359	5 ¹ / ₄ '''	61	= 60
177	8 ³ / ₄ '''	64	
559	8 ³ / ₄ '''	64 Inca	
178	10 ¹ / ₂ '''	71	
560	10 ¹ / ₂ '''	71 Inca	
178	10 ¹ / ₂ '''	72	= 71
560	10 ¹ / ₂ '''	72 Inca	= 71 Inca
178	10 ¹ / ₂ '''	73	= 71
560	10 ¹ / ₂ '''	73 Inca	= 71 Inca
178	10 ¹ / ₂ '''	74	= 71
560	10 ¹ / ₂ '''	74 Inca	= 71 Inca
375	6'''	81 Glucydur = 21 Glucydur	
1176	6'''	81 Inca Glucydur	
		= 21 Inca Glucydur	
522	6'''	82 Glucydur = 22 Glucydur	
379	8 ³ / ₄ '''	105	
684	8 ³ / ₄ '''	105 Inca	
692	8 ³ / ₄ '''	107	
379	8 ³ / ₄ '''	114	= 105
684	8 ³ / ₄ '''	114 Inca	= 105 Inca
379	8 ³ / ₄ '''	110	= 105
684	8 ³ / ₄ '''	116 Inca	= 105 Inca

• annulaire, schraubenlos, screwless, sin tornillos

RENATA - der Welt grösster Produzent reglierter Unruhen für Reparaturzwecke

RENATA

for **FELSA** (suite)

179	16'''	140	
179	16'''	141	= 140
179	16'''	142	= 140
179	16'''	143	= 140
179	16'''	147	= 140
179	16'''	148	= 140
179	16'''	149	= 140
179	16'''	153	= 140
179	16'''	154	= 140
379	8 ³ / ₄ '''	156	= 105
684	8 ³ / ₄ '''	156	Inca = 105 Inca
379	8 ³ / ₄ '''	158	= 105
684	8 ³ / ₄ '''	158	Inca = 105 Inca
379	8 ³ / ₄ '''	159	= 105
684	8 ³ / ₄ '''	159	Inca = 105 Inca
379	8 ³ / ₄ '''	163	= 105
684	8 ³ / ₄ '''	163	Inca = 105 Inca
179	16'''	163	= 140
179	16'''	170	= 140
179	16'''	171	= 140
179	16'''	173	= 140
179	16'''	175	= 140
379	8 ³ / ₄ '''	185	= 105
684	8 ³ / ₄ '''	185	Inca = 105 Inca
379	8 ³ / ₄ '''	190	= 105
684	8 ³ / ₄ '''	190	Inca = 105 Inca
379	8 ³ / ₄ '''	212	= 105
684	8 ³ / ₄ '''	212	Inca = 105 Inca
379	8 ³ / ₄ '''	220	= 105
684	8 ³ / ₄ '''	220	Inca = 105 Inca
379	8 ³ / ₄ '''	228	= 105
684	8 ³ / ₄ '''	228	Inca = 105 Inca
6	7 ³ / ₄ '''	233	= AM 380
655	7 ³ / ₄ '''	233	Inca = AM 380 Inca
178	10 ¹ / ₂ '''	240	= 71
560	10 ¹ / ₂ '''	240	Inca = 71 Inca
379	8 ³ / ₄ '''	246	= 105
684	8 ³ / ₄ '''	246	Inca = 105 Inca
379	8 ³ / ₄ '''	251	= 105
684	8 ³ / ₄ '''	251	Inca = 105 Inca
379	8 ³ / ₄ '''	259	= 105
684	8 ³ / ₄ '''	259	Inca = 105 Inca
379	8 ³ / ₄ '''	261	= 105
684	8 ³ / ₄ '''	261	Inca = 105 Inca
379	8 ³ / ₄ '''	276	= 105
684	8 ³ / ₄ '''	276	Inca = 105 Inca
379	8 ³ / ₄ '''	279	= 105
684	8 ³ / ₄ '''	279	Inca = 105 Inca
5	10 ¹ / ₂ '''	280	
379	8 ³ / ₄ '''	282	= 105
684	8 ³ / ₄ '''	282	Inca = 105 Inca
1524	6 ³ / ₄ '''	290	Glucydur
1525	6 ³ / ₄ '''	290	Inca Glucydur
1647	6 ³ / ₄ '''	291	Glucydur

for **FELSA** (suite)

1648	6 ³ / ₄ '''	291	Inca Glucydur
180	10 ¹ / ₂ '''	294	
593	10 ¹ / ₂ '''	294	Inca
180	10 ¹ / ₂ '''	300	= 294
593	10 ¹ / ₂ '''	300	Inca = 294 Inca
181	5 ¹ / ₄ '''	302	
838	5 ¹ / ₄ '''	302	Inca
181	5 ¹ / ₄ '''	303	= 302
838	5 ¹ / ₄ '''	303	Inca = 302 Inca
180	10 ¹ / ₂ '''	304	= 294
593	10 ¹ / ₂ '''	304	Inca = 294 Inca
177	8 ³ / ₄ '''	305	= 64
559	8 ³ / ₄ '''	305	Inca = 64 Inca
179	16'''	310	= 140
180	10 ¹ / ₂ '''	313	= 294
593	10 ¹ / ₂ '''	313	Inca = 294 Inca
180	10 ¹ / ₂ '''	321	= 294
593	10 ¹ / ₂ '''	321	Inca = 294 Inca
181	5 ¹ / ₄ '''	324	= 302
838	5 ¹ / ₄ '''	324	Inca = 302 Inca
182	10 ¹ / ₂ '''	335	
182	10 ¹ / ₂ '''	336	= 335
182	10 ¹ / ₂ '''	337	= 335
182	10 ¹ / ₂ '''	338	= 335
180	10 ¹ / ₂ '''	344	= 294
593	10 ¹ / ₂ '''	344	Inca = 294 Inca
177	8 ³ / ₄ '''	345	= 64
559	8 ³ / ₄ '''	345	Inca = 64 Inca
402	9 ³ / ₄ '''	347	
183	9'''	350	
580	9'''	350	Inca
183	8 ³ / ₄ '''	351	
580	8 ³ / ₄ '''	351	Inca
183	8 ³ / ₄ '''	352	= 351
580	8 ³ / ₄ '''	352	Inca = 351 Inca
177	8 ³ / ₄ '''	355	= 64
559	8 ³ / ₄ '''	355	Inca = 64 Inca
183	8 ³ / ₄ '''	358	= 351
580	8 ³ / ₄ '''	358	Inca = 351 Inca
183	8 ³ / ₄ '''	359	= 351
580	8 ³ / ₄ '''	359	Inca = 351 Inca
183	8 ³ / ₄ '''	360	= 351
580	8 ³ / ₄ '''	360	Inca = 351 Inca
183	8 ³ / ₄ '''	361	= 351
580	8 ³ / ₄ '''	361	Inca = 351 Inca
182	10 ¹ / ₂ '''	365	= 335
182	10 ¹ / ₂ '''	366	= 335
182	10 ¹ / ₂ '''	367	= 335
182	10 ¹ / ₂ '''	368	= 335
1524	6 ³ / ₄ '''	372	Glucydur
			= 290 Glucydur
1525	6 ³ / ₄ '''	372	Inca Glucydur
			= 290 Inca Glucydur
1524	6 ³ / ₄ '''	372	N Glucydur = 290

• annulaire, schraubenlos, screwless, sin tornillos

RENATA - le producteur le plus important du monde de balanciers réglés destinés aux rhabillages