

Version number 7

Revision: 28.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: Synt-A-Lube 9014 · Article number: 9014 • 1.2 Relevant identified uses of the substance or mixture and uses advised against Lubricating oil • Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites · Product category PC24 Lubricants, greases, release products · Application of the substance / the mixture Lubrification · 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: The Swatch Group Research and Development Ltd. **Division Moebius** Kreuzenstrasse 30 CH-4452 Itingen Switzerland Tel.: +41 61 975 73 00 Fax: +41 61 975 73 01 e-mail:moebius@moebius-lubricants.ch • Further information obtainable from: +41 (0) 61 975 7300 · 1.4 Emergency telephone number: Switzerland: 145 Outside Switzerland: National emergency number **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xi; Irritant *R36/38*: Irritating to eyes and skin. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. • Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. · 2.2 Label elements · Labelling according to EU guidelines: Observe the general safety regulations when handling chemicals. The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. · Code letter and hazard designation of product: Xi Irritant · Risk phrases: 36/38 Irritating to eyes and skin. · Safety phrases: 23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). (Contd. on page 2) CHE

Printing date 28.01.2016

Version number 7

Revision: 28.01.2016

(Contd. of page 1)

Trade name: Synt-A-Lube 9014

- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- *37 Wear suitable gloves.*
- 60 This material and its container must be disposed of as hazardous waste.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:
- AlkanolSkin Irrit. 2, H31525-50%(Aryloxyalkyl)acetic acidC R35; Xn R22
Skin Corr. 1B, H314; Acute Tox. 4, H3021-10%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 3)

Printing date 28.01.2016

Version number 7

Revision: 28.01.2016

(Contd. of page 2)

Trade name: Synt-A-Lube 9014

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- *The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information:* The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties • General Information

· Appearance:

Form: Liquid Colour: Light yellow

(Contd. on page 4)

Printing date 28.01.2016

Version number 7

Revision: 28.01.2016

Trade name: Synt-A-Lube 9014

		(Contd. of page 3
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition	The defension of	
Melting point/Melting range: Boiling point/Boiling range:	Undetermined. > 200 °C	
Flash point:	> 100 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	1,3 hPa	
Density at 20 °C:	0,907 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat		
Viscosity:	,	
Dynamic at 20 °C:	100 mPas	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0,0 %	
VOC (EC)	0,00 %	
9.2 Other information	No further relevant information available.	

4

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

(Contd. on page 5)

- CHE

Printing date 28.01.2016

Version number 7

Revision: 28.01.2016

Trade name: Synt-A-Lube 9014

- · Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Generally not hazardous for water
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official national regulations.*

14.1 UN-Number ADR, IMDG, IATA	UN1760
14.2 UN proper shipping name ADR	1760 CORROSIVE LIQUID, N.O.S. ((Aryloxyalkyl)acetic acid)
IMDG	CORROSIVE LIQUID, N.O.S. ((Aryloxyalkyl)acetic acid)
IATA	Corrosive liquids, n.o.s. ((Aryloxyalkyl)acetic acid)
14.3 Transport hazard class(es) ADR, IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	III

(Contd. of page 4)

Printing date 28.01.2016

Version number 7

Revision: 28.01.2016

Trade name: Synt-A-Lube 9014

	(Contd. of page
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
14.7 Transport in bulk according to Annex II	of Marpol and
the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. ((ARYLOXYALKY) ACETIC ACID), 8, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals. The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

• Code letter and hazard designation of product:



• *Risk phrases:* 36/38 Irritating to eyes and skin.

· Safety phrases:

23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. 27 Warm witch is always

37 Wear suitable gloves.

60 This material and its container must be disposed of as hazardous waste.

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

CHE

Printing date 28.01.2016

Version number 7

Revision: 28.01.2016

Trade name: Synt-A-Lube 9014

(Contd. of page 6)

SECTION 16: Other information	
This information is based on our present knowledge. However, this shall not constitute a guarantee features and shall not establish a legally valid contractual relationship.	for any specific produc
Relevant phrases H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation.	
R22 Harmful if swallowed.R35 Causes severe burns.	
Department issuing MSDS: Abteilung Produktsicherheit Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Intern Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Actue Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 * Data compared to the previous version altered.	