

# Material Safety Data Sheet: (RL 91/155/EWG)

Date: 13.07.2006

## 1. Substance and Manufacturer Identification:

|                             |  |
|-----------------------------|--|
| <b>Trade Name:</b>          | <b>Art. 8513</b>   |
| <b>Material Type:</b>       | Silicone Grease  |
| <b>Company:</b>             | H. Moebius & Fils<br>Hegenheimerstrasse 23<br>CH-4123 Allschwil 2<br>++41 61 481 40 03 |
| <b>Emergency Telephone:</b> | ++41 61 481 40 03  |

## 2. Composition:

|  |   |
|--|---|
| <b>Substance:</b> <input type="checkbox"/> | <b>Composition:</b> <input checked="" type="checkbox"/> |
| <b>CAS-Nr.:</b>                            | none  |
| <b>Chemical Characteristics:</b>           | Polydimethylsilicone oils with silicate thickener       |
| <b>Thickener:</b>                          | approx. 8 %   |

## 3. Possible Hazards:

The product, when properly handled and stored, according to the good working and hygienic practices, is not dangerous for the human health and nature.

## 4. First Aid Measures:

|                      |  |
|----------------------|--|
| <b>Inhalation:</b>   | Move to fresh air  |
| <b>Skin contact:</b> | Wash off with soap and water   |
| <b>Eye contact:</b>  | Rinse thoroughly with water. Obtain medical attention if adverse symptoms arise.   |
| <b>Ingestion:</b>    | Do not induce vomiting. Keep respiratory tracts clear. Affected persons are to be calmed down and consult a physician at once. |

## 5. Fire Fighting Measures:

|                                      |   |
|--------------------------------------|---|
| <b>Suitable extinguishers:</b>       | CO <sub>2</sub> , foam, dry chemical                              |
| <b>Unsuitable extinguishers:</b>     | Water jet   |
| <b>Special hazards:</b>              | none  |
| <b>Special protective equipment:</b> | For firemen positive pressure self-contained breathing apparatus. |
| <b>Further Measures:</b>             | Do not allow spillage to enter drains and watercourse.            |

**Product: Art. 8513****6. Accidental Release Measures:**

|                                   |   |
|-----------------------------------|---|
| <i>Personel Protection:</i>       | Avoid skin and eye contact  |
| <i>Environmental precautions:</i> | Avoid pollution of drains and watercourse   |
| <i>Cleaning Measures:</i>         | Collect with oil absorbent (e.g.sand) and dispose in the manner prescribed by Federal, State and Local regulations. Remains and small amounts of the product have to be removed with water and cleaning agent (slippery floor). |

**7. Handling and Storage:**

|                  |  |
|------------------|--|
| <i>Handling:</i> | No special protection measurements necessary.    |
| <i>Storage:</i>  | Store in original closed container at 16 - 22 °C |

**8. Exposure Controls / Personal Protection:**

|                                       |   |
|---------------------------------------|---|
| <i>Technical Protection:</i>          | No special measures necessary             |
| <b>Exposure Limits:</b>               | None                                      |
| <b>Personel Protective Equipment:</b> |   |
| <i>Breathing protection:</i>          | not necessary                             |
| <i>Skin protection:</i>               | not necessary                             |
| <i>Eye protection:</i>                | not necessary                             |
| <i>Body protection:</i>               | not necessary                             |
| <i>Further information:</i>           | please follow the usual hygienic measures |

**9. Physical and Chemical Properties:**

|  |                             |                                     |
|--|-----------------------------|-------------------------------------|
| <i>Appearance:</i> solid                     | <i>Colour:</i> white - grey | <i>Odour:</i> practically odourless |
| <i>Boiling point:</i>                        | > 200 °C                    | <i>Tested after:</i><br>DIN 51 751  |
| <i>Melting point:</i>                        | > 180 °C                    | ISO 3841                            |
| <i>Flash point:</i>                          | > 200 °C                    | DIN 51 755                          |
| <i>Fire point:</i>                           | ---                         | DIN 51 794                          |
| <i>Explosion limit:</i>                      |                             |                                     |
| <i>lower</i>                                 | NA                          |                                     |
| <i>upper</i>                                 | NA                          |                                     |
| <i>Vapor pressure (20 °C):</i>               | < 0.01 mbar                 |                                     |
| <i>Density (20 °C):</i>                      | 1.00 g/cm <sup>3</sup>      | DIN 51 757                          |
| <i>Solubility 20 °C (in H<sub>2</sub>O):</i> | not soluble                 |                                     |
| <i>pH-value:</i>                             | NA                          |                                     |
| <i>Viscosity (20 °C):</i>                    | — mm <sup>2</sup> /s        | DIN 51 562                          |
| <i>Penetration:</i>                          | 210 1/10 mm                 |                                     |



**Product: Art. 8513****10. Stability and Reactivity:**

|  |                                 |
|--|---------------------------------|
| <i>Thermal Decomposition:</i>            | None at proper usage.           |
| <i>Conditions to avoid:</i>              | High temperatures, naked flames |
| <i>Substances to avoid:</i>              | Strong oxidising agents         |
| <i>Dangerous Decomposition products:</i> | not to be expected              |
| <i>Dangerous Reactions:</i>              | none at proper usage.           |

**11. Toxicological Information:**

|                                     |                                    |
|-------------------------------------|------------------------------------|
| <i>Acute Oral Toxicity (LD 50):</i> | > 5'000 mg/kg (rat)                |
| <i>Primary Skin irritation:</i>     | slightly irritating                |
| <i>Primary Eye irritation:</i>      | slightly irritating                |
| <i>Skin sensitivity:</i>            | not sensibilising                  |
| <i>Further information:</i>         | Carcinogenic effects are not known |

**12. Ecological Information:**

|                                  |  |
|----------------------------------|--|
| <i>Acute Fishtoxicity (LC0):</i> | 200 mg (Leuciscus idus) - Time of test 96 h    |
| <i>Acute Bacteriatotoxicity:</i> | No harm against pseudomonasputida: 10'000 mg/l |
| <i>Bioaccumulation:</i>          | Not to be expected                             |
| <i>Biological Decomposition:</i> | Hard to decompose                              |
| <i>Water hazard class:</i>       | 1, poor danger for water (self estimation)     |

**13. Disposal Considerations:**

|                           |   |
|---------------------------|---|
| <i>Product:</i>           | Dispose off in a manner prescribed in Federal, State and Local regulations. |
| <i>Packing:</i>           | Uncleaned packing to be disposed like the product.                          |
| <i>Wastedisposalcode:</i> | 54202 Grease disposal   |

**14. Transport Information:**

|                             |                               |
|-----------------------------|-------------------------------|
| <i>UN-Nr.:</i>              | -----                         |
| <i>RID / ADR:</i>           | not classified                |
| <i>GGVSee / IMDG-Code:</i>  | not classified                |
| <i>ICAO / IATA-DGR:</i>     | not classified                |
| <i>Further Information:</i> | This product is not dangerous |

**15. Regulatory Information:**

|  |   |
|--|---|
| <i>Classification after European guidelines:</i> | Not dangerous   |
| <i>Hazard Symbol:</i>                            | Not required  |
| <i>Risk phrases:</i>                             | none  |
| <i>Safety phrases:</i>                           | S 2: Keep away from children<br>S 3: Keep in a cool place<br>S 8: Keep container dry<br>S 15: Keep away from heat |

Product: **Art. 8513**

#### 16. Other Informations:

The recommendations given in this material safety data sheet are put together from actual tests (if available), comparisons with similar products as well as informations on different products or components bought from other manufacturers.

The information given here refers only to the mentioned product. These informations are not accurate, if the product is beeing used together with other materials or in a working process. This report corresponds to our knowledge and experience at the given date. However, we do not give any warranty for faultlessness, reliability and completeness.