## DATA SHEET

Producers of Solvents, Polishes & Specialised Cleaners

## **CURATOR ANTIQUING FLUID - BLACK**

## **Product Description**

A cold patination treatment which will colour new or bright brass, copper or bronze to give an antique look.

#### Directions

Remove any metal lacquer using paint stripper first. Thoroughly remove and clean any grease or oil. including fingerprints with ood palanistio treatment and wipe dry. Proper repearation of the surface is essential to produce a uniform colour. Apply Antiquing Fluid directly on to the learn using either colton wool or a brush and watch the surface quickly change colour. When the desire dool uniformed, immediately rinse with clean water and pat dry with paper towel. Alternatively dilute with 10 parts water and immerse items together to ensure a uniform colour change.

### (1) Product Name:

(2)

(3)

Curator Antiquing Fluid - Black Supplier: Horological Solvents Barnside, 194 Wellington Road, Bury, Lancs, BL9 9AH

COMPOSITION / INFORMATION ON INGREDIENTS

Ingestion:

Chemical Name :

Cas No: 7446-08-4 EC No: 231-194-7 Symbol: T Risk Phrases : R23/25 R33 R51/53

HAZARDS IDENTIFICATION

Human health hazards: Toxic by inhalation and if swallowed.

Tel: 0161 764 2741

Selenious Acid. solution

(4)FIRST AID MEASURES Inhalation :

> respiration. Obtain medical attention urgently. Keep warm and at rest. If there is difficulty in breathing, give oxygen.

breathing stops or shows signs of failing, give artificial Do not use mouth to mouth ventilation Call in a physician immediately and show the Safety Data Clean with soap and water. Remove contaminated clothing as washing proceeds. Contaminated clothing should be

Remove from exposure. Ensure supply of fresh air. If

Skin Contact: Eye Contact:

washed or dry-cleaned before re-use. Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention.

FIRE FIGHTING MEASURES

Exginguishing Media Suitable:

Not combustible. Select extinguishing agent appropriate to other materials involved. Keep containers and surroundings cool with water spray

Unusual fire / explosion Has a caustic effect Hazards

Special fire-fighting In case of combustion evolution of dangerous gases Procedures possible. Protection of fire-fighters.

Wear full protective clothing and self-contained breathing apparatus.

(6) ACCIDENTAL RELEASE

Personal Precautions :

Refer to protective measures listed in sections 7 and 8. Remove persons to safety. Avoid dust formation. Use breathing apparatus if exposed to vapours/dust/aerosol.

Environmental precautions:

Do not discharge into the drains / surface waters / groundwater Advise authorities if spillage has entered watercourse or

sewer or has contaminated soil or vegetation. Pick up mechanically. Send in suitable containers for recovery or disposal.

## Storage:

Handling:

(8)

HANDLING & STORAGE

Packing materials Recommended use: Use original closed container.

EXPOSURE CONTROLS / PERSONAL PROTECTION

Hygiene Measures : Wash hands after handling compounds and before eating. smoking, using layatory and at the end of the day.

Occupational exposure limits: OES/EH40

Metal TWA mg/m<sup>3</sup>

Personal protection Respiratory system: If workplace exposure limits are exceeded, a respirations

protection approved for this particular job must be worn.

Use in well ventilated area. Avoid contact with eyes, skin

and clothing. Emergency shower and eve wash facilities should be readily available. Product is hygroscopic. Storage area should be : cool, under cover, well ventilated

and dry. Store away from sources of heat or ignition. Water contamination should be avoided. Do not store with food stuffs. Keep away from water.

Short term : filter apparatus. Filter P3. Skin and body: Clothing as necessary in the chemical industry.

Hands: Rubber gloves

Eves: Tightly fitting safety glasses

#### PHYSICAL & CHEMICAL PROPERTIES (9)

Physical State: Liquid

Colour: Blue Odour:

Slight pungent odour with concentrate Density:

Solubility: Completely soluble in water.

Elseh Point : Not available

## STABILITY & REACTIVITY

Stability: The product is stable

Conditions to avoid :

Hazardous decomposition No hazardous decomposition products known. product

## TOXICOLOGICAL INFORMATION

Local effects

(11)

PH ·

Eve Irritation : Very hazardous in case of eye contact (irritant) Has a caustic effect

Acute Toxicity: LD50: Oral-rat 88.1 mg/kg

LC50 · Not available

## ECOLOGICAL INFORMATION

Ecotoxicity: Do not discharge into the drains and do not store on public depositories

# Contaminated Packaging

Waste of Residues

(13)DISPOSAL Methods of Disposal:

(14)

REGULATORY INFORMATION EU Regulations

TRANSPORT INFORMATION International Transport



refuse.



Allocation of waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for

Packaging that cannot be cleaned should be disposed of in

agreement with the regional waste disposal company.

UN No: 3283 Class: 6.1 55 h

Hazard Symbol(s) Classification :

Diek Phrases . Safety Phrases:

Danger of cumulative effects R51/53 Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment. Keep out of the reach of children. When using do not eat, drink or smoke Avoid contact with skin and eyes After contact with skin wash immediately with plenty of water and soap. Do not empty into drains

R23/25 Toxic by inhalation and if swallowed

846 If swallowed seek medical advice immediately and show container or label S51 Use only in well ventilated area. This material and its container must be disposed of as hazardous wasta The information contained in this data sheet does not constitute an assessment of workplace risk.

Wear suitable protective clothing and gloves.

OTHER INFORMATION Date of Issue:

(16)

Product Use :

completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot

Notice to reader To the best of our knowledge, the information contained herein is accurate. However, neither the named supplier nor and of its subsidiaries assumes any liability for the accuracy or

guarantee that these are the only hazards that exist.