

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product identifier : RUTHUNA® 279 Black ready for use

Product code : 300000002622

Material number : 000000574397279911

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Electroplating.

1.3 Details of the supplier of the safety data sheet

Company : Schloetter Company Ltd

Abbey Works
New Road
Pershore
Worcestershire
WR10 1BY

Telephone : 01386 552331

E-mail address of person
responsible for the SDS : reach@schloetter.co.uk

1.4 Emergency telephone number

Telephone : 01865 407333

Hours of operation : 24HRS

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019)

Corrosive to metals, Category 1
Skin corrosion, Sub-category 1B
Serious eye damage, Category 1

H290: May be corrosive to metals.
H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019)

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P390 Absorb spillage to prevent material damage.

Hazardous components which must be listed on the label:

sulphuric acid

ruthenium trichloride

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 3.8 %

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 14.8 %

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
sulphuric acid	7664-93-9 231-639-5 016-020-00-8	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318 <hr/> specific concentration limit Skin Corr. 1A; H314 >= 15 % Skin Irrit. 2; H315 5 - < 15 % Eye Irrit. 2; H319 5 - < 15 % Skin Corr. 1A; H314 >= 15 % Skin Irrit. 2; H315 5 - < 15 % Eye Irrit. 2; H319 5 - < 15 %	<= 11
ruthenium trichloride	10049-08-8 233-167-5	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 3; H412	<= 3.8

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Do not leave the victim unattended.
Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
- If inhaled : If unconscious, place in recovery position and get medical attention immediately.
- In case of skin contact : If on skin, rinse well with water.
If on clothes, remove clothes.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
Wash contaminated clothing before reuse.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
Remove contact lenses.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Protect unharmed eye.
Keep eye wide open while rinsing.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Skin contact may provoke the following symptoms:
Burn
corrosive effects
Redness
In case of eye contact
Excessive lachrymation
- Risks : Causes serious eye damage.
Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray. In the presence of fire, note caustic and corrosive effect.

Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Sulphur oxides
Metal oxides
Chlorine compounds

5.3 Advice for firefighters

Special protective equipment for firefighters : No special protective equipment required.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Evacuate personnel to safe areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Avoid contact with skin, eyes and clothing. General industrial hygiene practice. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : To maintain product quality, do not store in heat or direct sunlight. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.
- Advice on common storage : Keep away from strong bases.
Keep away from metals.
- Further information on storage stability : Keep in a dry place.
No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Please refer to section 1

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
sulphuric acid	7664-93-9	TWA (Mist, thoracic fraction)	0.05 mg/m3	GB EH40
		TWA (Mist)	0.05 mg/m3	2009/161/EU
	Further information: Indicative			
		TWA (Thoracic particulate matter)	0.2 mg/m3	ACGIH

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
sulphuric acid	Workers	Inhalation	Acute local effects	0.1 mg/m3
	Workers	Inhalation	Long-term local effects	0.05 mg/m3

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
sulphuric acid	Fresh water	0.0025 mg/l
	Sediment	0.002 mg/l
	Marine water	0.00025 mg/l
	Marine sediment	0.002 mg/l
	Sewage treatment plant	8.8 mg/l

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

- Eye/face protection : Wear safety glasses with side shields or goggles.
Wear face-shield and protective suit for abnormal processing problems.
- Hand protection
- Material : Nitrile rubber
 - Break through time : > 30 min
 - Glove thickness : 0.40 mm
- Skin and body protection : Footwear protecting against chemicals
Impervious clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : brown
- Odour : No data available
- pH : ca. 0.5
Concentration: 100 %
- Melting point/freezing point : not determined
- Boiling point/boiling range : not determined
- Flash point : does not flash
- Vapour pressure : not determined
- Density : ca. 1.09 g/cm³
- Solubility(ies)
- Water solubility : completely miscible
 - Partition coefficient: n-octanol/water : No data available
- Auto-ignition temperature : not determined
- Viscosity
- Viscosity, kinematic : not determined

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

9.2 Other information

- Flammability (liquids) : Does not sustain combustion.
Metal corrosion rate : Corrosive to metals

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at normal ambient temperature and pressure.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong bases
Alkali metals
Alkaline earth metals
Metals

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.
No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute dermal toxicity : Remarks: No data available

Components:

sulphuric acid:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 0.375 mg/l
Test atmosphere: dust/mist

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

Method: OECD Test Guideline 403

GLP: no

Acute dermal toxicity : Assessment: No data available
Remarks: data waiving in REACH dossier

ruthenium trichloride:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : Assessment: No data available

Acute dermal toxicity : Assessment: No data available

Skin corrosion/irritation

Causes severe burns.

Product:

Result : Corrosive after 3 minutes to 1 hour of exposure

Components:

sulphuric acid:

Result : Corrosive after 3 minutes or less of exposure

Remarks : data waiving in REACH dossier

ruthenium trichloride:

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

sulphuric acid:

Remarks : data waiving in REACH dossier
Not classified due to data which are conclusive although insufficient for classification.

ruthenium trichloride:

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

Respiratory sensitisation

Not classified due to lack of data.

Product:

Remarks : No data available

Components:

sulphuric acid:

Exposure routes : Skin contact
Remarks : data waiving in REACH dossier

Exposure routes : Inhalation
Remarks : data waiving in REACH dossier

Germ cell mutagenicity

Not classified due to lack of data.

Product:

Genotoxicity in vitro : Remarks: No data available

Components:

sulphuric acid:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium TA98, TA100, TA1535, TA1537
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
Remarks: Based on read across from structural related substance

Test Type: Ames test
Test system: Salmonella typhimurium TA97, TA98, TA100, TA102, TA 1535
Metabolic activation: with and without metabolic activation
Method: No guideline followed
Result: negative
GLP: no

Genotoxicity in vivo : Remarks: data waiving in REACH dossier

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks : No data available

Reproductive toxicity

Not classified due to lack of data.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

Product:

Effects on fertility : Remarks: No data available

Components:

sulphuric acid:

Effects on fertility : Remarks: data waiving in REACH dossier

Effects on foetal development

: Test Type: Developmental toxicity study
Species: Rabbit
Strain: NZW
Application Route: inhalation (aerosol)
Dose: 0, 5, 20 mg/m³
Duration of Single Treatment: 12 d
General Toxicity Maternal: NOAEC: 5.7 mg/m³
Developmental Toxicity: NOAEC: 19.3 mg/m³
Method: OECD Test Guideline 414
GLP: no

Test Type: Developmental toxicity study
Species: Mouse
Strain: CF1
Application Route: inhalation (aerosol)
Dose: 0, 5, 20 mg/m³
Duration of Single Treatment: 9 d
General Toxicity Maternal: NOAEC: 5.7 mg/m³
Developmental Toxicity: NOAEC: 19.3 mg/m³
Method: OECD Test Guideline 414
GLP: no

STOT - single exposure

Not classified due to lack of data.

Product:

Remarks : No data available

Components:

sulphuric acid:

Exposure routes : Inhalation, Ingestion, Skin contact

STOT - repeated exposure

Not classified due to lack of data.

Product:

Remarks : No data available

Components:

sulphuric acid:

Exposure routes : Inhalation

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

Repeated dose toxicity

Components:

sulphuric acid:

Species : Rat, female
: 0.3 mg/m³
Application Route : inhalation (aerosol)
Exposure time : 28 d
Number of exposures : 5 d/w
Dose : 0, 0.2, 1.0, 5.0 mg/m³
Method : OECD Test Guideline 412
GLP : yes

Aspiration toxicity

Not classified due to lack of data.

Components:

sulphuric acid:

Not classified due to data which are conclusive although insufficient for classification.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

sulphuric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 16 mg/l
Exposure time: 96 h
Test Type: static test
GLP: no
Remarks: Fresh water

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

aquatic invertebrates		Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes Remarks: Fresh water
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes Remarks: Fresh water
Toxicity to microorganisms	:	NOEC (activated sludge): 26,000 mg/l Exposure time: 37 d Method: No data available GLP: no Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC: 0.025 mg/l Exposure time: 65 days Species: Jordanella floridae (flagfish) GLP: no Remarks: Fresh water

ruthenium trichloride:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Components:

sulphuric acid:

Biodegradability : Remarks: data waiving in REACH dossier

12.3 Bioaccumulative potential

Components:

sulphuric acid:

Bioaccumulation : Remarks: Not applicable

Partition coefficient: n-octanol/water : Remarks: data waiving in REACH dossier

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Send to a licensed waste management company.
Dispose of as hazardous waste in compliance with local and national regulations.
Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.
Dispose of contaminated packaging as if unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3264

ADR : UN 3264

RID : UN 3264

IMDG : UN 3264

IATA : UN 3264

14.2 UN proper shipping name

ADN : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(Sulphuric acid, Ruthenium chloride)

ADR : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(Sulphuric acid, Ruthenium chloride)

RID : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(Sulphuric acid, Ruthenium chloride)

IMDG : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
(Sulphuric acid, Ruthenium chloride)

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

IATA : Corrosive liquid, acidic, inorganic, n.o.s.
(Sulphuric acid, Ruthenium chloride)

14.3 Transport hazard class(es)

IMDG : 8



IATA : 8



14.4 Packing group

ADN

Packing group : II
Classification Code : C1
Hazard Identification Number : 80
Labels : 8

ADR

Packing group : II
Classification Code : C1
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)
Limited quantity : 1.00 L

RID

Packing group : II
Classification Code : C1
Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : II
Labels : 8
EmS Code : F-A, S-B
IMDG segregation code : Acids

IATA (Cargo)

Packing instruction (cargo aircraft) : 855
Maximum quantity : 30.00 L
Packing instruction (LQ) : Y840
Packing group : II
Labels : Corrosive

IATA (Passenger)

Packing instruction (passenger aircraft) : 851
Maximum quantity : 1.00 L

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0 GB SDS Number: 300000002622 Revision Date: 11.07.2024

Packing instruction (LQ) : Y840
Packing group : II
Labels : Corrosive

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1148 on the marketing and use of explosives precursors	:	sulphuric acid
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)	:	Not applicable

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

CH INV : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TECI : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H290 : May be corrosive to metals.
H302 : Harmful if swallowed.
H314 : Causes severe skin burns and eye damage.
H318 : Causes serious eye damage.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Met. Corr. : Corrosive to metals
Skin Corr. : Skin corrosion
2009/161/EU : Europe. COMMISSION DIRECTIVE 2009/161/EU establishing

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

		a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
2009/161/EU / TWA	:	Limit Value - eight hours
ACGIH / TWA	:	8-hour, time-weighted average
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Met. Corr. 1	H290
Skin Corr. 1B	H314
Eye Dam. 1	H318

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



RUTHUNA® 279 Black ready for use

Version 9.0

GB

SDS Number: 300000002622

Revision Date: 11.07.2024

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN