

TRAFILE IN ACCIAIO
FILIERES EN ACIER - STEEL DRAWPLATES
ZIEHEISEN AUS STAHL



TRAFILE IN ACCIAIO - FILIERES A ETIRER
STEEL DRAWPLATES - ZIEHEISEN

| SAGOMA PROFIL SHAPE PROFIL | ART. | MISURE mm MESURES mm MEASURES mm ABMESSUNGEN mm | N. FORI No. TROUS No. HOLES Nr. LÖCHER | TIPO TYPE TYPE TYP |
|-------------------------------------|---|---|--|---|
| | 1/L 1/K 1 1/A 1/B 1/- 1/C 1/D 1/E 1/F 1/G 1/H 1/I 1/M 1/N | 15 a 12 12 a 9 14 a 12 12 a 10 10 a 8 9 a 6 8 a 5 6 a 3 5 a 3 5 a 2 3 a 0,5 2 a F 1 a F 3 a 1 3 a 1,5 | 31 31 20 20 20 31 31 31 20 31 31 20 31 31 31 | tonda ronde round rund |
| 20% | SP 93/A SP 93/B SP 93/C | 12 x 2,40 a 9 x 1,80 9 x 1,80 a 6 x 1,20 6 x 1,20 a 3 x 0,60 | 31 31 31 | |
| 33% | 2/H 2/I 2/L 2/M | 12 x 3,96 a 9 x 2,97 9 x 2,97 a 6 x 1,98 6 x 1,98 a 3 x 0,99 3 x 0,99 a 1 x 0,33 | 31 31 31 20 | |
| 40% | SP 62/A SP 62/B SP 62/C SP 62/F | 12 x 4,80 a 9 x 3,60 9 x 3,60 a 6 x 2,40 6 x 2,40 a 3 x 1,20 3 x 1,20 a 1 x 0,40 | 31 31 31 20 | |
| 50% | 2/D 2/E 2/F 2/G | 12 x 6,00 a 9 x 4,50 9 x 4,50 a 6 x 3,00 6 x 3,00 a 3 x 1,50 3 x 1,50 a 1 x 0,50 | 31 31 31 20 | |
| 55% | SP 65/A SP 65/B SP 65/C SP 65/F | 12 x 6,60 a 9 x 4,95 9 x 4,95 a 6 x 3,30 6 x 3,30 a 3 x 1,65 3 x 1,65 a 1 x 0,55 | 31 31 31 20 | mezza-tonda demi-ronde half round halbrund |
| 60% | 2 2/A 2/B 2/C | 12 x 7,20 a 9 x 5,40 9 x 5,40 a 6 x 3,60 6 x 3,60 a 3 x 1,80 3 x 1,80 a 1 x 0,60 | 31 31 31 20 | |
| 65% | SP 70/A SP 70/B SP 70/C SP 70/F | 12 x 7,80 a 9 x 5,85 9 x 5,85 a 6 x 3,90 6 x 3,90 a 3 x 1,95 3 x 1,95 a 1 x 0,65 | 31 31 31 20 | |
| 70% | SP 71/A SP 71/B SP 71/C SP 71/F | 12 x 8,40 a 9 x 6,30 9 x 6,30 a 6 x 4,20 6 x 4,20 a 3 x 2,10 3 x 2,10 a 1 x 0,70 | 31 31 31 20 | |
| 75% | SP 72/A SP 72/B SP 72/C SP 72/F | 12 x 9,00 a 9 x 6,75 9 x 6,75 a 6 x 4,50 6 x 4,50 a 3 x 2,25 3 x 2,25 a 1 x 0,75 | 31 31 31 20 | |
| 65% | SP 290/A SP 290/B SP 290/C SP 290/F | 12 x 7,80 a 9 x 5,85 9 x 5,85 a 6 x 3,90 6 x 3,90 a 3 x 1,95 3 x 1,95 a 1 x 0,65 | 31 31 31 20 | |
| 72% | 3 3/A 3/B 3/C | 12 x 8,64 a 9 x 6,48 9 x 6,48 a 6 x 4,32 6 x 4,32 a 3 x 2,16 3 x 2,16 a 1 x 0,72 | 31 31 31 20 | goccia goutte drop tropfen |
| 80% | SP 291/A SP 291/B SP 291/C SP 291/F | 12 x 9,60 a 9 x 7,20 9 x 7,20 a 6 x 4,80 6 x 4,80 a 3 x 2,40 3 x 2,40 a 1 x 0,80 | 31 31 31 20 | |

TRAFILE IN ACCIAIO - FILIERES A ETIRER
STEEL DRAWPLATES - ZIEHEISEN

| SAGOMA PROFIL SHAPE PROFIL | ART. | MISURE mm MESURES mm MEASURES mm ABMESSUNGEN mm | N. FORI No. TROUS No. HOLES Nr. LÖCHER | TIPO TYPE TYPE TYP |
|---|--|--|---|---|
| 25%  | SP 107/A SP 107/B SP 107/C | 12 x 3,00 a 9 x 2,25 9 x 2,25 a 6 x 1,50 6 x 1,50 a 3 x 0,75 | 31 31 31 | |
| 40%  | SP 105/A SP 105/B SP 105/C SP 105/F | 12 x 4,80 a 9 x 3,60 9 x 3,60 a 6 x 2,40 6 x 2,40 a 3 x 1,20 3 x 1,20 a 1 x 0,40 | 31 31 31 20 | |
| 55%  | 4/H 4/I 4/L 4/M SP 104 | 12 x 6,60 a 9 x 4,95 9 x 4,95 a 6 x 3,30 6 x 3,30 a 3 x 1,65 3 x 1,65 a 1 x 0,55 | 31 31 31 20 | ovale ovale oval oval |
| 60%  | SP 102/A SP 102/B SP 102/C SP 102/F | 12 x 7,20 a 9 x 5,40 9 x 5,40 a 6 x 3,60 6 x 3,60 a 3 x 1,80 3 x 1,80 a 1 x 0,60 | 31 31 31 20 | |
| 75%  | 4 4/A 4/B 4/C SP 103 | 12 x 9,00 a 9 x 6,75 9 x 6,75 a 6 x 4,50 6 x 4,50 a 3 x 2,25 3 x 2,25 a 1 x 0,75 | 31 31 31 20 | |
| 80%  | SP 100/A SP 100/B SP 100/C SP 100/F | 12 x 9,60 a 9 x 7,20 9 x 7,20 a 6 x 4,80 6 x 4,80 a 3 x 2,40 3 x 2,40 a 1 x 0,80 | 31 31 31 20 | |
| 33%  | SP 172/A SP 172/B SP 172/C SP 172/F | 12 x 3,96 a 9 x 2,97 9 x 2,97 a 6 x 1,98 6 x 1,98 a 3 x 0,99 3 x 0,99 a 1 x 0,33 | 31 31 31 20 | |
| 38%  | 4/D 4/E 4/F 4/G SP 314 | 12 x 4,56 a 9 x 3,42 9 x 3,42 a 6 x 2,28 6 x 2,28 a 3 x 1,14 3 x 1,14 a 1 x 0,38 | 31 31 31 20 | |
| 42%  | SP 312/A SP 312/B SP 312/C SP 312/F | 12 x 5,04 a 9 x 3,78 9 x 3,78 a 6 x 2,52 6 x 2,52 a 3 x 1,26 3 x 1,26 a 1 x 0,42 | 31 31 31 20 | |
| 46%  | SP 378/A SP 378/B SP 378/C SP 378/F | 12 x 5,52 a 9 x 4,14 9 x 4,14 a 6 x 2,76 6 x 2,76 a 3 x 1,38 3 x 1,38 a 1 x 0,46 | 31 31 31 20 | ovale navetta ovale pointue sharp oval spitzoval |
| 50%  | SP 376/A SP 376/B SP 376/C SP 376/F | 12 x 6,00 a 9 x 4,50 9 x 4,50 a 6 x 3,00 6 x 3,00 a 3 x 1,50 3 x 1,50 a 1 x 0,50 | 31 31 31 20 | |
| 55%  | SP 377/A SP 377/B SP 377/C SP 377/F | 12 x 6,60 a 9 x 4,95 9 x 4,95 a 6 x 3,30 6 x 3,30 a 3 x 1,65 3 x 1,65 a 1 x 0,55 | 31 31 31 20 | |
| 60%  | SP 381/A SP 381/B SP 381/C SP 381/F | 12 x 7,20 a 9 x 5,40 9 x 5,40 a 6 x 3,60 6 x 3,60 a 3 x 1,80 3 x 1,80 a 1 x 0,60 | 31 31 31 20 | |
| | | | | |
| | | | | |

TRAFILE IN ACCIAIO - FILIERES A ETIRER
STEEL DRAWPLATES - ZIEHEISEN

| SAGOMA PROFIL SHAPE PROFIL | ART. | MISURE mm MESURES mm MEASURES mm ABMESSUNGEN mm | N. FORI No. TROUS No. HOLES Nr. LÖCHER | TIPO TYPE TYPE TYP |
|--|---|---|--|---|
|  | 5/S 5/K 5 5/A 5/B 5/C 5/D 5/E 5/F 5/G 5/H 5/I 5/L | 14 a 12 12 a 9 12 a 10 10 a 8 9 a 6 8 a 5 6 a 3 5 a 3 5 a 2 3 a 1 3 a 0,5 2 a F 1 a F | 20 31 20 20 31 31 31 20 31 20 31 20 20 | quadra carrée square viereckig |
|  | 5/KS 5/BS SP 109 5/DS 5/GS | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | quadra smussata carrée émoussée square chamfered viereckig abgestumpft |
|  | SP 120/A SP 120/B SP 120/C SP 120/F | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | quadra angoli arrotondati carrée côtés arrondis square rounded angles viereckig rundkantig |
| 17%  | SP 185/A SP 185/B | 12 x 2,04 a 9 x 1,53 9 x 1,53 a 6 x 1,02 | 31 31 |  |
| 25%  | SP 186/A SP 186/B SP 186/C | 12 x 3,00 a 9 x 2,25 9 x 2,25 a 6 x 1,50 6 x 1,50 a 3 x 0,75 | 31 31 31 | |
| 33%  | SP 180/A SP 180/B SP 180/C SP 180/F | 12 x 3,96 a 9 x 2,97 9 x 2,97 a 6 x 1,98 6 x 1,98 a 3 x 0,99 3 x 0,99 a 1 x 0,33 | 31 31 31 20 | |
| 42%  | SP 182/A SP 182/B SP 182/C SP 182/F | 12 x 5,04 a 9 x 3,78 9 x 3,78 a 6 x 2,52 6 x 2,52 a 3 x 1,26 3 x 1,26 a 1 x 0,42 | 31 31 31 20 | |
| 50%  | 6 6/A SP 175 6/B 6/C | 12 x 6,00 a 9 x 4,50 9 x 4,50 a 6 x 3,00 6 x 3,00 a 3 x 1,50 3 x 1,50 a 1 x 0,50 | 31 31 31 20 | |
| 58%  | SP 242/A SP 242/B SP 242/C SP 242/F | 12 x 6,96 a 9 x 5,22 9 x 5,22 a 6 x 3,48 6 x 3,48 a 3 x 1,74 3 x 1,74 a 1 x 0,58 | 31 31 31 20 | |
| 67%  | SP 188/A SP 188/B SP 188/C SP 188/F | 12 x 8,04 a 9 x 6,03 9 x 6,03 a 6 x 4,02 6 x 4,02 a 3 x 2,01 3 x 2,01 a 1 x 0,67 | 31 31 31 20 | |
| 75%  | 6/D 6/E SP 245 6/F 6/G | 12 x 9,00 a 9 x 6,75 9 x 6,75 a 6 x 4,50 6 x 4,50 a 3 x 2,25 3 x 2,25 a 1 x 0,75 | 31 31 31 20 | |
| 83%  | SP 190/A SP 190/B SP 190/C SP 190/F | 12 x 9,96 a 9 x 7,47 9 x 7,47 a 6 x 4,98 6 x 4,98 a 3 x 2,49 3 x 2,49 a 1 x 0,83 | 31 31 31 20 | |

TRAFILE IN ACCIAIO - FILIERES A ETIRER
STEEL DRAWPLATES - ZIEHEISEN

| SAGOMA PROFIL SHAPE PROFIL | ART. | MISURE mm MESURES mm MEASURES mm ABMESSUNGEN mm | N. FORI No. TROUS No. HOLES Nr. LÖCHER | TIPO TYPE TYPE TYP |
|--|--|--|---|--|
| 50%  | 6/I 6/L 6/M 6/N SP 183 | 12 x 6,00 a 9 x 4,50 9 x 4,50 a 6 x 3,00 6 x 3,00 a 3 x 1,50 3 x 1,50 a 1 x 0,50 | 31 31 31 20 | rettangolare smussata rectangulaire émuossée rectangular chamfered rechteckig abgestumpft |
| 75%  | SP 170/A SP 170/B SP 170/C SP 170/F | 12 x 9,00 a 9 x 6,75 9 x 6,75 a 6 x 4,50 6 x 4,50 a 3 x 2,25 3 x 2,25 a 1 x 0,75 | 31 31 31 20 | |
| 50%  | SP 550/A SP 550/B SP 550/C SP 550/F | 12 x 6,00 a 9 x 4,50 9 x 4,50 a 6 x 3,00 6 x 3,00 a 3 x 1,50 3 x 1,50 a 1 x 0,50 | 31 31 31 20 | rettangolare angoli arrotondati rectangulaire côtés arrondis rectangular rounded angles rechteckig rundkantig |
| 75%  | SP 551/A SP 551/B SP 551/C SP 551/F | 12 x 9,00 a 9 x 6,75 9 x 6,75 a 6 x 4,50 6 x 4,50 a 3 x 2,25 3 x 2,25 a 1 x 0,75 | 31 31 31 20 | |
| 38%  | SP 30/A SP 30/B SP 30/C SP 30/F | 12 x 4,56 a 9 x 3,42 9 x 3,42 a 6 x 2,28 6 x 2,28 a 3 x 1,14 3 x 1,14 a 1 x 0,38 | 31 31 31 20 | |
| 55%  | SP 26/A SP 26/B SP 26/C SP 26/F | 12 x 6,60 a 9 x 4,95 9 x 4,95 a 6 x 3,30 6 x 3,30 a 3 x 1,65 3 x 1,65 a 1 x 0,55 | 31 31 31 20 | |
| 60%  | SP 32/A SP 32/B SP 32/C SP 32/F | 12 x 7,20 a 9 x 5,40 9 x 5,40 a 6 x 3,60 6 x 3,60 a 3 x 1,80 3 x 1,80 a 1 x 0,60 | 31 31 31 20 | |
| 70%  | SP 42/A SP 42/B SP 42/C SP 42/F | 12 x 8,40 a 9 x 6,30 9 x 6,30 a 6 x 4,20 6 x 4,20 a 3 x 2,10 3 x 2,10 a 1 x 0,70 | 31 31 31 20 | |
| 80%  | SP 27/A SP 27/B SP 27/C SP 27/F | 12 x 9,60 a 9 x 7,20 9 x 7,20 a 6 x 4,80 6 x 4,80 a 3 x 2,40 3 x 2,40 a 1 x 0,80 | 31 31 31 20 | triangolare triangulaire triangular dreieckig |
| 87%  | 7 7/A 7/B 7/C 7/D SP 139 | 12 x 10,44 a 9 x 7,83 9 x 7,83 a 6 x 5,22 6 x 5,22 a 3 x 2,61 3 x 2,61 a 1 x 0,87 3 x 2,61 a 0,5 x 0,435 | 31 31 31 20 31 | |
| 92%  | SP 38/A SP 38/B SP 38/C SP 38/F | 12 x 11,04 a 9 x 8,28 9 x 8,28 a 6 x 5,52 6 x 5,52 a 3 x 2,76 3 x 2,76 a 1 x 0,92 | 31 31 31 20 | |
| 100%  | SP 43/A SP 43/B SP 43/C SP 43/F | 12 x 12,00 a 9 x 9,00 9 x 9,00 a 6 x 6,00 6 x 6,00 a 3 x 3,00 3 x 3,00 a 1 x 1,00 | 31 31 31 20 | |
| 140%  | 7Z 7Z/A 7Z/B 7Z/C SP 305 | 8,57 x 12 a 6,42 x 9 6,42 x 9 a 4,28 x 6 4,28 x 6 a 2,14 x 3 2,14 x 3 a 0,71 x 1 | 31 31 31 20 | |
| 173%  | SP 309/A SP 309/B SP 309/C SP 309/F | 6,93 x 12 a 5,20 x 9 5,20 x 9 a 3,46 x 6 3,46 x 6 a 1,73 x 3 1,73 x 3 a 0,57 x 1 | 31 31 31 20 | triangolare a coltello triangulaire couteau triangular knife dreieckig Messer |
| 210%  | SP 306/A SP 306/B SP 306/C SP 306/F | 5,71 x 12 a 4,28 x 9 4,28 x 9 a 2,85 x 6 2,85 x 6 a 1,42 x 3 1,42 x 3 a 0,47 x 1 | 31 31 31 20 | |

TRAFILE IN ACCIAIO - FILIERES A ETIRER
STEEL DRAWPLATES - ZIEHEISEN

| SAGOMA PROFIL SHAPE PROFIL | ART. | MISURE mm MESURES mm MEASURES mm ABMESSUNGEN mm | N. FORI No. TROUS No. HOLES Nr. LÖCHER | TIPO TYPE TYPE TYP |
|-------------------------------------|--|---|---|--|
| 55% | SP 20/A SP 20/B SP 20/C SP 20/F | 12 x 6,60 a 9 x 4,95 9 x 4,95 a 6 x 3,30 6 x 3,30 a 3 x 1,65 3 x 1,65 a 1 x 0,55 | 31 31 31 20 | triangolare 1 lato bombato triangulaire 1 côté bombé triangular 1 swelling side dreieckig 1 ballige Seite |
| 70% | SP 34/A SP 34/B SP 34/C SP 34/F | 12 x 8,40 a 9 x 6,30 9 x 6,30 a 6 x 4,20 6 x 4,20 a 3 x 2,10 3 x 2,10 a 1 x 0,70 | 31 31 31 20 | |
| 100% | SP 311/A SP 311/B SP 311/C SP 311/F | 12 x 12,00 a 9 x 9,00 9 x 9,00 a 6 x 6,00 6 x 6,00 a 3 x 3,00 3 x 3,00 a 1 x 1,00 | 31 31 31 20 | |
| 100% | SP 25/A SP 25/B SP 25/C SP 25/F | 12 x 12,00 a 9 x 9,00 9 x 9,00 a 6 x 6,00 6 x 6,00 a 3 x 3,00 3 x 3,00 a 1 x 1,00 | 31 31 31 20 | triangolare 2 lati bombati triangulaire 2 côtés bombés triangular 2 swelling sides dreieckig 2 ballige Seiten |
| 130% | SP 303/A SP 303/B SP 303/C SP 303/F | 9,23 x 12 a 6,92 x 9 6,92 x 9 a 4,61 x 6 4,61 x 6 a 2,30 x 3 2,30 x 3 a 0,76 x 1 | 31 31 31 20 | |
| 200% | SP 302/A SP 302/B SP 302/C SP 302/F | 6,00 x 12 a 4,50 x 9 4,50 x 9 a 3,00 x 6 3,00 x 6 a 1,50 x 3 1,50 x 3 a 0,50 x 1 | 31 31 31 20 | |
| 55% | SP 21/A SP 21/B SP 21/C SP 21/F | 12 x 6,60 a 9 x 4,95 9 x 4,95 a 6 x 3,30 6 x 3,30 a 3 x 1,65 3 x 1,65 a 1 x 0,55 | 31 31 31 20 | triangolare bombata triangulaire bombée triangular swelling dreieckig ballig |
| 100% | SP 36/A SP 36/B SP 36/C SP 36/F | 12 x 12,00 a 9 x 9,00 9 x 9,00 a 6 x 6,00 6 x 6,00 a 3 x 3,00 3 x 3,00 a 1 x 1,00 | 31 31 31 20 | |
| 120% | SP 44/A SP 44/B SP 44/C SP 44/F | 10,00 x 12 a 7,50 x 9 7,50 x 9 a 5,00 x 6 5,00 x 6 a 2,50 x 3 2,50 x 3 a 0,83 x 1 | 31 31 31 20 | |
| | 7/D/1 7/E 7/F 7/G SP 491 | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | esagonale hexagonale hexagonal sechseckig |
| | SP 368/A SP 368/B SP 368/C SP 368/F | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |
| | SP 374/A SP 374/B SP 374/C SP 374/F | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |
| | 7/H 7/I 7/L 7/M SP 489 | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | ottagonale octogonale octagonal achteckig |
| | 7/P/A 7/P/B 7/P/C 7/P/D SP 53 | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | pentagonale pentagonal pentagonal fünfeckig |
| | 7/N/1 7/O/1 7/P/1 7/Q/1 SP 488 | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | tonda scanalata ronde rainée round grooved rund ausgekehlt |

TRAFILE IN ACCIAIO - FILIERES A ETIRER
STEEL DRAWPLATES - ZIEHEISEN

| SAGOMA PROFIL SHAPE PROFIL | ART. | MISURE mm MESURES mm MEASURES mm ABMESSUNGEN mm | N. FORI No. TROUS No. HOLES Nr. LÖCHER | TIPO TYPE TYPE TYP |
|-------------------------------------|--|--|---|---|
| | SP 473/A SP 473/B SP 473/C SP 473/F | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | 5 righe 5 rainures 5 slots 5 Nuten |
| | 7/N/5 7/O/5 7/P/5 7/Q/5 | SP 474 | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |
| | 7/N/6 7/O/6 7/P/6 7/Q/6 | SP 475 | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |
| | 7/N/8 7/O/8 7/P/8 7/Q/8 | SP 476 | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |
| | 7/N/10 7/O/10 7/P/10 7/Q/10 | SP 471 | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |
| | 7/N/12 7/O/12 7/P/12 7/Q/12 | SP 468 | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |
| | 7/N/14 7/O/14 7/P/14 7/Q/14 | SP 462 | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |
| | 7/N/15 7/O/15 7/P/15 7/Q/15 | | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |
| | 7/N/18 7/O/18 7/P/18 7/Q/18 | SP 467 | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |
| | 7/N/20 7/O/20 7/P/20 7/Q/20 | SP 463 | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |
| | 7/N/21 7/O/21 7/P/21 7/Q/21 | | 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |
| | 7/N/24 7/O/24 7/P/24 7/Q/24 | SP 466 | 12 a 9 9 a 6 6 a 3 3 a 1,5 | 31 31 31 20 |
| | | | | |

**TRAFILE SPECIALI IN ACCIAIO - FILIERES A ETIRER SPECIALES EN ACIER
STEEL SPECIAL DRAWPLATES - SPEZIELLE ZIEHEISEN AUS STAHL**

| SAGOMA PROFIL SHAPE PROFIL | ART. | MISURE mm MESURES mm MEASURES mm ABMESSUNGEN mm | N. FORI No. TROUS No. HOLES Nr. LÖCHER | SAGOMA PROFIL SHAPE PROFIL | ART. | MISURE mm MESURES mm MEASURES mm ABMESSUNGEN mm | N. FORI No. TROUS No. HOLES Nr. LÖCHER |
|-------------------------------------|--|---|---|---|---|--|---|
| 40% |  | SP 66/A SP 66/B SP 66/C SP 66/F 12 x 4,80 a 9 x 3,60 9 x 3,60 a 6 x 2,40 6 x 2,40 a 3 x 1,20 3 x 1,20 a 1 x 0,40 | 31 31 31 20 |  | SP 149/A SP 149/B SP 149/C SP 149/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |
| 45% |  | SP 87/A SP 87/B SP 87/C SP 87/F 12 x 5,40 a 9 x 4,05 9 x 4,05 a 6 x 2,70 6 x 2,70 a 3 x 1,35 3 x 1,35 a 1 x 0,45 | 31 31 31 20 |  | SP 150/A SP 150/B SP 150/C SP 150/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |
| 50% |  | SP 86/A SP 86/B SP 86/C SP 86/F 12 x 6,00 a 9 x 4,50 9 x 4,50 a 6 x 3,00 6 x 3,00 a 3 x 1,50 3 x 1,50 a 1 x 0,50 | 31 31 31 20 |  | SP 114/A SP 114/B SP 114/C SP 114/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |
| 36% |  | SP 83/A SP 83/B SP 83/C SP 83/F 12 x 4,32 a 9 x 3,24 9 x 3,24 a 6 x 2,16 6 x 2,16 a 3 x 1,08 3 x 1,08 a 1 x 0,36 | 31 31 31 20 |  | SP 482/A SP 482/B SP 482/C SP 482/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |
| 50% |  | SP 82/A SP 82/B SP 82/C SP 82/F 12 x 6,00 a 9 x 4,50 9 x 4,50 a 6 x 3,00 6 x 3,00 a 3 x 1,50 3 x 1,50 a 1 x 0,50 | 31 31 31 20 |  | SP 479/A SP 479/B SP 479/C SP 479/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |
| 60% |  | SP 61/A SP 61/B SP 61/C SP 61/F 12 x 7,20 a 9 x 5,40 9 x 5,40 a 6 x 3,60 6 x 3,60 a 3 x 1,80 3 x 1,80 a 1 x 0,60 | 31 31 31 20 |  | SP 470/A SP 470/B SP 470/C SP 470/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |
| 40% |  | SP 90/A SP 90/B SP 90/C SP 90/F 12 x 4,80 a 9 x 3,60 9 x 3,60 a 6 x 2,40 6 x 2,40 a 3 x 1,20 3 x 1,20 a 1 x 0,40 | 31 31 31 20 |  | SP 510/A SP 510/B SP 510/C SP 510/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |
| 50% |  | SP 91/A SP 91/B SP 91/C SP 91/F 12 x 6,00 a 9 x 4,50 9 x 4,50 a 6 x 3,00 6 x 3,00 a 3 x 1,50 3 x 1,50 a 1 x 0,50 | 31 31 31 20 |  | SP 472/A SP 472/B SP 472/C SP 472/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |
| 65% |  | SP 89/A SP 89/B SP 89/C SP 89/F 12 x 7,80 a 9 x 5,85 9 x 5,85 a 6 x 3,90 6 x 3,90 a 3 x 1,95 3 x 1,95 a 1 x 0,65 | 31 31 31 20 |  | SP 487/A SP 487/B SP 487/C SP 487/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |
| |  | SP 193/A SP 193/B SP 193/C SP 193/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |  | SP 195/A SP 195/B SP 195/C SP 195/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |
| |  | SP 198/A SP 198/B SP 198/C SP 198/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |  | SP 174/A SP 174/B SP 174/C SP 174/F 12 a 9 9 a 6 6 a 3 3 a 1,5 | 31 31 31 20 | |
| |  | SP 318/A SP 318/B SP 318/C SP 318/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |  | SP 228/A SP 228/B SP 228/C SP 228/F 12 a 9 9 a 6 6 a 3 3 a 1,5 | 31 31 31 20 | |
| |  | SP 287/A SP 287/B SP 287/C SP 287/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |  | SP 227/A SP 227/B SP 227/C SP 227/F 12 a 9 9 a 6 6 a 3 4 a 2 | 31 31 31 20 | |
| |  | SP 261/A SP 261/B SP 261/C SP 261/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 |  | SP 155/A SP 155/B SP 155/C SP 155/F 12 a 9 9 a 6 6 a 3 3 a 1 | 31 31 31 20 | |

AMERICAN DRAWPLATES

| SHAPE | ART. | LETTERS | MEASURES mm | No. HOLES | TYPE |
|---|---|--|---|--|--|
|  | 100A 100AA 100AX 100AZ 100B 100BB 100C 100D 100DX 100E 100F 100FA 100G 100H 100I 100J 100JA | A AA AX AZ B BB C D DX E F FA G H I J JA | 0,3 to 1 0,6 to 1,5 0,3 to 0,65 0,3 to 1,2 0,5 to 2 0,8 to 3 1,5 to 3,5 0,5 to 3 0,5 to 2,5 1 to 4 0,3 to 3,5 0,5 to 4 0,8 to 4,5 1,5 to 6 3 to 7 0,5 to 6 1 to 7 | 20 20 20 20 20 20 20 31 31 31 40 40 40 40 40 60 60 | round |
|  | 100K 100KA 100KB 100M | K KA KB M | 1,2 to 4,8 1 to 4 2,4 to 5 1,5 to 6 | 31 20 20 40 | half-round |
|  | 100O 100OX 100P 100Q 100QQ 100R | O OX P Q QQ R | 1 to 3 0,5 to 3 2,4 to 4 1 to 4 0,25 to 2 2 to 5 | 20 31 20 31 20 31 | square |
|  | 100U | U | 1 to 3,5 1,5 to 3,5 1 to 3,5 | 20 20 20 | round multiform: half-round square |
|  | 100V | V | 1 to 3 1,5 to 4 1,5 to 2,4 | 17 17 17 | round multiform: half-round square |
|  | 101 102 | | 0,8 to 3 0,8 to 5 | 20 31 | oval |
|  | 103 104 105 | | 0,8 to 3 0,8 to 4 0,8 to 5 | 20 20 31 | knife |
| | | | | | |