



## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

Product Form : Mixture  
Product Name : G-S Hypo Cement  
UFI : Y9AJ-KWQR-HS6F-C7MA

### 1.2. Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

#### 1.2.1. Relevant Identified Uses

Use of the Substance/Mixture : Adhesives

#### 1.2.2. Uses Advised Against

No additional information available

### 1.3. Details of the Supplier of the Safety Data Sheet

#### Company

G-S Supplies Inc.  
1150 University Avenue, Suite 5  
Rochester, NY 14607 USA  
Tel +1 (585) 241-2370  
[info@gssupplies.com](mailto:info@gssupplies.com)

### 1.4. Emergency Telephone Number

Emergency Number : VelocityEHS  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the Substance or Mixture

#### Classification According to Regulation (EC) No. 1272/2008

Flam. Liq. 2 H225  
Skin Irrit. 2 H315  
Eye Irrit. 2 H319  
STOT SE 3 H336  
STOT SE 3 H335  
Aquatic Acute 1 H400  
Aquatic Chronic 1 H410

Full text of hazard classes, H- and EUH-statements: see section 16

### 2.2. Label Elements

#### Labelling According to Regulation (EC) No. 1272/2008 [CLP]

##### Hazard Pictograms (CLP)



##### Signal Word (CLP)

: Danger

##### Hazard Statements (CLP)

: H225 - Highly flammable liquid and vapour.  
H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.  
H335 - May cause respiratory irritation.  
H336 - May cause drowsiness or dizziness.  
H410 - Very toxic to aquatic life with long lasting effects.

##### Precautionary Statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 - Keep container tightly closed.  
P240 - Ground and bond container and receiving equipment.  
P241 - Use explosion-proof electrical/ventilating/lighting equipment.  
P242 - Use non-sparking tools.  
P243 - Take action to prevent static discharges.  
P261 - Avoid breathing fume/ vapours.  
P264 - Wash hands, forearms and face thoroughly after handling.

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P271 - Use only outdoors or in a well-ventilated area.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 - Call a POISON CENTRE or doctor if you feel unwell.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P332+P313 - If skin irritation occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P391 - Collect spillage.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other Hazards

**Other Hazards Not Contributing to the Classification** : Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

This substance/mixture does not meet the PBT/vPvB criteria of REACH regulation, annex XIII

The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
Ethylbenzene(100-41-4)	The substance is included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product Identifier	%	Classification According to Regulation (EC) No. 1272/2008
n-Heptane	(CAS-No.) 142-82-5 (EC-No.) 205-563-8 (EC Index-No.) 601-008-00-2	30 – 40	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
m-Xylene	(CAS-No.) 108-38-3 (EC-No.) 203-576-3 (EC Index-No.) 601-022-00-9	10 – 15	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
p-Xylene	(CAS-No.) 106-42-3 (EC-No.) 203-396-5 (EC Index-No.) 601-022-00-9	3 – 7	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
o-Xylene	(CAS-No.) 95-47-6 (EC-No.) 202-422-2 (EC Index-No.) 601-022-00-9	3 – 7	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:vapour), H332

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

			Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Ethylbenzene	(CAS-No.) 100-41-4 (EC-No.) 202-849-4 (EC Index-No.) 601-023-00-4	3 – 7	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First-aid Measures

- First-Aid Measures General** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-Aid Measures After Inhalation** : When symptoms occur: go into open air and ventilate suspected area. Give oxygen or artificial respiration if necessary. Obtain medical attention if breathing difficulty persists.
- First-Aid Measures After Skin Contact** : Immediately remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Wash with plenty of soap and water. Obtain medical attention if irritation develops or persists.
- First-Aid Measures After Eye Contact** : Immediately rinse with water for at least 15 minutes. Seek medical attention immediately. Remove contact lenses, if present and easy to do. Continue rinsing.
- First-Aid Measures After Ingestion** : Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2. Most Important Symptoms and Effects Both Acute and Delayed

- Symptoms/Effects** : May cause respiratory irritation. May cause drowsiness and dizziness. Causes skin irritation. Causes serious eye irritation.
- Symptoms/Effects After Inhalation** : Irritation of the respiratory tract and the other mucous membranes. High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.
- Symptoms/Effects After Skin Contact** : Redness, pain, swelling, itching, burning, dryness, and dermatitis.
- Symptoms/Effects After Eye Contact** : Contact causes severe irritation with redness and swelling of the conjunctiva.
- Symptoms/Effects After Ingestion** : Ingestion may cause adverse effects.
- Chronic Symptoms** : None expected under normal conditions of use.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing Media

- Suitable Extinguishing Media** : Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>). Water may be ineffective but water should be used to keep fire-exposed container cool.
- Unsuitable Extinguishing Media** : Do not use a heavy water stream. A heavy water stream may spread burning liquid.

### 5.2. Special Hazards Arising From the Substance or Mixture

- Fire Hazard** : Highly flammable liquid and vapour.
- Explosion Hazard** : May form flammable or explosive vapour-air mixture.
- Reactivity** : Reacts violently with strong oxidisers. Increased risk of fire or explosion.
- Hazardous Combustion Products** : Carbon oxides (CO, CO<sub>2</sub>). Smoke.

### 5.3. Advice for Firefighters

- Precautionary Measures Fire** : Exercise caution when fighting any chemical fire.
- Firefighting Instructions** : Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.
- Protection During Firefighting** : Do not enter fire area without proper protective equipment, including respiratory protection.
- Other Information** : Do not allow run-off from fire fighting to enter drains or water courses.

# G-S Hypo Cement

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures** : Avoid breathing (fumes/vapour). Do not get in eyes, on skin, or on clothing. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Use special care to avoid static electric charges.

#### 6.1.1. For Non-Emergency Personnel

**Protective Equipment** : Use appropriate personal protective equipment (PPE).

**Emergency Procedures** : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.1.2. For Emergency Responders

**Protective Equipment** : Equip cleanup crew with proper protection.

**Emergency Procedures** : Eliminate ignition sources first, then ventilate the area. Upon arrival at the scene, a first responder is expected to recognise the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

### 6.3. Methods and Materials for Containment and Cleaning Up

**For Containment** : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

**Methods for Cleaning Up** : Clean up spills immediately and dispose of waste safely. Absorb liquid components with non-combustible liquid-binding material. Do not take up in combustible material such as: saw dust or cellulosic material. Use only non-sparking tools. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### 6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed** : Handle empty containers with care because residual vapours are flammable.

**Precautions for Safe Handling** : Avoid contact with skin, eyes and clothing. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapours, mist, spray fume, mist, spray, vapours. Take precautionary measures against static discharge. Use only non-sparking tools.

**Hygiene Measures** : Handle in accordance with good industrial hygiene and safety procedures.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures** : Comply with applicable regulations. Take action to prevent static discharges. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment.

**Storage Conditions** : Store in accordance with applicable national storage class systems. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area. Store in a well-ventilated place. Keep container tightly closed. Keep in fireproof place.

**Incompatible Materials** : Strong acids, strong bases, strong oxidisers.

### 7.3. Specific End Use(s)

Adhesives

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

Please see section 16 for the legal basis of limit value information in section 8.1, including the national legislation or provision which gives rise to a given limit.

m-Xylene (108-38-3)		
EU	IOELV TWA (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	221 mg/m <sup>3</sup>
EU	IOELV TWA (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	50 ppm
EU	IOELV STEL (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	442 mg/m <sup>3</sup>
EU	IOELV STEL (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	100 ppm
EU	Remark	Possibility of significant uptake through the skin

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Austria</b>	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	221 mg/m <sup>3</sup> (Xylol)
<b>Austria</b>	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	50 ppm (Xylol)
<b>Austria</b>	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	442 mg/m <sup>3</sup> (Xylene (all isomers))
<b>Austria</b>	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	100 ppm (Xylene (all isomers))
<b>Belgium</b>	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	221 mg/m <sup>3</sup>
<b>Belgium</b>	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	50 ppm
<b>Belgium</b>	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	442 mg/m <sup>3</sup>
<b>Belgium</b>	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	100 ppm
<b>Belgium</b>	OEL Chemical Category (Legal Basis:Royal Decree 21/01/2020)	Skin, Skin notation
<b>Bulgaria</b>	OEL TWA (Legal Basis:Reg. No. 13/10)	221 mg/m <sup>3</sup>
<b>Bulgaria</b>	OEL TWA (Legal Basis:Reg. No. 13/10)	50 ppm
<b>Bulgaria</b>	OEL STEL (Legal Basis:Reg. No. 13/10)	442 mg/m <sup>3</sup>
<b>Bulgaria</b>	OEL STEL (Legal Basis:Reg. No. 13/10)	100 ppm
<b>Croatia</b>	OEL TWA (Legal Basis:OG No. 91/2018)	221 mg/m <sup>3</sup>
<b>Croatia</b>	OEL TWA (Legal Basis:OG No. 91/2018)	50 ppm
<b>Croatia</b>	OEL STEL (Legal Basis:OG No. 91/2018)	442 mg/m <sup>3</sup>
<b>Croatia</b>	OEL STEL (Legal Basis:OG No. 91/2018)	100 ppm
<b>Croatia</b>	OEL Chemical Category (Legal Basis:OG No. 91/2018)	Skin notation
<b>Cyprus</b>	OEL TWA (Legal Basis:KDP 16/2019)	221 mg/m <sup>3</sup>
<b>Cyprus</b>	OEL TWA (Legal Basis:KDP 16/2019)	50 ppm
<b>Cyprus</b>	OEL STEL (Legal Basis:KDP 16/2019)	442 mg/m <sup>3</sup>
<b>Cyprus</b>	OEL STEL (Legal Basis:KDP 16/2019)	100 ppm
<b>Cyprus</b>	OEL Chemical Category (Legal Basis:KDP 16/2019)	Skin-potential for cutaneous absorption
<b>Czech Republic</b>	OEL TWA (Legal Basis:Reg. 41/2020)	200 mg/m <sup>3</sup> (498)
<b>Czech Republic</b>	OEL Chemical Category (Legal Basis:Decree No. 107/2013)	Potential for cutaneous absorption
<b>Denmark</b>	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	109 mg/m <sup>3</sup> (Xylene, all isomers)
<b>Denmark</b>	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	25 ppm (Xylene, all isomers)
<b>Denmark</b>	OEL Chemical Category (Legal Basis:BEK No. 698 of 28/05/2020)	Potential for cutaneous absorption
<b>Estonia</b>	OEL TWA (Legal Basis:Regulation No. 105)	200 mg/m <sup>3</sup>
<b>Estonia</b>	OEL TWA (Legal Basis:Regulation No. 105)	50 ppm
<b>Estonia</b>	OEL STEL (Legal Basis:Regulation No. 105)	450 mg/m <sup>3</sup>
<b>Estonia</b>	OEL STEL (Legal Basis:Regulation No. 105)	100 ppm
<b>Estonia</b>	OEL Chemical Category (Legal Basis:Regulation No. 105)	Skin notation
<b>Finland</b>	OEL TWA (Legal Basis:HTP-ARVOT 2020)	220 mg/m <sup>3</sup>
<b>Finland</b>	OEL TWA (Legal Basis:HTP-ARVOT 2020)	50 ppm
<b>Finland</b>	OEL STEL (Legal Basis:HTP-ARVOT 2020)	440 mg/m <sup>3</sup>
<b>Finland</b>	OEL STEL (Legal Basis:HTP-ARVOT 2020)	100 ppm
<b>Finland</b>	OEL Chemical Category HTP-ARVOT 2020)	Potential for cutaneous absorption
<b>France</b>	OEL STEL (Legal Basis:INRS ED 984)	442 mg/m <sup>3</sup> (restrictive limit)
<b>France</b>	OEL STEL (Legal Basis:INRS ED 984)	100 ppm (restrictive limit)
<b>France</b>	OEL TWA (Legal Basis:INRS ED 984)	221 mg/m <sup>3</sup> (restrictive limit)
<b>France</b>	OEL TWA (Legal Basis:INRS ED 984)	50 ppm (restrictive limit)
<b>France</b>	OEL Chemical Category (Legal Basis:INRS ED 984)	Risk of cutaneous absorption
<b>France</b>	OEL BLV (Legal Basis:Decree 2009-1570)	1500 mg/g creatinine Parameter: Methylhippuric acid - Medium: urine - Sampling time: end of shift
<b>Germany</b>	OEL TWA (Legal Basis:TRGS 900)	220 mg/m <sup>3</sup> (all isomers)
<b>Germany</b>	OEL TWA (Legal Basis:TRGS 900)	50 ppm (all isomers)
<b>Germany</b>	OEL Chemical Category (Legal Basis:TRGS 900)	Skin notation
<b>Gibraltar</b>	OEL TWA (Legal Basis:LN. 2018/181)	221 mg/m <sup>3</sup>
<b>Gibraltar</b>	OEL TWA (Legal Basis:LN. 2018/181)	50 ppm
<b>Gibraltar</b>	OEL STEL (Legal Basis:LN. 2018/181)	442 mg/m <sup>3</sup>
<b>Gibraltar</b>	OEL STEL (Legal Basis:LN. 2018/181)	100 ppm
<b>Gibraltar</b>	OEL Chemical Category (Legal Basis:LN. 2018/181)	Skin notation
<b>Greece</b>	OEL TWA (Legal Basis:PWHSE)	435 mg/m <sup>3</sup>
<b>Greece</b>	OEL TWA (Legal Basis:PWHSE)	100 ppm
<b>Greece</b>	OEL STEL (Legal Basis:PWHSE)	650 mg/m <sup>3</sup>
<b>Greece</b>	OEL STEL (Legal Basis:PWHSE)	150 ppm

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Greece</b>	OEL Chemical Category (Legal Basis:PWHE)	skin - potential for cutaneous absorption
<b>Hungary</b>	OEL TWA (Legal Basis:Decree No. 05/2020)	221 mg/m <sup>3</sup>
<b>Hungary</b>	OEL STEL (Legal Basis:Decree No. 05/2020)	442 mg/m <sup>3</sup>
<b>Hungary</b>	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
<b>Ireland</b>	OEL TWA (Legal Basis:2020 COP)	221 mg/m <sup>3</sup>
<b>Ireland</b>	OEL TWA (Legal Basis:2020 COP)	50 ppm
<b>Ireland</b>	OEL STEL (Legal Basis:2020 COP)	442 mg/m <sup>3</sup>
<b>Ireland</b>	OEL STEL (Legal Basis:2020 COP)	100 ppm
<b>Ireland</b>	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
<b>USA ACGIH</b>	OEL TWA (Legal Basis:IMDFN1)	100 ppm
<b>USA ACGIH</b>	OEL STEL (Legal Basis:IMDFN1)	150 ppm
<b>USA ACGIH</b>	BEI Value (Legal Basis:IMDFN1)	1,5 g/g creatinine Parameter: Methylhippuric acids - Medium: urine - Sampling time: end of shift
<b>Italy</b>	OEL TWA (Legal Basis:Decree 81)	221 mg/m <sup>3</sup>
<b>Italy</b>	OEL TWA (Legal Basis:Decree 81)	50 ppm
<b>Italy</b>	OEL STEL (Legal Basis:Decree 81)	442 mg/m <sup>3</sup>
<b>Italy</b>	OEL STEL (Legal Basis:Decree 81)	100 ppm
<b>Italy</b>	OEL Chemical Category (Legal Basis:Decree 81)	skin - potential for cutaneous absorption
<b>Latvia</b>	OEL TWA (Legal Basis:Reg. No. 325)	221 mg/m <sup>3</sup>
<b>Latvia</b>	OEL TWA (Legal Basis:Reg. No. 325)	50 ppm
<b>Latvia</b>	OEL Chemical Category (Legal Basis:Reg. No. 325)	skin - potential for cutaneous exposure
<b>Lithuania</b>	OEL TWA (Legal Basis:HN 23:2011)	221 mg/m <sup>3</sup>
<b>Lithuania</b>	OEL TWA (Legal Basis:HN 23:2011)	50 ppm
<b>Lithuania</b>	OEL STEL (Legal Basis:HN 23:2011)	442 mg/m <sup>3</sup>
<b>Lithuania</b>	OEL STEL (Legal Basis:A-N 684)	100 ppm
<b>Lithuania</b>	OEL Chemical Category (Legal Basis:HN 23:2011)	Skin notation
<b>Luxembourg</b>	OEL TWA (Legal Basis:A-N 684)	221 mg/m <sup>3</sup>
<b>Luxembourg</b>	OEL TWA (Legal Basis:A-N 684)	50 ppm
<b>Luxembourg</b>	OEL STEL (Legal Basis:A-N 684)	442 mg/m <sup>3</sup>
<b>Luxembourg</b>	OEL STEL (Legal Basis:A-N 684)	100 ppm
<b>Luxembourg</b>	OEL Chemical Category (Legal Basis:A-N 684)	Possibility of significant uptake through the skin
<b>Malta</b>	OEL TWA (Legal Basis:MOHSAA Ch. 424)	221 mg/m <sup>3</sup>
<b>Malta</b>	OEL TWA (Legal Basis:MOHSAA Ch. 424)	50 ppm
<b>Malta</b>	OEL STEL (Legal Basis:MOHSAA Ch. 424)	442 mg/m <sup>3</sup>
<b>Malta</b>	OEL STEL (Legal Basis:MOHSAA Ch. 424)	100 ppm
<b>Malta</b>	OEL Chemical Category (Legal Basis:MOHSAA Ch. 424)	Possibility of significant uptake through the skin
<b>Netherlands</b>	OEL TWA (Legal Basis:OWCRLV)	210 mg/m <sup>3</sup>
<b>Netherlands</b>	OEL STEL (Legal Basis:OWCRLV)	442 mg/m <sup>3</sup>
<b>Netherlands</b>	OEL Chemical Category (Legal Basis:OWCRLV)	Skin notation
<b>Norway</b>	OEL TWA (Legal Basis:FOR-2020-04-06-695)	108 mg/m <sup>3</sup>
<b>Norway</b>	OEL TWA (Legal Basis:FOR-2020-04-06-695)	25 ppm
<b>Norway</b>	OEL STEL (Legal Basis:FOR-2020-04-06-695)	135 mg/m <sup>3</sup> (value calculated)
<b>Norway</b>	OEL STEL (Legal Basis:FOR-2020-04-06-695)	37,5 ppm (value calculated)
<b>Norway</b>	OEL Chemical Category (Legal Basis:FOR-2020-04-06-695)	Skin notation
<b>Poland</b>	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	100 mg/m <sup>3</sup>
<b>Poland</b>	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	200 mg/m <sup>3</sup> (Xylene, mixture of iosmers)
<b>Portugal</b>	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	221 mg/m <sup>3</sup> (indicative limit value)
<b>Portugal</b>	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	50 ppm (indicative limit value)
<b>Portugal</b>	OEL STEL (Legal Basis:Portuguese Norm NP 1796:2014)	442 mg/m <sup>3</sup> (indicative limit value)
<b>Portugal</b>	OEL STEL (Legal Basis:Portuguese Norm NP 1796:2014)	100 ppm (indicative limit value)
<b>Portugal</b>	OEL Chemical Category (Legal Basis:Portuguese Norm NP 1796:2014)	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value
<b>Romania</b>	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	221 mg/m <sup>3</sup>
<b>Romania</b>	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	50 ppm
<b>Romania</b>	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	442 mg/m <sup>3</sup>
<b>Romania</b>	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	100 ppm
<b>Romania</b>	OEL Chemical Category (Legal Basis:Gov. Dec. No 1.218)	Skin notation
<b>Slovakia</b>	OEL TWA (Legal Basis:Gov. Decree 33/2018)	221 mg/m <sup>3</sup>

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	50 ppm
Slovakia	OEL STEL (Legal Basis:Gov. Decree 33/2018)	442 mg/m <sup>3</sup>
Slovakia	OEL Chemical Category (Legal Basis:Gov. Decree 33/2018)	Potential for cutaneous absorption
Slovenia	OEL TWA (Legal Basis:No. 79/19)	221 mg/m <sup>3</sup>
Slovenia	OEL TWA (Legal Basis:No. 79/19)	50 ppm
Slovenia	OEL STEL (Legal Basis:No. 79/19)	442 mg/m <sup>3</sup>
Slovenia	OEL STEL (Legal Basis:No. 79/19)	100 ppm
Slovenia	OEL Chemical Category (Legal Basis:No. 79/19)	Potential for cutaneous absorption
Spain	OEL TWA (Legal Basis:OELCAIS)	221 mg/m <sup>3</sup> (indicative limit value)
Spain	OEL TWA (Legal Basis:OELCAIS)	50 ppm (indicative limit value)
Spain	OEL STEL (Legal Basis:OELCAIS)	442 mg/m <sup>3</sup>
Spain	OEL STEL (Legal Basis:OELCAIS)	100 ppm
Spain	OEL Chemical Category (Legal Basis:OELCAIS)	skin - potential for cutaneous absorption
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	221 mg/m <sup>3</sup> (Xylene)
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	50 ppm (Xylene)
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	442 mg/m <sup>3</sup> (Xylene)
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	100 ppm (Xylene)
Sweden	OEL Chemical Category (Legal Basis:AFS 2018:1)	Skin notation
<b>p-Xylene (106-42-3)</b>		
EU	IOELV TWA (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	221 mg/m <sup>3</sup>
EU	IOELV TWA (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	50 ppm
EU	IOELV STEL (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	442 mg/m <sup>3</sup>
EU	IOELV STEL (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	100 ppm
EU	Remark	Possibility of significant uptake through the skin
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	221 mg/m <sup>3</sup> (Xylol)
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	50 ppm (Xylol)
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	442 mg/m <sup>3</sup> (Xylene (all isomers))
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	100 ppm (Xylene (all isomers))
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	221 mg/m <sup>3</sup>
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	50 ppm
Belgium	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	442 mg/m <sup>3</sup>
Belgium	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	100 ppm
Belgium	OEL Chemical Category (Legal Basis:Royal Decree 21/01/2020)	Skin, Skin notation
Bulgaria	OEL TWA (Legal Basis:Reg. No. 13/10)	221 mg/m <sup>3</sup>
Bulgaria	OEL TWA (Legal Basis:Reg. No. 13/10)	50 ppm
Bulgaria	OEL STEL (Legal Basis:Reg. No. 13/10)	442 mg/m <sup>3</sup>
Bulgaria	OEL STEL (Legal Basis:Reg. No. 13/10)	100 ppm
Croatia	OEL TWA (Legal Basis:OG No. 91/2018)	221 mg/m <sup>3</sup>
Croatia	OEL TWA (Legal Basis:OG No. 91/2018)	50 ppm
Croatia	OEL STEL (Legal Basis:OG No. 91/2018)	442 mg/m <sup>3</sup>
Croatia	OEL STEL (Legal Basis:OG No. 91/2018)	100 ppm
Croatia	OEL Chemical Category (Legal Basis:OG No. 91/2018)	Skin notation
Cyprus	OEL TWA (Legal Basis:KDP 16/2019)	221 mg/m <sup>3</sup>
Cyprus	OEL TWA (Legal Basis:KDP 16/2019)	50 ppm
Cyprus	OEL STEL (Legal Basis:KDP 16/2019)	442 mg/m <sup>3</sup>
Cyprus	OEL STEL (Legal Basis:KDP 16/2019)	100 ppm
Cyprus	OEL Chemical Category (Legal Basis:KDP 16/2019)	Skin-potential for cutaneous absorption
Czech Republic	OEL TWA (Legal Basis:Reg. 41/2020)	200 mg/m <sup>3</sup>
Czech Republic	OEL Chemical Category (Legal Basis:Decree No. 107/2013)	Potential for cutaneous absorption
Denmark	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	109 mg/m <sup>3</sup> (Xylene, all isomers)
Denmark	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	25 ppm (Xylene, all isomers)
Denmark	OEL Chemical Category (Legal Basis:BEK No. 698 of 28/05/2020)	Potential for cutaneous absorption
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	200 mg/m <sup>3</sup>
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	50 ppm
Estonia	OEL STEL (Legal Basis:Regulation No. 105)	450 mg/m <sup>3</sup>
Estonia	OEL STEL (Legal Basis:Regulation No. 105)	100 ppm
Estonia	OEL Chemical Category (Legal Basis:Regulation No. 105)	Skin notation

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Finland</b>	OEL TWA (Legal Basis:HTP-ARVOT 2020)	220 mg/m <sup>3</sup>
<b>Finland</b>	OEL TWA (Legal Basis:HTP-ARVOT 2020)	50 ppm
<b>Finland</b>	OEL STEL (Legal Basis:HTP-ARVOT 2020)	440 mg/m <sup>3</sup>
<b>Finland</b>	OEL STEL (Legal Basis:HTP-ARVOT 2020)	100 ppm
<b>Finland</b>	OEL Chemical Category HTP-ARVOT 2020)	Potential for cutaneous absorption
<b>France</b>	OEL STEL (Legal Basis:INRS ED 984)	442 mg/m <sup>3</sup> (restrictive limit)
<b>France</b>	OEL STEL (Legal Basis:INRS ED 984)	100 ppm (restrictive limit)
<b>France</b>	OEL TWA (Legal Basis:INRS ED 984)	221 mg/m <sup>3</sup> (restrictive limit)
<b>France</b>	OEL TWA (Legal Basis:INRS ED 984)	50 ppm (restrictive limit)
<b>France</b>	OEL Chemical Category (Legal Basis:INRS ED 984)	Risk of cutaneous absorption
<b>France</b>	OEL BLV (Legal Basis:Decree 2009-1570)	1500 mg/g creatinine Parameter: Methylhippuric acid - Medium: urine - Sampling time: end of shift
<b>Germany</b>	OEL TWA (Legal Basis:TRGS 900)	220 mg/m <sup>3</sup> (all isomers)
<b>Germany</b>	OEL TWA (Legal Basis:TRGS 900)	50 ppm (all isomers)
<b>Germany</b>	OEL Chemical Category (Legal Basis:TRGS 900)	Skin notation
<b>Gibraltar</b>	OEL TWA (Legal Basis:LN. 2018/181)	221 mg/m <sup>3</sup>
<b>Gibraltar</b>	OEL TWA (Legal Basis:LN. 2018/181)	50 ppm
<b>Gibraltar</b>	OEL STEL (Legal Basis:LN. 2018/181)	442 mg/m <sup>3</sup>
<b>Gibraltar</b>	OEL STEL (Legal Basis:LN. 2018/181)	100 ppm
<b>Gibraltar</b>	OEL Chemical Category (Legal Basis:LN. 2018/181)	Skin notation
<b>Greece</b>	OEL TWA (Legal Basis:PWHS)	435 mg/m <sup>3</sup>
<b>Greece</b>	OEL TWA (Legal Basis:PWHS)	100 ppm
<b>Greece</b>	OEL STEL (Legal Basis:PWHS)	650 mg/m <sup>3</sup>
<b>Greece</b>	OEL STEL (Legal Basis:PWHS)	150 ppm
<b>Greece</b>	OEL Chemical Category (Legal Basis:PWHS)	skin - potential for cutaneous absorption
<b>Hungary</b>	OEL TWA (Legal Basis:Decree No. 05/2020)	221 mg/m <sup>3</sup>
<b>Hungary</b>	OEL STEL (Legal Basis:Decree No. 05/2020)	442 mg/m <sup>3</sup>
<b>Hungary</b>	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
<b>Ireland</b>	OEL TWA (Legal Basis:2020 COP)	221 mg/m <sup>3</sup>
<b>Ireland</b>	OEL TWA (Legal Basis:2020 COP)	50 ppm
<b>Ireland</b>	OEL STEL (Legal Basis:2020 COP)	442 mg/m <sup>3</sup>
<b>Ireland</b>	OEL STEL (Legal Basis:2020 COP)	100 ppm
<b>Ireland</b>	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
<b>USA ACGIH</b>	OEL TWA (Legal Basis:IMDFN1)	100 ppm
<b>USA ACGIH</b>	OEL STEL (Legal Basis:IMDFN1)	150 ppm
<b>USA ACGIH</b>	BEI Value (Legal Basis:IMDFN1)	1,5 g/g creatinine Parameter: Methylhippuric acids - Medium: urine - Sampling time: end of shift
<b>Italy</b>	OEL TWA (Legal Basis:Decree 81)	221 mg/m <sup>3</sup>
<b>Italy</b>	OEL TWA (Legal Basis:Decree 81)	50 ppm
<b>Italy</b>	OEL STEL (Legal Basis:Decree 81)	442 mg/m <sup>3</sup>
<b>Italy</b>	OEL STEL (Legal Basis:Decree 81)	100 ppm
<b>Italy</b>	OEL Chemical Category (Legal Basis:Decree 81)	skin - potential for cutaneous absorption
<b>Latvia</b>	OEL TWA (Legal Basis:Reg. No. 325)	221 mg/m <sup>3</sup>
<b>Latvia</b>	OEL TWA (Legal Basis:Reg. No. 325)	50 ppm
<b>Latvia</b>	OEL Chemical Category (Legal Basis:Reg. No. 325)	skin - potential for cutaneous exposure
<b>Lithuania</b>	OEL TWA (Legal Basis:HN 23:2011)	221 mg/m <sup>3</sup>
<b>Lithuania</b>	OEL TWA (Legal Basis:HN 23:2011)	50 ppm
<b>Lithuania</b>	OEL STEL (Legal Basis:HN 23:2011)	442 mg/m <sup>3</sup>
<b>Lithuania</b>	OEL STEL (Legal Basis:A-N 684)	100 ppm
<b>Lithuania</b>	OEL Chemical Category (Legal Basis:HN 23:2011)	Skin notation
<b>Luxembourg</b>	OEL TWA (Legal Basis:A-N 684)	221 mg/m <sup>3</sup>
<b>Luxembourg</b>	OEL TWA (Legal Basis:A-N 684)	50 ppm
<b>Luxembourg</b>	OEL STEL (Legal Basis:A-N 684)	442 mg/m <sup>3</sup>
<b>Luxembourg</b>	OEL STEL (Legal Basis:A-N 684)	100 ppm
<b>Luxembourg</b>	OEL Chemical Category (Legal Basis:A-N 684)	Possibility of significant uptake through the skin
<b>Malta</b>	OEL TWA (Legal Basis:MOHSAA Ch. 424)	221 mg/m <sup>3</sup>
<b>Malta</b>	OEL TWA (Legal Basis:MOHSAA Ch. 424)	50 ppm
<b>Malta</b>	OEL STEL (Legal Basis:MOHSAA Ch. 424)	442 mg/m <sup>3</sup>

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Malta	OEL STEL (Legal Basis:MOHSAA Ch. 424)	100 ppm
Malta	OEL Chemical Category (Legal Basis:MOHSAA Ch. 424)	Possibility of significant uptake through the skin
Netherlands	OEL TWA (Legal Basis:OWCRLV)	210 mg/m <sup>3</sup>
Netherlands	OEL STEL (Legal Basis:OWCRLV)	442 mg/m <sup>3</sup>
Netherlands	OEL Chemical Category (Legal Basis:OWCRLV)	Skin notation
Norway	OEL TWA (Legal Basis:FOR-2020-04-06-695)	108 mg/m <sup>3</sup>
Norway	OEL TWA (Legal Basis:FOR-2020-04-06-695)	25 ppm
Norway	OEL STEL (Legal Basis:FOR-2020-04-06-695)	135 mg/m <sup>3</sup> (value calculated)
Norway	OEL STEL (Legal Basis:FOR-2020-04-06-695)	37,5 ppm (value calculated)
Norway	OEL Chemical Category (Legal Basis:FOR-2020-04-06-695)	Skin notation
Poland	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	100 mg/m <sup>3</sup>
Poland	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	200 mg/m <sup>3</sup> (Xylene, mixture of isomers)
Portugal	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	221 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	50 ppm (indicative limit value)
Portugal	OEL STEL (Legal Basis:Portuguese Norm NP 1796:2014)	442 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL STEL (Legal Basis:Portuguese Norm NP 1796:2014)	100 ppm (indicative limit value)
Portugal	OEL Chemical Category (Legal Basis:Portuguese Norm NP 1796:2014)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value
Romania	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	221 mg/m <sup>3</sup>
Romania	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	50 ppm
Romania	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	442 mg/m <sup>3</sup>
Romania	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	100 ppm
Romania	OEL Chemical Category (Legal Basis:Gov. Dec. No 1.218)	Skin notation
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	221 mg/m <sup>3</sup>
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	50 ppm
Slovakia	OEL STEL (Legal Basis:Gov. Decree 33/2018)	442 mg/m <sup>3</sup>
Slovakia	OEL Chemical Category (Legal Basis:Gov. Decree 33/2018)	Potential for cutaneous absorption
Slovenia	OEL TWA (Legal Basis:No. 79/19)	221 mg/m <sup>3</sup>
Slovenia	OEL TWA (Legal Basis:No. 79/19)	50 ppm
Slovenia	OEL STEL (Legal Basis:No. 79/19)	442 mg/m <sup>3</sup>
Slovenia	OEL STEL (Legal Basis:No. 79/19)	100 ppm
Slovenia	OEL Chemical Category (Legal Basis:No. 79/19)	Potential for cutaneous absorption
Spain	OEL TWA (Legal Basis:OELCAIS)	221 mg/m <sup>3</sup> (indicative limit value)
Spain	OEL TWA (Legal Basis:OELCAIS)	50 ppm (indicative limit value)
Spain	OEL STEL (Legal Basis:OELCAIS)	442 mg/m <sup>3</sup>
Spain	OEL STEL (Legal Basis:OELCAIS)	100 ppm
Spain	OEL Chemical Category (Legal Basis:OELCAIS)	skin - potential for cutaneous absorption
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	221 mg/m <sup>3</sup> (Xylene)
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	50 ppm (Xylene)
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	442 mg/m <sup>3</sup> (Xylene)
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	100 ppm (Xylene)
Sweden	OEL Chemical Category (Legal Basis:AFS 2018:1)	Skin notation
<b>Ethylbenzene (100-41-4)</b>		
EU	IOELV TWA (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	442 mg/m <sup>3</sup>
EU	IOELV TWA (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	100 ppm
EU	IOELV STEL (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	884 mg/m <sup>3</sup>
EU	IOELV STEL (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	200 ppm
EU	Remark	Possibility of significant uptake through the skin
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	440 mg/m <sup>3</sup>
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	100 ppm
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	880 mg/m <sup>3</sup>
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	200 ppm
Austria	OEL Chemical Category (Legal Basis:BGBl. II Nr. 254/2018)	Skin notation
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	87 mg/m <sup>3</sup>
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	20 ppm
Belgium	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	551 mg/m <sup>3</sup>
Belgium	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	125 ppm
Belgium	OEL Chemical Category (Legal Basis:Royal Decree 21/01/2020)	Skin, Skin notation

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Bulgaria</b>	OEL TWA (Legal Basis:Reg. No. 13/10)	435 mg/m <sup>3</sup>
<b>Bulgaria</b>	OEL STEL (Legal Basis:Reg. No. 13/10)	545 mg/m <sup>3</sup>
<b>Bulgaria</b>	OEL BLV (Legal Basis:Reg. No. 13/10)	2000 mg/g creatinine Parameter: Mandelic acid and Phenylglyoxylic acid - total - Medium: urine - Sampling time: at the end of exposure or end of work shift (possible significant absorption through the skin)
<b>Croatia</b>	OEL TWA (Legal Basis:OG No. 91/2018)	442 mg/m <sup>3</sup>
<b>Croatia</b>	OEL TWA (Legal Basis:OG No. 91/2018)	100 ppm
<b>Croatia</b>	OEL STEL (Legal Basis:OG No. 91/2018)	884 mg/m <sup>3</sup>
<b>Croatia</b>	OEL STEL (Legal Basis:OG No. 91/2018)	200 ppm
<b>Croatia</b>	OEL Chemical Category (Legal Basis:OG No. 91/2018)	Skin notation
<b>Croatia</b>	OEL BLV (Legal Basis:OG No. 91/2018)	1,5 mg/l Parameter: Ethylbenzene - Medium: blood - Sampling time: during exposure 1,5 g/g creatinine Parameter: Mandelic acid - Medium: urine - Sampling time: at the end of the work shift and at the end of the working week (calculated on the average Creatinine value of 1.2 g/L urine)
<b>Cyprus</b>	OEL TWA (Legal Basis:KDP 16/2019)	442 mg/m <sup>3</sup>
<b>Cyprus</b>	OEL TWA (Legal Basis:KDP 16/2019)	100 ppm
<b>Cyprus</b>	OEL STEL (Legal Basis:KDP 16/2019)	884 mg/m <sup>3</sup>
<b>Cyprus</b>	OEL STEL (Legal Basis:KDP 16/2019)	200 ppm
<b>Cyprus</b>	OEL Chemical Category (Legal Basis:KDP 16/2019)	Skin-potential for cutaneous absorption
<b>Czech Republic</b>	OEL TWA (Legal Basis:Reg. 41/2020)	200 mg/m <sup>3</sup>
<b>Czech Republic</b>	OEL Chemical Category (Legal Basis:Decree No. 107/2013)	Potential for cutaneous absorption
<b>Czech Republic</b>	OEL BLV (Legal Basis:Reg. 41/2020)	1100 µmol/mmol Creatinine Parameter: Mandelic acid - Medium: urine - Sampling time: end of shift 1500 mg/g creatinine Parameter: Mandelic acid - Medium: urine - Sampling time: end of shift
<b>Denmark</b>	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	217 mg/m <sup>3</sup>
<b>Denmark</b>	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	50 ppm
<b>Denmark</b>	OEL Chemical Category (Legal Basis:BEK No. 698 of 28/05/2020)	Potential for cutaneous absorption
<b>Estonia</b>	OEL TWA (Legal Basis:Regulation No. 105)	442 mg/m <sup>3</sup>
<b>Estonia</b>	OEL TWA (Legal Basis:Regulation No. 105)	100 ppm
<b>Estonia</b>	OEL STEL (Legal Basis:Regulation No. 105)	884 mg/m <sup>3</sup>
<b>Estonia</b>	OEL STEL (Legal Basis:Regulation No. 105)	200 ppm
<b>Estonia</b>	OEL Chemical Category (Legal Basis:Regulation No. 105)	Skin notation, Sensitizer
<b>Finland</b>	OEL TWA (Legal Basis:HTP-ARVOT 2020)	220 mg/m <sup>3</sup>
<b>Finland</b>	OEL TWA (Legal Basis:HTP-ARVOT 2020)	50 ppm
<b>Finland</b>	OEL STEL (Legal Basis:HTP-ARVOT 2020)	880 mg/m <sup>3</sup>
<b>Finland</b>	OEL STEL (Legal Basis:HTP-ARVOT 2020)	200 ppm
<b>Finland</b>	OEL Chemical Category HTP-ARVOT 2020)	Potential for cutaneous absorption
<b>Finland</b>	OEL BLV (Legal Basis:HTP-ARVOT 2020)	Parameter: Mandelic acid - Medium: urine - Sampling time: after the shift after a working week or exposure period
<b>France</b>	OEL STEL (Legal Basis:INRS ED 984)	442 mg/m <sup>3</sup> (restrictive limit)
<b>France</b>	OEL STEL (Legal Basis:INRS ED 984)	100 ppm (restrictive limit)
<b>France</b>	OEL TWA (Legal Basis:INRS ED 984)	88,4 mg/m <sup>3</sup> (restrictive limit)
<b>France</b>	OEL TWA (Legal Basis:INRS ED 984)	20 ppm (restrictive limit)
<b>France</b>	OEL Chemical Category (Legal Basis:INRS ED 984)	Risk of cutaneous absorption
<b>France</b>	OEL BLV (Legal Basis:Decree 2009-1570)	1500 mg/g creatinine Parameter: Mandelic acid - Medium: urine - Sampling time: end of shift at end of workweek (Non-specific (observed after the exposure to other substances))
<b>Germany</b>	OEL TWA (Legal Basis:TRGS 900)	88 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
<b>Germany</b>	OEL TWA (Legal Basis:TRGS 900)	20 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
<b>Germany</b>	OEL BLV (Legal Basis:TRGS 903)	250 mg/g creatinine Parameter: Mandelic acid plus Phenylglyoxylic acid - Medium: urine - Sampling time: end of shift
<b>Germany</b>	OEL Chemical Category (Legal Basis:TRGS 900)	Skin notation
<b>Gibraltar</b>	OEL TWA (Legal Basis:LN. 2018/181)	442 mg/m <sup>3</sup>
<b>Gibraltar</b>	OEL TWA (Legal Basis:LN. 2018/181)	100 ppm
<b>Gibraltar</b>	OEL STEL (Legal Basis:LN. 2018/181)	884 mg/m <sup>3</sup>

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Gibraltar</b>	OEL STEL (Legal Basis:LN. 2018/181)	200 ppm
<b>Gibraltar</b>	OEL Chemical Category (Legal Basis:LN. 2018/181)	Skin notation
<b>Greece</b>	OEL TWA (Legal Basis:PWHE)	435 mg/m <sup>3</sup>
<b>Greece</b>	OEL TWA (Legal Basis:PWHE)	100 ppm
<b>Greece</b>	OEL STEL (Legal Basis:PWHE)	545 mg/m <sup>3</sup>
<b>Greece</b>	OEL STEL (Legal Basis:PWHE)	125 ppm
<b>Hungary</b>	OEL TWA (Legal Basis:Decree No. 05/2020)	442 mg/m <sup>3</sup>
<b>Hungary</b>	OEL STEL (Legal Basis:Decree No. 05/2020)	884 mg/m <sup>3</sup>
<b>Hungary</b>	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
<b>Ireland</b>	OEL TWA (Legal Basis:2020 COP)	442 mg/m <sup>3</sup>
<b>Ireland</b>	OEL TWA (Legal Basis:2020 COP)	100 ppm
<b>Ireland</b>	OEL STEL (Legal Basis:2020 COP)	884 mg/m <sup>3</sup>
<b>Ireland</b>	OEL STEL (Legal Basis:2020 COP)	200 ppm
<b>Ireland</b>	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
<b>USA ACGIH</b>	OEL TWA (Legal Basis:IMDFN1)	20 ppm
<b>USA ACGIH</b>	BEI Value (Legal Basis:IMDFN1)	0,15 g/g creatinine Parameter: Sum of mandelic acid and phenylglyoxylic acid - Medium: urine - Sampling time: end of shift (nonspecific)
<b>Italy</b>	OEL TWA (Legal Basis:Decree 81)	442 mg/m <sup>3</sup>
<b>Italy</b>	OEL TWA (Legal Basis:Decree 81)	100 ppm
<b>Italy</b>	OEL STEL (Legal Basis:Decree 81)	884 mg/m <sup>3</sup>
<b>Italy</b>	OEL STEL (Legal Basis:Decree 81)	200 ppm
<b>Italy</b>	OEL Chemical Category (Legal Basis:Decree 81)	skin - potential for cutaneous absorption
<b>Latvia</b>	OEL TWA (Legal Basis:Reg. No. 325)	442 mg/m <sup>3</sup>
<b>Latvia</b>	OEL TWA (Legal Basis:Reg. No. 325)	100 ppm
<b>Latvia</b>	OEL Chemical Category (Legal Basis:Reg. No. 325)	skin - potential for cutaneous exposure
<b>Lithuania</b>	OEL TWA (Legal Basis:HN 23:2011)	442 mg/m <sup>3</sup>
<b>Lithuania</b>	OEL TWA (Legal Basis:HN 23:2011)	100 ppm
<b>Lithuania</b>	OEL STEL (Legal Basis:HN 23:2011)	884 mg/m <sup>3</sup>
<b>Lithuania</b>	OEL STEL (Legal Basis:A-N 684)	200 ppm
<b>Lithuania</b>	OEL Chemical Category (Legal Basis:HN 23:2011)	Skin notation
<b>Luxembourg</b>	OEL TWA (Legal Basis:A-N 684)	442 mg/m <sup>3</sup>
<b>Luxembourg</b>	OEL TWA (Legal Basis:A-N 684)	100 ppm
<b>Luxembourg</b>	OEL STEL (Legal Basis:A-N 684)	884 mg/m <sup>3</sup>
<b>Luxembourg</b>	OEL STEL (Legal Basis:A-N 684)	200 ppm
<b>Luxembourg</b>	OEL Chemical Category (Legal Basis:A-N 684)	Possibility of significant uptake through the skin
<b>Malta</b>	OEL TWA (Legal Basis:MOHSAA Ch. 424)	442 mg/m <sup>3</sup>
<b>Malta</b>	OEL TWA (Legal Basis:MOHSAA Ch. 424)	100 ppm
<b>Malta</b>	OEL STEL (Legal Basis:MOHSAA Ch. 424)	884 mg/m <sup>3</sup>
<b>Malta</b>	OEL STEL (Legal Basis:MOHSAA Ch. 424)	200 ppm
<b>Malta</b>	OEL Chemical Category (Legal Basis:MOHSAA Ch. 424)	Possibility of significant uptake through the skin
<b>Netherlands</b>	OEL TWA (Legal Basis:OWCRLV)	215 mg/m <sup>3</sup>
<b>Netherlands</b>	OEL STEL (Legal Basis:OWCRLV)	430 mg/m <sup>3</sup>
<b>Netherlands</b>	OEL Chemical Category (Legal Basis:OWCRLV)	Skin notation
<b>Norway</b>	OEL TWA (Legal Basis:FOR-2020-04-06-695)	20 mg/m <sup>3</sup>
<b>Norway</b>	OEL TWA (Legal Basis:FOR-2020-04-06-695)	5 ppm
<b>Norway</b>	OEL STEL (Legal Basis:FOR-2020-04-06-695)	30 mg/m <sup>3</sup> (value calculated)
<b>Norway</b>	OEL STEL (Legal Basis:FOR-2020-04-06-695)	10 ppm (value calculated)
<b>Norway</b>	OEL Chemical Category (Legal Basis:FOR-2020-04-06-695)	Skin notation, Carcinogen
<b>Poland</b>	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	200 mg/m <sup>3</sup>
<b>Poland</b>	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	400 mg/m <sup>3</sup>
<b>Portugal</b>	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	442 mg/m <sup>3</sup> (indicative limit value)
<b>Portugal</b>	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	100 ppm (indicative limit value)
<b>Portugal</b>	OEL STEL (Legal Basis:Portuguese Norm NP 1796:2014)	884 mg/m <sup>3</sup> (indicative limit value)
<b>Portugal</b>	OEL STEL (Legal Basis:Portuguese Norm NP 1796:2014)	200 ppm (indicative limit value)
<b>Portugal</b>	OEL Chemical Category (Legal Basis:Portuguese Norm NP 1796:2014)	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans,skin - potential for cutaneous exposure indicative limit value
<b>Romania</b>	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	442 mg/m <sup>3</sup>

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Romania	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	100 ppm
Romania	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	884 mg/m <sup>3</sup>
Romania	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	200 ppm
Romania	OEL Chemical Category (Legal Basis:Gov. Dec. No 1.218)	Skin notation
Romania	OEL BLV (Legal Basis:Gov. Dec. No 1.218)	1,5 g/g creatinine Parameter: Mandelic acid - Medium: urine - Sampling time: end of work week
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	442 mg/m <sup>3</sup>
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	100 ppm
Slovakia	OEL STEL (Legal Basis:Gov. Decree 33/2018)	884 mg/m <sup>3</sup>
Slovakia	OEL Chemical Category (Legal Basis:Gov. Decree 33/2018)	Potential for cutaneous absorption
Slovakia	OEL BLV (Legal Basis:Gov. Decree 33/2018)	12 mg/l Parameter: 2 and 4-Ethylphenol - Medium: urine - Sampling time: end of exposure or work shift (also after all work shifts for long-term exposure) 1600 mg/l Parameter: Mandelic acid and Phenylglycolic acid - Medium: urine - Sampling time: end of exposure or work shift (also after all work shifts for long-term exposure)
Slovenia	OEL TWA (Legal Basis:No. 79/19)	442 mg/m <sup>3</sup>
Slovenia	OEL TWA (Legal Basis:No. 79/19)	100 ppm
Slovenia	OEL STEL (Legal Basis:No. 79/19)	884 mg/m <sup>3</sup>
Slovenia	OEL STEL (Legal Basis:No. 79/19)	200 ppm
Slovenia	OEL Chemical Category (Legal Basis:No. 79/19)	Potential for cutaneous absorption
Spain	OEL TWA (Legal Basis:OELCAIS)	441 mg/m <sup>3</sup> (indicative limit value)
Spain	OEL TWA (Legal Basis:OELCAIS)	100 ppm (indicative limit value)
Spain	OEL STEL (Legal Basis:OELCAIS)	884 mg/m <sup>3</sup>
Spain	OEL STEL (Legal Basis:OELCAIS)	200 ppm
Spain	OEL Chemical Category (Legal Basis:OELCAIS)	skin - potential for cutaneous absorption
Spain	OEL BLV (Legal Basis:OELCAIS)	700 mg/g creatinine Parameter: Mandelic acid plus Phenylglyoxylic acid - Medium: urine - Sampling time: end of workweek
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	220 mg/m <sup>3</sup>
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	50 ppm
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	884 mg/m <sup>3</sup>
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	200 ppm
Sweden	OEL Chemical Category (Legal Basis:AFS 2018:1)	Skin notation
Switzerland	OEL STEL (Legal Basis:OLVSNAIF)	220 mg/m <sup>3</sup>
Switzerland	OEL STEL (Legal Basis:OLVSNAIF)	50 ppm
Switzerland	OEL TWA (Legal Basis:OLVSNAIF)	220 mg/m <sup>3</sup>
Switzerland	OEL TWA (Legal Basis:OLVSNAIF)	50 ppm
Switzerland	OEL Chemical Category (Legal Basis:OLVSNAIF)	Skin notation
Switzerland	OEL BLV (Legal Basis:OLVSNAIF)	600 mg/g creatinine Parameter: Mandelic acid and Phenylglyoxylacid - Medium: urine - Sampling time: end of shift (see also Styrene)
<b>o-Xylene (95-47-6)</b>		
EU	IOELV TWA (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	221 mg/m <sup>3</sup>
EU	IOELV TWA (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	50 ppm
EU	IOELV STEL (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	442 mg/m <sup>3</sup>
EU	IOELV STEL (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	100 ppm
EU	Remark	Possibility of significant uptake through the skin
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	221 mg/m <sup>3</sup> (Xylol)
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	50 ppm (Xylol)
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	442 mg/m <sup>3</sup> (Xylene (all isomers))
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	100 ppm (Xylene (all isomers))
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	221 mg/m <sup>3</sup>
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	50 ppm
Belgium	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	442 mg/m <sup>3</sup>
Belgium	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	100 ppm
Belgium	OEL Chemical Category (Legal Basis:Royal Decree 21/01/2020)	Skin, Skin notation
Bulgaria	OEL TWA (Legal Basis:Reg. No. 13/10)	221 mg/m <sup>3</sup>
Bulgaria	OEL TWA (Legal Basis:Reg. No. 13/10)	50 ppm
Bulgaria	OEL STEL (Legal Basis:Reg. No. 13/10)	442 mg/m <sup>3</sup>
Bulgaria	OEL STEL (Legal Basis:Reg. No. 13/10)	100 ppm

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Croatia	OEL TWA (Legal Basis:OG No. 91/2018)	221 mg/m <sup>3</sup>
Croatia	OEL TWA (Legal Basis:OG No. 91/2018)	50 ppm
Croatia	OEL STEL (Legal Basis:OG No. 91/2018)	442 mg/m <sup>3</sup>
Croatia	OEL STEL (Legal Basis:OG No. 91/2018)	100 ppm
Cyprus	OEL TWA (Legal Basis:KDP 16/2019)	221 mg/m <sup>3</sup>
Cyprus	OEL TWA (Legal Basis:KDP 16/2019)	50 ppm
Cyprus	OEL STEL (Legal Basis:KDP 16/2019)	442 mg/m <sup>3</sup>
Cyprus	OEL STEL (Legal Basis:KDP 16/2019)	100 ppm
Cyprus	OEL Chemical Category (Legal Basis:KDP 16/2019)	Skin-potential for cutaneous absorption
Czech Republic	OEL TWA (Legal Basis:Reg. 41/2020)	200 mg/m <sup>3</sup>
Czech Republic	OEL Chemical Category (Legal Basis:Decree No. 107/2013)	Potential for cutaneous absorption
Denmark	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	109 mg/m <sup>3</sup> (Xylene, all isomers)
Denmark	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	25 ppm (Xylene, all isomers)
Denmark	OEL Chemical Category (Legal Basis:BEK No. 698 of 28/05/2020)	Potential for cutaneous absorption
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	200 mg/m <sup>3</sup>
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	50 ppm
Estonia	OEL STEL (Legal Basis:Regulation No. 105)	450 mg/m <sup>3</sup>
Estonia	OEL STEL (Legal Basis:Regulation No. 105)	100 ppm
Estonia	OEL Chemical Category (Legal Basis:Regulation No. 105)	Skin notation
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	220 mg/m <sup>3</sup>
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	50 ppm
Finland	OEL STEL (Legal Basis:HTP-ARVOT 2020)	440 mg/m <sup>3</sup>
Finland	OEL STEL (Legal Basis:HTP-ARVOT 2020)	100 ppm
Finland	OEL Chemical Category HTP-ARVOT 2020)	Potential for cutaneous absorption
France	OEL STEL (Legal Basis:INRS ED 984)	442 mg/m <sup>3</sup> (restrictive limit)
France	OEL STEL (Legal Basis:INRS ED 984)	100 ppm (restrictive limit)
France	OEL TWA (Legal Basis:INRS ED 984)	221 mg/m <sup>3</sup> (restrictive limit)
France	OEL TWA (Legal Basis:INRS ED 984)	50 ppm (restrictive limit)
France	OEL Chemical Category (Legal Basis:INRS ED 984)	Risk of cutaneous absorption
France	OEL BLV (Legal Basis:Decree 2009-1570)	1500 mg/g creatinine Parameter: Methylhippuric acid - Medium: urine - Sampling time: end of shift
Germany	OEL TWA (Legal Basis:TRGS 900)	220 mg/m <sup>3</sup> (all isomers)
Germany	OEL TWA (Legal Basis:TRGS 900)	50 ppm (all isomers)
Germany	OEL Chemical Category (Legal Basis:TRGS 900)	Skin notation
Gibraltar	OEL TWA (Legal Basis:LN. 2018/181)	221 mg/m <sup>3</sup>
Gibraltar	OEL TWA (Legal Basis:LN. 2018/181)	50 ppm
Gibraltar	OEL STEL (Legal Basis:LN. 2018/181)	442 mg/m <sup>3</sup>
Gibraltar	OEL STEL (Legal Basis:LN. 2018/181)	100 ppm
Gibraltar	OEL Chemical Category (Legal Basis:LN. 2018/181)	Skin notation
Greece	OEL TWA (Legal Basis:PWHS)	435 mg/m <sup>3</sup>
Greece	OEL TWA (Legal Basis:PWHS)	100 ppm
Greece	OEL STEL (Legal Basis:PWHS)	650 mg/m <sup>3</sup>
Greece	OEL STEL (Legal Basis:PWHS)	150 ppm
Greece	OEL Chemical Category (Legal Basis:PWHS)	skin - potential for cutaneous absorption
Hungary	OEL TWA (Legal Basis:Decree No. 05/2020)	221 mg/m <sup>3</sup>
Hungary	OEL STEL (Legal Basis:Decree No. 05/2020)	442 mg/m <sup>3</sup>
Hungary	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
Ireland	OEL TWA (Legal Basis:2020 COP)	221 mg/m <sup>3</sup>
Ireland	OEL TWA (Legal Basis:2020 COP)	50 ppm
Ireland	OEL STEL (Legal Basis:2020 COP)	442 mg/m <sup>3</sup>
Ireland	OEL STEL (Legal Basis:2020 COP)	100 ppm
Ireland	OEL Chemical Category (Legal Basis:Decree No. 05/2020)	Potential for cutaneous absorption
USA ACGIH	OEL TWA (Legal Basis:IMDFN1)	100 ppm
USA ACGIH	OEL STEL (Legal Basis:IMDFN1)	150 ppm
USA ACGIH	BEI Value (Legal Basis:IMDFN1)	1,5 g/g creatinine Parameter: Methylhippuric acids - Medium: urine - Sampling time: end of shift
Italy	OEL TWA (Legal Basis:Decree 81)	221 mg/m <sup>3</sup>

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>Italy</b>	OEL TWA (Legal Basis:Decree 81)	50 ppm
<b>Italy</b>	OEL STEL (Legal Basis:Decree 81)	442 mg/m <sup>3</sup>
<b>Italy</b>	OEL STEL (Legal Basis:Decree 81)	100 ppm
<b>Italy</b>	OEL Chemical Category (Legal Basis:Decree 81)	skin - potential for cutaneous absorption
<b>Latvia</b>	OEL TWA (Legal Basis:Reg. No. 325)	221 mg/m <sup>3</sup>
<b>Latvia</b>	OEL TWA (Legal Basis:Reg. No. 325)	50 ppm
<b>Latvia</b>	OEL Chemical Category (Legal Basis:Reg. No. 325)	skin - potential for cutaneous exposure
<b>Lithuania</b>	OEL TWA (Legal Basis:HN 23:2011)	221 mg/m <sup>3</sup>
<b>Lithuania</b>	OEL TWA (Legal Basis:HN 23:2011)	50 ppm
<b>Lithuania</b>	OEL STEL (Legal Basis:HN 23:2011)	442 mg/m <sup>3</sup>
<b>Lithuania</b>	OEL STEL (Legal Basis:A-N 684)	100 ppm
<b>Lithuania</b>	OEL Chemical Category (Legal Basis:HN 23:2011)	Skin notation
<b>Luxembourg</b>	OEL TWA (Legal Basis:A-N 684)	221 mg/m <sup>3</sup>
<b>Luxembourg</b>	OEL TWA (Legal Basis:A-N 684)	50 ppm
<b>Luxembourg</b>	OEL STEL (Legal Basis:A-N 684)	442 mg/m <sup>3</sup>
<b>Luxembourg</b>	OEL STEL (Legal Basis:A-N 684)	100 ppm
<b>Luxembourg</b>	OEL Chemical Category (Legal Basis:A-N 684)	Possibility of significant uptake through the skin
<b>Malta</b>	OEL TWA (Legal Basis:MOHSAA Ch. 424)	221 mg/m <sup>3</sup>
<b>Malta</b>	OEL TWA (Legal Basis:MOHSAA Ch. 424)	50 ppm
<b>Malta</b>	OEL STEL (Legal Basis:MOHSAA Ch. 424)	442 mg/m <sup>3</sup>
<b>Malta</b>	OEL STEL (Legal Basis:MOHSAA Ch. 424)	100 ppm
<b>Malta</b>	OEL Chemical Category (Legal Basis:MOHSAA Ch. 424)	Possibility of significant uptake through the skin
<b>Netherlands</b>	OEL TWA (Legal Basis:OWCRLV)	210 mg/m <sup>3</sup>
<b>Netherlands</b>	OEL STEL (Legal Basis:OWCRLV)	442 mg/m <sup>3</sup>
<b>Netherlands</b>	OEL Chemical Category (Legal Basis:OWCRLV)	Skin notation
<b>Norway</b>	OEL TWA (Legal Basis:FOR-2020-04-06-695)	108 mg/m <sup>3</sup>
<b>Norway</b>	OEL TWA (Legal Basis:FOR-2020-04-06-695)	25 ppm
<b>Norway</b>	OEL STEL (Legal Basis:FOR-2020-04-06-695)	135 mg/m <sup>3</sup> (value calculated)
<b>Norway</b>	OEL STEL (Legal Basis:FOR-2020-04-06-695)	37,5 ppm (value calculated)
<b>Norway</b>	OEL Chemical Category (Legal Basis:FOR-2020-04-06-695)	Skin notation
<b>Poland</b>	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	100 mg/m <sup>3</sup>
<b>Poland</b>	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	200 mg/m <sup>3</sup> (Xylene, mixture of iosmers)
<b>Portugal</b>	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	221 mg/m <sup>3</sup> (indicative limit value)
<b>Portugal</b>	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	50 ppm (indicative limit value)
<b>Portugal</b>	OEL STEL (Legal Basis:Portuguese Norm NP 1796:2014)	442 mg/m <sup>3</sup> (indicative limit value)
<b>Portugal</b>	OEL STEL (Legal Basis:Portuguese Norm NP 1796:2014)	100 ppm (indicative limit value)
<b>Portugal</b>	OEL Chemical Category (Legal Basis:Portuguese Norm NP 1796:2014)	A4 - Not Classifiable as a Human Carcinogen,skin - potential for cutaneous exposure indicative limit value
<b>Romania</b>	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	221 mg/m <sup>3</sup>
<b>Romania</b>	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	50 ppm
<b>Romania</b>	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	442 mg/m <sup>3</sup>
<b>Romania</b>	OEL STEL (Legal Basis:Gov. Dec. No 1.218)	100 ppm
<b>Romania</b>	OEL Chemical Category (Legal Basis:Gov. Dec. No 1.218)	Skin notation
<b>Slovakia</b>	OEL TWA (Legal Basis:Gov. Decree 33/2018)	221 mg/m <sup>3</sup>
<b>Slovakia</b>	OEL TWA (Legal Basis:Gov. Decree 33/2018)	50 ppm
<b>Slovakia</b>	OEL STEL (Legal Basis:Gov. Decree 33/2018)	442 mg/m <sup>3</sup>
<b>Slovakia</b>	OEL Chemical Category (Legal Basis:Gov. Decree 33/2018)	Potential for cutaneous absorption
<b>Slovenia</b>	OEL TWA (Legal Basis:No. 79/19)	221 mg/m <sup>3</sup>
<b>Slovenia</b>	OEL TWA (Legal Basis:No. 79/19)	50 ppm
<b>Slovenia</b>	OEL STEL (Legal Basis:No. 79/19)	442 mg/m <sup>3</sup>
<b>Slovenia</b>	OEL STEL (Legal Basis:No. 79/19)	100 ppm
<b>Slovenia</b>	OEL Chemical Category (Legal Basis:No. 79/19)	Potential for cutaneous absorption
<b>Spain</b>	OEL TWA (Legal Basis:OELCAIS)	221 mg/m <sup>3</sup> (indicative limit value)
<b>Spain</b>	OEL TWA (Legal Basis:OELCAIS)	50 ppm (indicative limit value)
<b>Spain</b>	OEL STEL (Legal Basis:OELCAIS)	442 mg/m <sup>3</sup>
<b>Spain</b>	OEL STEL (Legal Basis:OELCAIS)	100 ppm
<b>Spain</b>	OEL Chemical Category (Legal Basis:OELCAIS)	skin - potential for cutaneous absorption
<b>Sweden</b>	OEL TLV (Legal Basis:AFS 2018:1)	221 mg/m <sup>3</sup> (Xylene)

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Sweden	OEL TLV (Legal Basis:AFS 2018:1)	50 ppm (Xylene)
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	442 mg/m <sup>3</sup> (Xylene)
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	100 ppm (Xylene)
Sweden	OEL Chemical Category (Legal Basis:AFS 2018:1)	Skin notation
<b>n-Heptane (142-82-5)</b>		
EU	IOELV TWA (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	2085 mg/m <sup>3</sup>
EU	IOELV TWA (Legal Basis:2019/1831 EU in accor. with 98/24/EC)	500 ppm
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	2000 mg/m <sup>3</sup> (Heptane isomers)
Austria	OEL TWA (Legal Basis:BGBl. II Nr. 254/2018)	500 ppm (Heptane isomers)
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	8000 mg/m <sup>3</sup> (Heptane (all isomers))
Austria	OEL STEL (Legal Basis:BGBl. II Nr. 254/2018)	2000 ppm (Heptane (all isomers))
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	1664 mg/m <sup>3</sup>
Belgium	OEL TWA (Legal Basis:Royal Decree 21/01/2020)	400 ppm
Belgium	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	2085 mg/m <sup>3</sup>
Belgium	OEL STEL (Legal Basis:Royal Decree 21/01/2020)	500 ppm
Bulgaria	OEL TWA (Legal Basis:Reg. No. 13/10)	1600 mg/m <sup>3</sup>
Croatia	OEL TWA (Legal Basis:OG No. 91/2018)	2085 mg/m <sup>3</sup>
Croatia	OEL TWA (Legal Basis:OG No. 91/2018)	500 ppm
Croatia	OEL Chemical Category (Legal Basis:OG No. 91/2018)	Skin notation
Cyprus	OEL TWA (Legal Basis:KDP 16/2019)	2085 mg/m <sup>3</sup>
Cyprus	OEL TWA (Legal Basis:KDP 16/2019)	500 ppm
Czech Republic	OEL TWA (Legal Basis:Reg. 41/2020)	1000 mg/m <sup>3</sup>
Denmark	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	820 mg/m <sup>3</sup>
Denmark	OEL TWA (Legal Basis:BEK No. 698 of 28/05/2020)	200 ppm
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	2085 mg/m <sup>3</sup>
Estonia	OEL TWA (Legal Basis:Regulation No. 105)	500 ppm
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	1200 mg/m <sup>3</sup> (Heptane)
Finland	OEL TWA (Legal Basis:HTP-ARVOT 2020)	300 ppm (Heptane)
Finland	OEL STEL (Legal Basis:HTP-ARVOT 2020)	2100 mg/m <sup>3</sup>
Finland	OEL STEL (Legal Basis:HTP-ARVOT 2020)	500 ppm
France	OEL STEL (Legal Basis:INRS ED 984)	2085 mg/m <sup>3</sup> (restrictive limit)
France	OEL STEL (Legal Basis:INRS ED 984)	500 ppm (restrictive limit)
France	OEL TWA (Legal Basis:INRS ED 984)	1668 mg/m <sup>3</sup> (restrictive limit)
France	OEL TWA (Legal Basis:INRS ED 984)	400 ppm (restrictive limit)
Germany	OEL TWA (Legal Basis:TRGS 900)	2100 mg/m <sup>3</sup> (all isomers)
Germany	OEL TWA (Legal Basis:TRGS 900)	500 ppm (all isomers)
Gibraltar	OEL TWA (Legal Basis:LN. 2018/181)	2085 mg/m <sup>3</sup>
Gibraltar	OEL TWA (Legal Basis:LN. 2018/181)	500 ppm
Greece	OEL TWA (Legal Basis:PWHSSE)	2000 mg/m <sup>3</sup>
Greece	OEL TWA (Legal Basis:PWHSSE)	500 ppm
Greece	OEL STEL (Legal Basis:PWHSSE)	2000 mg/m <sup>3</sup>
Greece	OEL STEL (Legal Basis:PWHSSE)	500 ppm
Hungary	OEL TWA (Legal Basis:Decree No. 05/2020)	2000 mg/m <sup>3</sup>
Ireland	OEL TWA (Legal Basis:2020 COP)	2085 mg/m <sup>3</sup>
Ireland	OEL TWA (Legal Basis:2020 COP)	500 ppm
Ireland	OEL STEL (Legal Basis:2020 COP)	6255 mg/m <sup>3</sup> (calculated)
Ireland	OEL STEL (Legal Basis:2020 COP)	1500 ppm (calculated)
USA ACGIH	OEL TWA (Legal Basis:IMDFN1)	400 ppm (Heptane, all isomers)
USA ACGIH	OEL STEL (Legal Basis:IMDFN1)	500 ppm (Heptane, all isomers)
Italy	OEL TWA (Legal Basis:Decree 81)	2085 mg/m <sup>3</sup>
Italy	OEL TWA (Legal Basis:Decree 81)	500 ppm
Latvia	OEL TWA (Legal Basis:Reg. No. 325)	350 mg/m <sup>3</sup>
Latvia	OEL TWA (Legal Basis:Reg. No. 325)	85 ppm
Lithuania	OEL TWA (Legal Basis:HN 23:2011)	2085 mg/m <sup>3</sup>
Lithuania	OEL TWA (Legal Basis:HN 23:2011)	500 ppm
Lithuania	OEL STEL (Legal Basis:HN 23:2011)	3128 mg/m <sup>3</sup>
Lithuania	OEL STEL (Legal Basis:A-N 684)	750 ppm
Luxembourg	OEL TWA (Legal Basis:A-N 684)	2085 mg/m <sup>3</sup>

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Luxembourg	OEL TWA (Legal Basis:A-N 684)	500 ppm
Malta	OEL TWA (Legal Basis:MOHSAA Ch. 424)	2085 mg/m <sup>3</sup>
Malta	OEL TWA (Legal Basis:MOHSAA Ch. 424)	500 ppm
Netherlands	OEL TWA (Legal Basis:OWCRLV)	1200 mg/m <sup>3</sup>
Netherlands	OEL STEL (Legal Basis:OWCRLV)	1600 mg/m <sup>3</sup>
Norway	OEL TWA (Legal Basis:FOR-2020-04-06-695)	800 mg/m <sup>3</sup>
Norway	OEL TWA (Legal Basis:FOR-2020-04-06-695)	200 ppm
Norway	OEL STEL (Legal Basis:FOR-2020-04-06-695)	1000 mg/m <sup>3</sup> (value calculated)
Norway	OEL STEL (Legal Basis:FOR-2020-04-06-695)	250 ppm (value calculated)
Poland	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	1200 mg/m <sup>3</sup>
Poland	OEL TWA (Legal Basis:Dz. U. 2020 Nr. 61)	2000 mg/m <sup>3</sup>
Portugal	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	2085 mg/m <sup>3</sup> (indicative limit value)
Portugal	OEL TWA (Legal Basis:Portuguese Norm NP 1796:2014)	500 ppm (indicative limit value)
Portugal	OEL STEL (Legal Basis:Portuguese Norm NP 1796:2014)	500 ppm
Romania	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	2085 mg/m <sup>3</sup>
Romania	OEL TWA (Legal Basis:Gov. Dec. No 1.218)	500 ppm
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	2085 mg/m <sup>3</sup>
Slovakia	OEL TWA (Legal Basis:Gov. Decree 33/2018)	500 ppm
Slovenia	OEL TWA (Legal Basis:No. 79/19)	2085 mg/m <sup>3</sup> (applies to all isomers)
Slovenia	OEL TWA (Legal Basis:No. 79/19)	500 ppm (applies to all isomers)
Slovenia	OEL STEL (Legal Basis:No. 79/19)	2085 mg/m <sup>3</sup> (applies to all isomers)
Slovenia	OEL STEL (Legal Basis:No. 79/19)	500 ppm (applies to all isomers)
Spain	OEL TWA (Legal Basis:OELCAIS)	2085 mg/m <sup>3</sup> (indicative limit value)
Spain	OEL TWA (Legal Basis:OELCAIS)	500 ppm (indicative limit value)
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	800 mg/m <sup>3</sup>
Sweden	OEL TLV (Legal Basis:AFS 2018:1)	200 ppm
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	1200 mg/m <sup>3</sup>
Sweden	OEL STEL (Legal Basis:AFS 2018:1)	300 ppm

## 8.2. Exposure Controls

### Appropriate Engineering Controls

- : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases or vapours may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.

### Personal Protective Equipment

- : Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. Personal protective equipment should be chosen in accordance with Regulation (EU) 2016/425, CEN standards, and in discussion with the supplier of the protective equipment.



### Materials for Protective Clothing

- : Chemically resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

### Hand Protection

- : Wear protective gloves.

### Eye Protection

- : Chemical goggles or safety glasses.

### Skin and Body Protection

- : Wear suitable protective clothing.

### Respiratory Protection

- : If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

### Thermal Hazard Protection

- : Wear Flame-Resistant Clothing (FRCs).

### Environmental Exposure Controls

- : Avoid release to the environment.

### Consumer Exposure Controls

- : Use only outdoors or in a well-ventilated area. Wear recommended personal protective equipment.

### Other Information

- : When using, do not eat, drink or smoke.

# G-S Hypo Cement

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Colour, Appearance	: Transparent liquid
Odour	: Aromatic
Odour Threshold	: No data available
pH	: No data available
Evaporation Rate	: 5,8 [n-Butyl acetate = 1,0]
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: 90 – 100 °C
Flash Point	: -7 °C
Auto-Ignition Temperature	: 246 – 260 °C
Decomposition Temperature	: No data available
Flammability	: Not applicable
Vapour Pressure	: 60 – 77 hPa
Relative Vapour Density At 20°C	: 713
Relative Density	: 0,7 – 0,71 [at 20 °C]
Solubility	: No data available
Partition Coefficient n-Octanol/Water	: 4,66 [at 20 °C]
Viscosity	: No data available
Viscosity, Kinematic	: > 21 mm <sup>2</sup> /s [at 40 °C]
Explosive Properties	: No data available
Oxidising Properties	: No data available
Explosive Limits	: No data available
Particle Aspect Ratio	: Not applicable
Particle Aggregation State	: Not applicable
Particle Agglomeration State	: Not applicable
Particle Specific Surface Area	: Not applicable
Particle Dustiness	: Not applicable
VOC Content	: Passes CARB 310 Method; PFAS-Free

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reacts violently with strong oxidisers. Increased risk of fire or explosion.

### 10.2. Chemical Stability

Highly flammable liquid and vapour. May form flammable or explosive vapour-air mixture.

### 10.3. Possibility of Hazardous Reactions

Hazardous polymerisation will not occur.

### 10.4. Conditions to Avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

### 10.5. Incompatible Materials

Strong acids, strong bases, strong oxidisers.

### 10.6. Hazardous Decomposition Products

Thermal decomposition may produce: Carbon oxides (CO, CO<sub>2</sub>). Smoke.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information On Hazard Classes As Defined In Regulation (EC) No 1272/2008

Likely Routes of Exposure	: Dermal, Eye contact, Ingestion, Inhalation
Acute Toxicity (Oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute Toxicity (Dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute Toxicity (Inhalation)	: Not classified (Based on available data, the classification criteria are not met)

m-Xylene (108-38-3)	
LD50 Oral Rat	5 g/kg
LD50 Dermal Rabbit	12,1 g/kg
LC50 Inhalation Rat	27124 mg/m <sup>3</sup> (Exposure time: 4 h)
ATE CLP (oral)	5.000,00 mg/kg bodyweight

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ATE CLP (dermal)	1.100,00 mg/kg bodyweight
ATE CLP (gases)	4.500,00 ppmv/4h
ATE CLP (vapours)	11,00 mg/l/4h
<b>p-Xylene (106-42-3)</b>	
LD50 Oral Rat	4029 mg/kg
LD50 Dermal Rabbit	12126 mg/kg
LC50 Inhalation Rat	4740 ppm/4h
ATE CLP (dermal)	1.100,00 mg/kg bodyweight
ATE CLP (vapours)	11,00 mg/l/4h
<b>Ethylbenzene (100-41-4)</b>	
LD50 Oral Rat	3500 mg/kg
LD50 Dermal Rabbit	15400 mg/kg
LC50 Inhalation Rat	17,2 mg/l/4h (Exposure time: 4 h)
ATE CLP (vapours)	17,20 mg/l/4h
<b>o-Xylene (95-47-6)</b>	
LD50 Oral Rat	3608 mg/kg
LD50 Dermal Rabbit	14100 mg/kg
LC50 Inhalation Rat	4330 ppm (Exposure time: 6 h)
LC50 Inhalation Rat	21,3 mg/l/4h
ATE CLP (dermal)	1.100,00 mg/kg bodyweight
ATE CLP (vapours)	11,00 mg/l/4h
<b>n-Heptane (142-82-5)</b>	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	3000 mg/kg
LC50 Inhalation Rat	> 73,5 mg/l/4h

<b>Skin Corrosion/Irritation</b>	: Causes skin irritation.
<b>Eye Damage/Irritation</b>	: Causes serious eye irritation.
<b>Respiratory or Skin Sensitisation</b>	: Not classified (Based on available data, the classification criteria are not met)
<b>Germ Cell Mutagenicity</b>	: Not classified (Based on available data, the classification criteria are not met)
<b>Carcinogenicity</b>	: Not classified (Based on available data, the classification criteria are not met)

<b>m-Xylene (108-38-3)</b>	
IARC Group	3
<b>p-Xylene (106-42-3)</b>	
IARC Group	3
<b>Ethylbenzene (100-41-4)</b>	
IARC Group	2B
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.
<b>o-Xylene (95-47-6)</b>	
IARC Group	3

<b>Reproductive Toxicity</b>	: Not classified (Based on available data, the classification criteria are not met)
<b>Specific Target Organ Toxicity (Single Exposure)</b>	: May cause drowsiness or dizziness. May cause respiratory irritation.
<b>Specific Target Organ Toxicity (Repeated Exposure)</b>	: Not classified (Based on available data, the classification criteria are not met)
<b>Aspiration Hazard</b>	: Not classified (Based on available data, the classification criteria are not met)
<b>Symptoms/Injuries After Inhalation</b>	: Irritation of the respiratory tract and the other mucous membranes. High concentrations may cause central nervous system depression such as dizziness, vomiting, numbness, drowsiness, headache, and similar narcotic symptoms.
<b>Symptoms/Injuries After Skin Contact</b>	: Redness, pain, swelling, itching, burning, dryness, and dermatitis.
<b>Symptoms/Injuries After Eye Contact</b>	: Contact causes severe irritation with redness and swelling of the conjunctiva.
<b>Symptoms/Injuries After Ingestion</b>	: Ingestion may cause adverse effects.
<b>Chronic Symptoms</b>	: None expected under normal conditions of use.

### 11.2. Information On Other Hazards

Based on available data this substance/the substances in this mixture not listed below do(es) not have endocrine disrupting properties with respect to humans as it does not meet the criteria set out in section A of Regulation (EU) No 2017/2100 and/or the criteria set out in Regulation (EU) 2018/605, or the substance(s) are not required to be disclosed.

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Component	
Ethylbenzene (100-41-4)	This chemical is considered to have endocrine-disrupting properties with respect to animals in the testis, kidneys, lungs, liver, producing changes to physiology, morphology as it meets the criteria set out in section A of Regulation (EU) 2017/2100, and/or the criteria set out in Regulation (EU) 2018/605. This conclusion is based on evidence from studies and data obtained from a literature search conducted on this chemical, and shows a link between the effects above and endocrine activity, which is relevant for humans.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Hazardous To The Aquatic Environment, Short-Term (Acute)** : Very toxic to aquatic life.

**Hazardous To The Aquatic Environment, Long-Term (Chronic)** : Very toxic to aquatic life with long lasting effects.

<b>m-Xylene (108-38-3)</b>	
LC50 - Fish [1]	14,3 – 18 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	2,81 – 5 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 - Fish [2]	8,4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
NOEC chronic crustacea	1,57 mg/l
<b>p-Xylene (106-42-3)</b>	
LC50 - Fish [1]	7,2 – 9,9 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	3,55 – 6,31 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 - Fish [2]	2,6 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
NOEC chronic crustacea	1,17 mg/l
<b>Ethylbenzene (100-41-4)</b>	
LC50 - Fish [1]	11 – 18 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	1,8 – 2,4 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	4,2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
NOEC chronic crustacea	0,956 mg/l
<b>o-Xylene (95-47-6)</b>	
LC50 - Fish [1]	11,6 – 22,4 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 - Crustacea [1]	3,2 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Crustacea [2]	2,61 – 5,59 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])
NOEC chronic crustacea	1,17 mg/l
<b>n-Heptane (142-82-5)</b>	
LC50 - Fish [1]	375 mg/l (Exposure time: 96 h - Species: Cichlid fish)
EC50 - Crustacea [1]	0,1 mg/l

### 12.2. Persistence and Degradability

<b>G-S Hypo Cement</b>	
Persistence and Degradability	May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative Potential

<b>G-S Hypo Cement</b>	
Bioaccumulative Potential	Not established.
<b>m-Xylene (108-38-3)</b>	
Partition coefficient n-octanol/water (Log Pow)	3,2 (at 20 °C (at pH 7))
<b>p-Xylene (106-42-3)</b>	
BCF Fish 1	(2,2 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	3,2 (at 20 °C (at pH 7))
<b>Ethylbenzene (100-41-4)</b>	
BCF Fish 1	(15 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	3,6 (at 20 °C (at pH 7.84))
<b>o-Xylene (95-47-6)</b>	
BCF Fish 1	(21,4 dimensionless (xylene from crude oil))
Partition coefficient n-octanol/water (Log Pow)	3,12 (at 20 °C (at pH 7))
<b>n-Heptane (142-82-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	4,66

### 12.4. Mobility in Soil

<b>G-S Hypo Cement</b>	
Ecology - Soil	Adsorbs into the soil.

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.5. Results of PBT and vPvB Assessment

Does not contain any PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XVIII

### 12.6. Endocrine Disrupting Properties

Based on available data this substance/the substances in this mixture not listed below do(es) not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100 and/or the criteria set out in Regulation (EU) 2018/605, or the substance(s) are not required to be disclosed.

Component	
Ethylbenzene (100-41-4)	This chemical is considered to have endocrine-disrupting properties with respect to animals, non-target organisms in the testis, liver, kidneys, lungs, producing changes to morphology, physiology, reproduction, life span as it meets the criteria set out in section B of Regulation (EU) 2017/2100, and/or the criteria set out in Regulation (EU) 2018/605. This conclusion is based on evidence from studies and data obtained from a literature search conducted on this chemical, and shows a link between the effects above and endocrine activity, which is relevant for non-target organisms.

### 12.7. Other Adverse Effects

Other Adverse Effects : None known.

Other Information : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste Treatment Methods

Regional Legislation (Waste) : Disposal must be done according to official regulations.

Waste Treatment Methods : Incineration is the preferred method for disposal of waste product.

Sewage Disposal Recommendations : Do not dispose of waste into sewer.

Product/Packaging Disposal Recommendations : Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.






Additional Information : Handle empty containers with care because residual vapours are flammable.

Ecology - Waste Materials : Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN Number or ID Number</b>				
UN 1133	UN 1133	UN 1133 ( <i>see below</i> )	UN 1133	UN 1133
<b>14.2. UN Proper Shipping Name</b>				
ADHESIVES	ADHESIVES	Adhesives	ADHESIVES	ADHESIVES
<b>14.3. Transport Hazard Class(es)</b>				
3	3	3	3	3
				
<b>14.4. Packing Group</b>				
II	II	II	II	II
<b>14.5. Environmental Hazards</b>				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 14.6. Special Precautions For User



Excepted Quantities (EQ)  
EQ Code: E2  
Maximum net quantity per inner packaging: 30 mL  
Maximum net quantity per outer packaging: 500 mL

#### DOT



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L.  
Labeling as a Marine Pollutant is only required for bulk single package shipments. Bulk packaging consists of a maximum of 171.4(c))

#### ADR/RID/ADN



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L.  
Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 5.2.1.8.1)

#### IMDG



Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L.  
Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 2.10.2.7)

#### IATA



**ID8000- Class 9, Consumer Commodity is acceptable for packages with inner packagings less than 500 mL and total package less than 30 kg; required markings are shown at left.** Limited Quantity for packages less than 30 kg gross and inner packagings less than 0.5 L.

### 14.7. Maritime Transport in Bulk According to IMO instruments

Not applicable

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

#### 15.1.1. EU-Regulations

##### 15.1.1.1. REACH Annex XVII Information

Listed on REACH Annex XVII (Restriction Conditions). The following restrictions are applicable:

3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	G-S Hypo Cement ; m-Xylene ; p-Xylene ; o-Xylene ; Ethylbenzene ; n-Heptane
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	G-S Hypo Cement ; m-Xylene ; p-Xylene ; o-Xylene ; Ethylbenzene ; n-Heptane
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	G-S Hypo Cement ; m-Xylene ; p-Xylene ; o-Xylene ; Ethylbenzene ; n-Heptane
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	m-Xylene ; p-Xylene ; o-Xylene ; Ethylbenzene ; n-Heptane

##### 15.1.1.2. REACH Candidate List Information

Contains no substance(s) listed on the REACH Candidate List

##### 15.1.1.3. POP (2019/1021) - Persistent Organic Pollutants Information

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### 15.1.1.4. PIC Regulation EU (649/2012) - Export and Import of Hazardous Chemicals Information

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### 15.1.1.5. REACH Annex XIV Information

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 15.1.1.6. Substances Depleting the Ozone layer (1005/2009) Information

No additional information available

### 15.1.1.7. EC Inventory Information

<b>m-Xylene (108-38-3)</b>
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
<b>p-Xylene (106-42-3)</b>
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
<b>Ethylbenzene (100-41-4)</b>
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
<b>o-Xylene (95-47-6)</b>
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
<b>n-Heptane (142-82-5)</b>
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### 15.1.1.8. Other Information

No additional information available

### 15.1.2. National Regulations

No additional information available

### 15.1.3. International Inventory Lists

<b>G-S Hypo Cement</b>
All components of this product are either listed or exempt from listing on the United States Toxic Control Act (TSCA) Inventory and the Canadian Domestic Substances List (DSL).
<b>m-Xylene (108-38-3)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the Canadian IDL (Ingredient Disclosure List) Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Poisonous and Deleterious Substances Control Law Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory)
<b>p-Xylene (106-42-3)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the Canadian IDL (Ingredient Disclosure List) Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Japanese Poisonous and Deleterious Substances Control Law Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory)
<b>Ethylbenzene (100-41-4)</b>
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the Canadian IDL (Ingredient Disclosure List) Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Japanese Pollutant Release and Transfer Register Law (PRTR Law)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the NCI (Vietnam - National Chemical Inventory)

### **o-Xylene (95-47-6)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on the Canadian DSL (Domestic Substances List)  
Listed on the Canadian IDL (Ingredient Disclosure List)  
Subject to reporting requirements of United States SARA Section 313  
Listed on EPA Hazardous Air Pollutant (HAPS)  
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Japanese Poisonous and Deleterious Substances Control Law  
Japanese Pollutant Release and Transfer Register Law (PRTR Law)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the NCI (Vietnam - National Chemical Inventory)

### **n-Heptane (142-82-5)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on the Canadian DSL (Domestic Substances List)  
Listed on the Canadian IDL (Ingredient Disclosure List)  
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on INSQ (Mexican National Inventory of Chemical Substances)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the NCI (Vietnam - National Chemical Inventory)

### **2-Propenoic acid, 2-methyl-, butyl ester, homopolymer (9003-63-8)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active  
Listed on the Canadian DSL (Domestic Substances List)  
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)  
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
Listed on NZIoC (New Zealand Inventory of Chemicals)  
Listed on the Japanese ISHL (Industrial Safety and Health Law)  
Listed on the TCSI (Taiwan Chemical Substance Inventory)  
Listed on the NCI (Vietnam - National Chemical Inventory)

## 15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out

## SECTION 16: OTHER INFORMATION

**Date of Preparation or Latest Revision** : 15/07/2024

**Data Sources** : Information and data obtained and used in the authoring of this safety data sheet could come from database subscriptions, official government regulatory body websites, product/ingredient manufacturer or supplier specific information, and/or resources that include substance specific data and classifications according to GHS or their subsequent adoption of GHS.

**Other Information** : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Full Text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

### Classification and Procedure Used to Derive the Classification for Mixtures According to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	On basis of test data
Skin Irrit. 2	Calculation method
Eye Irrit. 2	Calculation method
STOT SE 3	Calculation method
STOT SE 3	Calculation method
Aquatic Acute 1	Calculation method
Aquatic Chronic 1	Calculation method

### Indication of Changes

Added guidance for shipments using ID8000 to IATA information – Section 14.

### Abbreviations and Acronyms

ACGIH – American Conference of Governmental Industrial Hygienists  
ADN – European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road  
ATE - Acute Toxicity Estimate  
BCF - Bioconcentration Factor  
BEI - Biological Exposure Indices (BEI)  
BOD – Biochemical Oxygen Demand  
CAS No. - Chemical Abstracts Service Number  
CLP – Classification, Labeling and Packaging Regulation (EC) No 1272/2008  
COD – Chemical Oxygen Demand  
EC – European Community  
EC50 - Median Effective Concentration  
EEC – European Economic Community  
EINECS – European Inventory of Existing Commercial Chemical Substances  
EmS-No. (Fire) - IMDG Emergency Schedule Fire  
EmS-No. (Spillage) - IMDG Emergency Schedule Spillage  
EU – European Union  
ErC50 - EC50 in Terms of Reduction Growth Rate  
GHS – Globally Harmonized System of Classification and Labeling of Chemicals  
IARC - International Agency for Research on Cancer  
IATA - International Air Transport Association  
IBC Code - International Bulk Chemical Code  
IMDG - International Maritime Dangerous Goods  
IPRV - Ilgalaikio Poveikio Ribinis Dydis  
IOELV – Indicative Occupational Exposure Limit Value  
LC50 - Median Lethal Concentration  
LD50 - Median Lethal Dose  
LOAEL - Lowest Observed Adverse Effect Level

NDS - Najwyższe Dopuszczalne Stezenie  
NDSch - Najwyższe Dopuszczalne Stezenie Chwilowe  
NDSP - Najwyższe Dopuszczalne Stezenie Pulapowe  
NOAEL - No-Observed Adverse Effect Level  
NOEC - No-Observed Effect Concentration  
NRD - Nevirsytinas Ribinis Dydis  
NTP – National Toxicology Program  
OEL - Occupational Exposure Limits  
PBT - Persistent, Bioaccumulative and Toxic  
PEL - Permissible Exposure Limit  
pH – Potential Hydrogen  
REACH – Registration, Evaluation, Authorisation, and Restriction of Chemicals  
RID – Regulations Concerning the International Carriage of Dangerous Goods by Rail  
SADT - Self Accelerating Decomposition Temperature  
SDS - Safety Data Sheet  
STEL - Short Term Exposure Limit  
STOT - Specific Target Organ Toxicity  
TA-Luft - Technische Anleitung zur Reinhaltung der Luft  
TEL TRK – Technical Guidance Concentrations  
ThOD – Theoretical Oxygen Demand  
TLM - Median Tolerance Limit  
TLV - Threshold Limit Value  
TPRD - Trumpalaikio Poveikio Ribinis Dydis  
TRGS 510 - Technische Regel für Gefahrstoffe 510 - Lagerung von Gefahrstoffen in ortsbeweglichen Behältern  
TRGS 552 – Technische Regeln für Gefahrstoffe - N-Nitrosamine  
TRGS 900 - Technische Regel für Gefahrstoffe 900 – Arbeitsplatzgrenzwerte  
TRGS 903 - Technische Regel für Gefahrstoffe 903 - Biologische Grenzwerte  
TSCA - Toxic Substances Control Act  
TWA - Time Weighted Average

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

LOEC - Lowest-Observed-Effect Concentration  
Log Koc - Soil Organic Carbon-water Partitioning Coefficient  
Log Kow - Octanol/water Partition Coefficient  
Log Pow - Ratio of the equilibrium concentration (C) of a dissolved substance in a two-phase system consisting of two largely immiscible solvents, in this case octanol and water  
MAK – Maximum Workplace Concentration/Maximum Permissible Concentration  
MARPOL - International Convention for the Prevention of Pollution

VOC – Volatile Organic Compounds  
VLA-EC - Valor Límite Ambiental Exposición de Corta Duración  
VLA-ED - Valor Límite Ambiental Exposición Diaria  
VLE – Valeur Limite D'exposition  
VME – Valeur Limite De Moyenne Exposition  
vPvB - Very Persistent and Very Bioaccumulative  
WEL – Workplace Exposure Limit  
WGK - Wassergefährdungsklasse

### Limit Value Legal Basis\*

\*Includes the below and any related regulations/provisions, and subsequent amendments

**EU - 2019/1831 EU in accor. with 98/24/EC** - Directive 2019/1831/EU of October 24, 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 2000/39/EC.

**EU - 2019/1243/EU, and 98/24/EC** - Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work and amendment Regulation (EU) 2019/1243.

**Austria - BGBl. II Nr. 254/2018** - Ordinance on Limit Values for Workplace Substances and on Carcinogens from the Federal Ministry of Economics and Labour, Published in 2003, Appendix 1: Substance List, Published through: Ministry of Economics and Labour of the Republic of Austria amended through the Government Gazette II (BGBl. II) No 119/2004 & BGBl. II No. 242/2006, BGBl. II No. 243/2007, lastly changed through BGBl. I Nr. 51/2011), BGBl. II Nr. 186/2015, BGBl. II Nr. 288/2017 amended by BGBl. II Nr. 254/2018.

**Austria - BLV BGBl. II Nr. 254/2018** - Ordinance on health monitoring at the workplace 2008, published through BGBl. II Nr. 224/2007 by Austria Minister for Labor and Social Affairs, Lastly changed through BGBl. II Nr. 254/2018

**Belgium - Royal Decree 21/01/2020** - Royal decree amending title 1 relating to chemical agents in Book VI of the code of well-being at work, with regard to the list of limit values of exposure to chemical agents and title 2 relating to carcinogens, mutagens and reprotoxics of Book VI of the code of well-being at work (1)

**Bulgaria - Reg. No. 13/10** -

Regulation No. 13 of December 30, 2003 on the Protection of Workers from Hazards Related to Exposure to Chemical Agents at Work Labor Code, Annex No.1 Limit values of chemical agents in the air of the working environment, and Annex No 2 Biological limit values of chemical agents and their metabolites (bio markers of exposure) or bio markers of effect Amended by: 71/2006, 67/2007, 2/2012, 46/2015, 73/2018, 5/2020), and Regulation No.10 of September 26, 2003 on the Protection of Workers from the Risks Associated with Exposure to Carcinogens and Mutagens at Work Annex No.1 Occupational Exposure Limits, Amended by: 8/2004, 46/2015, 5/2020

**Croatia - OG No. 91/2018** - Regulation on the Protection of Workers from Exposure to Hazardous Chemicals at Work, the Limit Values of Exposure and the Biological Limit Values. Official Gazette No. 91 of October 12, 2018

**Cyprus - KDP 16/2019** - Government of Cyprus Cabinet of Ministers Regulation 268/2001 - Safety and Health in the Working Environment (Chemical Substances) Article 38, As amended by Regulation 16/2019 and Cabinet of Ministers Regulation 153/2001 - Safety and Health in the Working Environment (Chemical Substances-Carcinogens), as amended by Regulation 493/2004 - Safety and Health in the Working Environment (Chemical Substances - Carcinogens) AND Law 47(I) 2000 - Occupational Health and Safety (Asbestos), as amended by Decree 316/2006.

**Czech Republic - Reg. 41/2020** - Regulation 41/2020 amending Regulation 361/2007 of Coll. establishing Occupation Exposure Limits as amended

**Czech Republic - Decree No. 107/2013** - Decree No. 107/2013 Coll., amending Decree No. 432/2003 Coll., laying down the conditions for the application of the work into categories, limit values for the parameters of biological exposure tests, collection of biological material conditions for the implementation of biological exposure tests and requirements for reporting work with asbestos and biological agents

**Denmark - BEK No. 698 of 28/05/2020** - Order on Limit Values for Substances and Materials, The Statutory Order No. 507 of May 17, 2011, Appendix 1 - Limits for air pollution, etc. and Appendix 3 - Biological Exposure Values, Amended by: No. 986 of October 11, 2012, No. 655 of May 31, 2018, No. 1458 December 13, 2019, No. 698 of May 28, 2020

**Estonia - Regulation No. 105** - Health and Safety Requirements for the Use of Dangerous Chemicals and Materials Containing Them and Occupational Exposure Limits to Chemical Agents  
Government of the Republic, Regulation No. 105 of 20 March 2001,

**Greece - PWHSE** - Occupational Exposure Limits - Protection of workers' health and safety from exposure to certain chemical substances during the workday, (latest amendment 82/2018) and Occupation Exposure Limits - Protection of workers' health and safety from exposure to certain carcinogenic and mutagenic chemical substances (latest amendment 26/2020), and Presidential Decree 212/2006 - Protection of workers that are exposed to asbestos.

**Hungary - Decree 05/2020** - 5/2020. (II. 6.) ITM decree on the protection of the health and safety of workers from the risks related to chemical agents  
**Ireland - 2020 COP** - 2020 Code of Practice for the Chemical Agents Regulations, Schedule 1

**Italy - Decree 81** - Title IX, Annex XLIII and XXXVIII, Professional Exposure Limits and Annex XXXIX Mandatory Biological Limit Values and Health Monitoring, Article 1, Law 123 of August 3, 2007, Legislative Decree 81 of April 9, 2008, Last amended: January 2020

**Italy - IMDFN1** - Ministerial Decree of August 20, 1999 Final Note (1)

**Latvia - Reg. No. 325** - Cabinet of Ministers Regulation No. 325 - Labour Protection Requirements when Coming in Contact with Chemical Substances at Workplaces, Amended by Cabinet of Ministers Regulation No. 92, 163, 407 and No. 11.

**Lithuania - HN 23:2011** - Lithuanian Hygiene Standard HN 23:2011 Occupational Exposure Limit Values, Amended by Order V-695/A1-272.

**Luxembourg - A-N 684** - Grand-Ducal Regulation of 20 July 2018 amending the Grand-Ducal Regulation of 14 November 2016 concerning the protection of the safety and health of employees against the risks associated with chemical agents in the workplace. Official journal of the Grand-Duke of Luxembourg, A-N°684 of 2018

**Malta - MOSHAA Ch. 424** - Malta Occupational Health and Safety Authority Act: Chapter 424 as amended by: Legal Notice 353, 53, 198, and 57.

**Netherlands- OWCRIV** - Occupational Working Conditions Regulation, Limit Values for substances harmful to health, Annex XVIII, Updated from August 1, 2020.

**Norway - FOR-2020-04-060695** - Regulations concerning action and limit values for physical and chemical agents in the working environment and classified biological agents, FOR-2011-12-06-1358, Updated by: FOR-2020-04-06-695, FOR-2020-03-23-402, FOR-2018-12-20-2186, FOR-2018-08-21-1255, FOR-2017-12-20-2353.

**Poland - Dz. U. 2020 Nr. 61** - Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 on the Highest Allowable Concentrations and Intensities of Factors Harmful to Health in the Work Environment Dz.U. 2018 Nr. 1286 of June 12, 2018, Annex 1 - List of values of the highest permissible chemical concentrations and dust factors harmful to health in the work environment, amended by: Dz. U. 2020 Nr. 61.

**Portugal - Portuguese Norm NP 1796:2014** - Occupational exposure limits and biological exposure indices to chemical agents. Table 1 - Occupational exposure limits and biological exposure indices to chemical agents (OELs), Law Decree 35/2020.

**Romania - Gov. Dec. No 1.218** - Governmental Decision No. 1.218 from 06/09/2006 on the minimum health and safety requirements for protection of workers from the risks related to exposure to chemical agents, Annex No. 1 Mandatory National Occupational Exposure Limit Values for Chemical Agents. Amended by Decision no. 157, 584, 359, and 1.

**Slovakia - Gov. Decree 33/2018** - Government Decree of Slovak Republic 33/2018 on January 17, 2018 amending Government Decree of Slovak Republic 355/2006 about protection of health of employees when working with chemical agents

**Slovenia - No. 79/19** - Regulation for protection of workers against risks related to carcinogenic or mutagenic substances exposure. Annex III - Classification and binding levels of carcinogenic or mutagenic substances for occupational exposure. The Official Journal of the Republic of Slovenia, No. 101/2005. Amended by 38/15, 79/19. Regulation for protection of workers

# G-S Hypo Cement

## Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

---

Amended 17 October 2019, and 17 January, 2020.

**Finland - HTP-ARVOT 2020** - Concentrations Known to be Hazardous, 654/2020 OEL values 2020 Publications of Ministry of Social Affairs and Health 2020:24 Annexes1, 2 and 3.

**France - INRS ED 984** - Occupational Exposure Limit Values to Chemical Agents in France Published 2016 by the INRS National Institute of Research and Safety Health and safety of work, revised, updated by: Decree 2016-344, JORF No 0119, and Decree 2019-1487.

**France - Decree 2009-1570** - Decree 2009-1570 of December 15, 2009, relative to the control of chemical risk on workplaces.

**Germany - TRGS 900** - Occupational Exposure Limits, Technical Rules for Dangerous Substances, latest amendment March, 2020

**Germany - TRGS 903** - Biological Threshold Limits (BGW-Values), Technical Rules for Dangerous Substances, latest amendment March, 2020

**Gibraltar - LN. 2018/131** - Factories (Control of Chemical Agents at Work) Regulations 2003 LN. 2003/035, amended by LN. 2008/035, LN. 2008/050, LN. 2012/021, LN. 2015/143, LN. 2018/181.

against risks related to exposure to chemical substances at the workplace. Republic of Slovenia, No. 100/2001 . Annex I - List of Binding Occupational Exposure Limit Values. Amended by 39/05, 53/07, 102/10, 38/15, 78/18, 78/19

**Spain - AFS 2018:1** - NATIONAL INSTITUTE FOR HEALTH AND SAFETY AT WORK. Occupational exposure limits for chemical agents in Spain. Tables 1 and 3. Latest edition Feb. 2019

**Sweden - AFS 2018:1** - Statute Book of the Swedish Work Environment Authority, AFS 2018:1

The Swedish Work Environment Authority's Ordinance and General Guidance on Hygienic Limit Values

**Switzerland - OLVSNAlF** - Occupational Limit Values 2020 Swiss National Accident Insurance Fund. List of Biological Limit Values (BAT-Werte) and List of MAK Values.

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

EU GHS SDS (2020/878)